10/573999 IAP20 Restruited 30 MAR 2006

# Plants with increased activity of a Class 3 branching enzyme

## Description

[001] The present invention relates to plant cells and plants, which are genetically modified, wherein the genetic modification leads to an increase in the activity of a Class 3 vegetable branching enzyme in comparison with corresponding wild type plant cells or wild type plants that have not been genetically modified. Furthermore, the present invention relates to means and methods for the manufacture of such plant cells and plants. Plant cells and plants of this type synthesise a modified starch. The present invention therefore also relates to the starch synthesised by the plant cells and plants according to the invention as well as to methods for the manufacture of the starch and to the manufacture of starch derivatives of this modified starch.

[002] With regard to the increasing importance currently attributed to vegetable constituents as renewable raw material sources, one of the tasks of biotechnological research is to endeavour to adapt these vegetable raw materials to suit the requirements of the processing industry. Furthermore, in order to enable regenerating raw materials to be used in as many areas of application as possible, it is necessary to achieve a large variety of materials.

Polysaccharide starch is made up of chemically uniform base components, the glucose molecules, but constitutes a complex mixture of different molecule forms, which exhibit differences with regard to the degree of polymerisation and branching, and therefore differ strongly from one another in their physical-chemical characteristics. Discrimination is made between amylose starch, an essentially unbranched polymer made from  $\alpha$ -1,4-glycosidically linked glucose units, and the amylopectin starch, a branched polymer, in which the branches come about by the occurrence of additional  $\alpha$ -1,6-glycosidic links. A further essential difference between amylose and amylopectin lies in the molecular weight. While amylose, depending on the origin of the starch, has a molecular weight of  $5x10^5 - 10^6$  Da, that of the amylopectin lies between  $10^7$  and  $10^8$  Da. The two macromolecules can be differentiated by their molecular

weight and their different physical-chemical characteristics, which can most easily be made visible by their different iodine bonding characteristics.

[004] Amylose has long been looked upon as a linear polymer, consisting of  $\alpha$ -1,4-glycosidically linked  $\alpha$ -D-glucose monomers. In more recent studies, however, the presence of  $\alpha$ -1,6-glycosidic branching points (ca. 0.1%) has been shown (Hizukuri and Takagi, Carbohydr. Res. 134, (1984), 1-10; Takeda et al., Carbohydr. Res. 132, (1984), 83-92).

[005] Amylopectin constitutes a complex mixture of differently branched glucose chains. In contrast to amylose, amylopectin is more strongly branched. According to textbook information (Voet and Voet, Biochemistry, John Wiley & Sons, 1990), on average, the  $\alpha$ -1,6 branches occur every 24 to 30 glucose residues. This is equivalent to a degree of branching of ca. 3% - 4%. The figures for the degree of branching are variable and are dependent on the origin (e.g. plant species, plant type etc.) of the appropriate starch. In typical plants used for the industrial production of starch, such as maize, wheat or potato, for example, the synthesised starch consists of ca. 20% - 30% amylose starch and ca. 70% - 80% amylopectin starch.

[006] The functional characteristics of the starch, along with the amylose/amylopectin ratio and the phosphate content, are strongly affected by the molecular weight, the pattern of the side chain distribution, the ion concentration, the lipid and protein content, the average grain size of the starch and the grain morphology of the starch etc. At the same time, by way of example, the solubility, the retrogradation behaviour, the water bonding capability, the film formation characteristics, the viscosity, the sticking characteristics, the freezing-thawing stability, the acid stability, the gelling strength etc. must be mentioned as important functional characteristics. The grain size of the starch can also be important for different applications.

[007] Branching enzymes, which are also abbreviated by the designation "BE" (from Branching Enzyme; E.C. 2.4.1.18), catalyse the introduction of  $\alpha$ -1,6 branches in  $\alpha$ -1,4-glucans. Branching enzymes and the nucleic or amino acid sequences that characterise them are known from widely different organisms, such as bacteria, microbial fungi, mammals, algae and higher plants, for example. As only plants synthesise starch, while the above-mentioned non-vegetable

organisms (e.g. bacteria, fungi and mammals) synthesise glycogen, the related branching enzymes, which are involved in the synthesis of the appropriate polymer, can also be sub-divided into glycogen branching enzymes and starch branching enzymes. Plants are therefore starch branching enzymes, which are often also referred to as Q-enzymes in older literature.

[008] In all plant species that have been investigated up to now, the branching enzymes described can be associated with two different classes (Burton et al., 1995, Plant Journal 7, 3-15; Mizuno et al., 2001, Plant Cell Physiol. 42(4), 349-357). The association with these classes, sometimes designated in the literature with A or 2 respectively and B or 1 respectively, is based on the comparison of derived protein sequences.

[009] As different nomenclatures have been used in the past for designating and classifying branching enzymes, Smith-White and Preiss (1994, Plant Molecular Biology Reporter 12, 67-71) (1994, Plant Molecular Biology Reporter 12, 67-71) have proposed a system for standardising this nomenclature, in which the association with the two classes of vegetable branching enzymes is also based on the comparison of derived protein sequences (Larsson et al., 1998, Plant Mol. Biol. 37, 505-511). According to this nomenclature, those vegetable branching enzymes, the amino acid sequence of which has a higher degree of identity with that of branching enzyme I of maize (GenBank Acc: D11081), is to be designated as a Class 1 branching enzyme, and those vegetable branching enzymes, the coding amino acid sequence of which has a higher degree of identity with that of branching enzyme II of maize (GenBank Acc: AF072725), is to be designated as a Class 2 branching enzyme. The designation of gene products, which are coding for branching enzymes, are, in accordance with the nomenclature of Smith-White and Preiss, to be incorporated in the already existing nomenclature by means of E.C. numbers. This results in the so-called GPN (Gene Product Number) Codes for the two classes, namely GPN 2.2.4.1.18:1 for Class 1 branching enzymes and GPN 2.2.4.18:2 for Class 2 branching enzymes.

[0010] The following vegetable or starch branching enzymes therefore belong to Class 1 (GPN 2.2.1.18:1) according to the nomenclature proposed by Smith-White and Preiss (1994, Plant Molecular Biology Reporter 12, 67-71): BE I from Aegilops tauschii (GenBank Acc: AF525746), BE I from barley (GenBank Acc: AY304541), BE from tapioca (GenBank Acc:

X77012), BE I (frequently also described as BE 1) from rice (GenBank Acc: D11082, D10752, D10838), BE 3 from bean (GenBank Acc: AB029549), BE II from pea (GenBank Acc: X80010), BE from millet (GenBank Acc: AF169833), BE I from potato (GenBank Acc: Y08786, X69805), BE from wheat (GenBank Acc: Y12320, AF076679, AF002820) and BE I from maize (GenBank Acc: D11081, AA020100, E03435, AY176762, U17897, AF072724). At the same time, the amino acid sequences for different Class 1 branching enzymes each have an identity of more than 60% with the amino acid sequence of branching enzyme I from maize (GenBank Acc: D11081).

[0011] Branching enzymes, which belong to Class 2 (GPN 2.2.1.18:2) according to the nomenclature proposed by Smith-White and Preiss (1994, Plant Molecular Biology Reporter 12, 67-71) are, for example, BE IIa from Aegilops tauschii (GenBank Acc: AF338431, WO 9914314), BE2-1 and BE2-2 from Arabidosis thaliana (BE2-1 GenBank Acc: NM\_129196 CAA04134; BE2-2 GenBank Acc: CAB82930, NM\_120446), BE IIa and BE IIb from barley (BE IIa GenBank Acc: AF064560; BE IIb GenBank Acc: AF064561), BE II from sweet potato (GenBank Acc: AB071286), BE III and BE IV (frequently also described as BE 3 or BE 4 respectively) from rice (BE III GenBank Acc: D16201; BE IV GenBank Acc: AB023498), BE 1 from bean (GenBank Acc: AB029548), BE I from pea (GenBank Acc: X80009), BE IIb from millet (GenBank Acc: AY304540), BE II from potato (GenBank Acc: AJ000004, AJ011885, AJ011888, AJ011889, AJ011890), BE II or BE IIa from wheat (GenBank Acc: Y11282, AF286319, AF338432, U66376) and BE II, or BE IIb from maize (BE II GenBank Acc: AAA18571, T02981; BE IIb GenBank Acc: AF072725, L08065). At the same time, the amino acid sequences for different Class 2 branching enzymes each have an identity of more than 60% with the amino acid sequence of branching enzyme IIb from maize (GenBank Acc: AF072725).

[0012] Vegetable or starch branching enzymes belong to the family of alpha-amylolytic enzymes (Svensson, 1994, Plant Molecular Biology 25, 141-157; Jespersen et al., 1991, Biochem J. 280, 51-55) and, with regard to the amino acid sequence, have four conserved domains (Baba et al., 1991, Biochem. Biophys. Res. Commun. 181(1), 87-94; Kuriki et al., 1996, J. of Protein Chemistry 15(3), 305-313).

[0013] Structural predictions based on mathematical calculations derived from experimental

data such as protein crystal structures (Pfam: http://hits.isb-sib.ch/cgi-bin/PFSCAN?) show that all previously known branching enzymes from higher plants have two domains: an alpha-amylase domain and an iso-amylase domain. Here, the iso-amylase domain lies closer to the N-terminus of the protein than the alpha-amylase domain.

[0014] Plants are known, for example, which have a reduced activity of a Class 2 branching enzyme due to a mutation. These include the so-called "amylose extender" (ae) mutants from maize (Stindard et al., 1993, Plant Cell 5, 1555-1566; Boyer and Preiss, 1978, Biochem. Biophys. Res. Commun. 80, 169-175) and rice (Mizuno et al., 1993, J. Biol. Chem. 268, 19084-19091), as well as the "rugosus" (r) mutation in pea (Smith, 1988, Planta 175, 270-279; Bhattacharyya et al., 1990, Cell 60, 115-122). All these mutants are distinguished by the fact that they synthesise a starch, which has an increased amylose content in comparison with starches from corresponding plants, which do not have this mutation.

[0015] Furthermore, genetically modified potato plants are described, in which the activity of a BE I (Class 1) branching enzyme (Kossmann et al., 1991, Mol Gen Genet 230, 39-44; Safford et al., 1998, Carbohydrate Polymers 35, 155-168), or the activity of a BEII (Class 2) branching enzyme (Jobling et al., 1999, The Plant Journal 18), or the activity of a BEI and BEII branching enzyme (Schwall et al., 2000, Nature Biotechnology 18, 551- 554, Jobling et al., 2003, Nature Biotechnology 21, 77-80) are reduced.

[0016] Previously, it has been possible to associate all vegetable branching enzymes to one or both of the classes described above. Plant cells or plants, which have an increased activity of a branching enzyme, which cannot be associated with these classes, are unknown.

[0017] The object of the present invention is therefore based on providing modified starches, new plant cells and/or plants, which synthesise such a modified starch, as well as methods for producing said plants.

[0018] This problem is solved by the embodiments described in the claims.

[0019] The present invention therefore relates to genetically modified plant cells and plants, characterised in that the plant cells or plants have an increased activity of at least one Class 3 branching enzyme in comparison with corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0020] A first aspect of the present invention relates to a plant cell or plant, which is genetically modified, wherein the genetic modification leads to an increase in the activity of at least one Class 3 branching enzyme in comparison with corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0021] At the same time, the genetic modification can be any genetic modification, which leads to an increase in the activity of at least one Class 3 branching enzyme in comparison with corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0022] In conjunction with the present invention, the term "wild type plant cell" means that the plant cells concerned were used as starting material for the manufacture of the plant cells according to the invention, i.e. their genetic information, apart from the introduced genetic modification, corresponds to that of a plant cell according to the invention.

[0023] In conjunction with the present invention, the term "wild type plant" means that the plants concerned were used as starting material for the manufacture of the plants according to the invention, i.e. their genetic information, apart from the introduced genetic modification, corresponds to that of a plant according to the invention.

[0024] In conjunction with the present invention, the term "corresponding" means that, in the comparison of several objects, the objects concerned that are compared with one another have been kept under the same conditions. In conjunction with the present invention, the term "corresponding" in conjunction with wild type plant cell or wild type plant means that the plant cells or plants, which are compared with one another, have been raised under the same cultivation conditions and that they have the same (cultivation) age.

[0025] The plant cells according to the invention have an increased activity of at least one Class 3 branching enzyme in comparison with corresponding wild type plant cells that have not been genetically modified.

[0026] Here, within the framework of the present invention, the term "increased activity" means an increase in the expression of endogenous genes, which code Class 3 branching enzymes and/or an increase in the quantity of Class 3 branching enzyme protein in the cells and/or an increase in the enzymatic activity of Class 3 branching enzymes in the cells.

[0027] The increase in the expression can, for example, be determined by measuring the quantity of transcripts coding Class 3 branching enzyme, e.g. using Northern blot analysis or RT-PCR. Here, an increase preferably means an increase in the amount of transcripts in comparison with corresponding cells that have not been genetically modified by at least 50%, in particular by at least 70%, preferably by at least 85% and particularly preferably by at least 100%.

[0028] The increase in the amount of protein of a Class 3 branching enzyme, which results in an increased activity of this protein in the plant cells concerned, can, for example, be determined by immunological methods such as Western blot analysis, ELISA (Enzyme Linked Immuno Sorbent Assay) or RIA (Radio Immune Assay). Here, an increase preferably means an increase in the amount of Class 3 branching enzyme protein in comparison with corresponding cells that have not been genetically modified by at least 50%, in particular by at least 70%, preferably by at least 85% and particularly preferably by at least 100%.

[0029] Within the framework of the present invention, the term "branching enzyme" ( $\alpha$ -1,4-glucan:  $\alpha$ -1,4-glucan 6-glycosyltransferase, E.C. 2.4.1.18) is understood to mean a protein, which catalyses a transglycosylation reaction, in which  $\alpha$ -1,4 links of an  $\alpha$ -1,4-glucan donor are hydrolysed and the thereby released  $\alpha$ -1,4-glucan chains are transferred to an  $\alpha$ -1,4-glucan acceptor chain and, in doing so, are transformed into  $\alpha$ -1,6-links. In particular, within the framework of the present invention, the term "branching enzyme" is to be understood to mean a vegetable branching enzyme, i.e. a starch branching enzyme.

[0030] The activity of a branching enzyme can be demonstrated, for example, with the help of native acrylamide gel electrophoresis. In doing so, proteins are first separated electrophoretically and, after incubation in buffers containing an activity, which synthesises linear α-1,4-glucan chains (e.g. starch phosphorylase a) and its substrate (e.g. glucose-6phosphate), the corresponding gels are coloured with iodine (Kimihiko et al., 1980, Analytical Biochemistry 108, 16-24). Furthermore, branching enzymes in microbial organisms, such as the E. coli strain KV832 for example (Kiel et al., 1987 Mol. Gen. Genet 207: 294-301), which do not synthesise branched  $\alpha$ -glucans, can be expressed. If an activity of a branching enzyme is introduced into the microbial organism due to the expression of a foreign gene in such strains (e.g. E. coli KV832), then the branching enzyme activity can be demonstrated by treating colonies of these organisms with iodine vapour, for example. Colonies, which synthesise linear α-1,4-glucans, turn blue in this test, while colonies, which synthesise branched glucans by expressing an additional enzymatic activity of a branching enzyme, turn reddish-brown after treating with iodine vapour. It is also possible to express proteins in phosphoglucomutase mutants of E. coli to identify a branching enzyme activity of appropriate proteins (Buettcher et al., 1999, Biochem. Biophys. Acta 1432, 406-412).

[0031] A further possibility of demonstrating branching enzyme activity of proteins is the use of a reaction stimulated by phosphorylase a and the subsequent separation of the products by means of thin film chromatography (Almstrupp et al., 2000, Analytical Biochemistry 286, 297-300). Branching enzyme activities can also be demonstrated with the help of the methods described in Guan and Preiss (1993, Plant Physiol. 102. 1269- 1273) and Kuriki et al. (1996, J. of Protein Chemistry 15, 305-313).

[0032] In conjunction with the present invention, the term "Class 3 branching enzyme" is to be understood as a branching enzyme, which has a higher degree of identity with the amino acid sequence specified in Seq ID NO 4 than with that of the branching enzyme BE I from maize (GenBank Acc: D11081) or with that of the branching enzyme BE IIb from maize (GenBank Acc: AF072725). Preferably, the Class 3 branching enzyme comes from starch-storing plants, particularly preferably from plant species of the genus *Solanum*, especially preferably from *Solanum tuberosum*.

[0033] In a further embodiment of the present invention, amino acid sequences coding Class 3 branching enzymes have an identity of at least 60% with the sequence specified in SEQ ID NO 4, in particular of at least 70%, preferably of at least 80% and particularly preferably of at least 90% and especially preferably of at least 95%.

[0034] According to the invention, Class 3 branching enzymes have an iso-amylase domain (Pfam acc.: Pf02922) and an alpha-amylase domain (Pfam acc: Pf00128). According to the invention, the iso-amylase domain and the alpha-amylase domain in amino acid sequences coding branching enzymes are separated from one another by the presence of further amino acids, which do not belong to these two domains.

[0035] Class 3 branching enzymes according to the invention are distinguished by the fact that the iso-amylase domain is separated from the alpha-amylase domain by a greater number of amino acids than the iso-amylase domain and the alpha-amylase domain of Class 1 and 2 branching enzymes.

[0036] Class 3 branching enzymes according to the invention are preferably distinguished with regard to their amino acid sequence by the fact that they have at least 70, preferably at least 100, particularly preferably at least 130 and especially preferably at least 198 amino acids between the iso-amylase domain and the alpha-amylase domain. In a further embodiment of the present invention, in the case of an amino acid sequence coding a Class 3 branching enzyme, the C-terminal end of the iso-amylase domain is separated from the N-terminal beginning of the alpha-amylase domain by 70 to 198, preferably by 100 to 198, particularly preferably by 130 to 198 and especially particularly preferably by 150 to 198 amino acids.

[0037] With the help of the Pfam database (Batemann et al., 2002, Nucleic Acids Research 30, 276-280; accessible via http://www.sanger.ac.uk/Software/Pfam/, http://www.cgb.ki.se/Pfam/; http://pfam.jouy.inra.fr/ or http://pfam.wustl.edu/), it is possible for the person skilled in the art to determine whether amino acid sequences already have known domains (e.g. an iso-amylase domain and/or an alpha-amylase domain). Pfam is a database put

together by experts, which classifies amino acid sequences into so-called families. Here, the assignment of an amino acid sequence to a family is carried out on the basis of so-called domains, which are to be looked upon as functional and structural components of proteins. A domain is defined as a structural unit or a repeatedly occurring amino acid sequence unit, which can occur in proteins with widely different functions. Along with information relating to the amino acid sequence of known proteins, further knowledge (e.g. evidence of the enzymatic activity, crystal structure data) is also used for the assignment of a protein to a family. Each family is assigned a name and an "accession" number (e.g. Name: Isoamylase\_N, acc: PF02922). A constituent part of each family in the Pfam database is, amongst other things, a so-called "seed alignment". The "seed alignment" contains the amino acid sequences of representative proteins of a family. Starting from "seed alignments", a so-called profile HMM ("profile Hidden Markov Model"; overview article in: Durbin et al., "Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids", Cambridge University Press, 1998, ISBN 0-521-62041-4) is produced using the HMMER 2 software (freely available under http://hmmer.wustl.edu/). The HMMs produced have names and are stored in the Pfam database specifically for the correspondingly assigned domains. In contrast to classical, multiple "alignments" (e.g. produced using the Clustal W program or the Blossum62 algorithm), HMMs are based on a valid statistical theory (Bayes theory of conditional probability, Markoff chains) and enable an interrogation sequence (query) to be assigned to a family based on the use of position-specific evaluation matrices. This enables an assignment to be made even when there are considerable differences in the amino acid sequences between the interrogation sequence (Query) and a comparison sequence (e.g. amino acid sequence entry in a database).

[0038] The domain structure of the amino acid sequence concerned can be determined by means of a comparison of the HMMs stored in the Pfam database with amino acid sequences, which are entered as a so-called interrogation sequence (query) (e.g. under http://hits.isb-sib.ch/cgi-bin/PFSCAN?).

[0039] In conjunction with the present invention, the term "iso-amylase domain" is to be understood to mean a Pfam iso-amylase domain (acc: Pf02922). At the same time, the HMM describing this Pfam iso-amylase domain is to be produced with the HMMER 2 [2.3.1] software,

starting from a "seed alignment", which contains the amino acid sequences shown in Table 1. In conjunction with the present invention, the "seed alignment" is produced by means of the ClustalW program (Thompson et al., Nucleic Acids Research 22 (1994), 4673-4680; see below). The following settings must be chosen to produce the appropriate HMMs: Build Method of HMM: hmmbuild –F HMM\_ls, hmmcalibrate –seed 0 HMM\_ls; Gathering cutoff: 2.3 2.3; Trusted cutoff: 2.3 2.2; Noise cutoff: 2.1 2.1). Further information for producing the HMM of the Pfam iso-amylase domain (acc: Pf02922) is given in Table 3.

[0040] In conjunction with the present invention, the term "alpha-amylase domain" is to be understood to mean a Pfam alpha-amylase domain (acc: Pf00128). At the same time, the HMM describing this Pfam alpha-amylase domain is to be produced with the HMMER 2 [2.3.1] software, starting from a "seed alignment", which contains the amino acid sequences shown in Table 2. Here, the "seed alignment" is produced by means of HMM\_simulated\_annealing (http://www.psc.edu/general/software/packages/hmmer/manual/node11.html#SECTION0032100 000000000000). The following settings must be chosen to produce the appropriate HMM: Build Method of HMM: hmmbuild –F HMM\_ls, hmmcalibrate –seed 0 HMM\_ls; Gathering cutoff: -82.0 –82.0; Trusted cutoff: -81.7 –81.7; Noise cutoff: -82.7 –82.7). Further information for producing the HMM of the Pfam alpha-amylase domain (acc: Pf00128) is given in Table 4.

[0041] In conjunction with the present invention, the term "Class 3 branching enzyme gene" is to be understood to mean a nucleic acid molecule (cDNA, DNA), which codes a Class 3 branching enzyme, preferably a Class 3 branching enzyme from starch-storing plants, particularly preferably from plant species of the genus *Solanum*, especially preferably from *Solanum tuberosum*.

[0042] A preferred embodiment of the present invention relates to a genetically modified plant cell according to the invention or a genetically modified plant according to the invention, wherein the genetic modification consists in the introduction of at least one foreign nucleic acid molecule into the genome of the plant cell or into the genome of the plant.

[0043] In this context, the term "genetic modification" means the introduction of homologous

and/or heterologous foreign nucleic acid molecules into the genome of a plant cell or into the genome of a plant, wherein said introduction of these molecules leads to an increase in the activity of a Class 3 branching enzyme.

[0044] The plant cells according to the invention or plants according to the invention are modified with regard to their genetic information by the introduction of a foreign nucleic acid molecule. The presence or the expression of the foreign nucleic acid molecule leads to a phenotypic change. Here, "phenotypic" change means preferably a measurable change of one or more functions of the cells. For example, the genetically modified plant cells according to the invention and the genetically modified plants according to the invention exhibit an increase in the activity of a Class 3 branching enzyme due to the presence or on the expression of the introduced nucleic acid molecule.

[0045] In conjunction with the present invention, the term "foreign nucleic acid molecule" is understood to mean such a molecule that either does not occur naturally in the corresponding wild type plant cells, or that does not occur naturally in the concrete spatial arrangement in wild type plant cells, or that is localised at a place in the genome of the wild type plant cell at which it does not occur naturally. Preferably, the foreign nucleic acid molecule is a recombinant molecule, which consists of different elements, the combination or specific spatial arrangement of which does not occur naturally in vegetable cells. In principle, the foreign nucleic acid molecule can be any nucleic acid molecule, which effects an increase in the activity of a Class 3 branching enzyme in the plant cell or plant.

[0046] In conjunction with the present invention, the term "genome" is to be understood to mean the totality of the genetic material present in a vegetable cell. It is known to the person skilled in the art that, as well as the cell nucleus, other compartments (e.g. plastids, mitochondrions) also contain genetic material.

[0047] In a further embodiment, the plant cells according to the invention and the plants according to the invention are characterised in that the foreign nucleic acid molecule codes a Class 3 branching enzyme, preferably a Class 3 branching enzyme from starch-storing plants,

particularly preferably from plants of a species of the genus *Solanum*, especially preferably from *Solanum tuberosum*.

[0048] In a particularly preferred embodiment, the foreign nucleic acid molecule codes a Class 3 branching enzyme with the amino acid sequence specified in SEQ ID NO 4.

[0049] A large number of techniques are available for the introduction of DNA into a vegetable host cell. These techniques include the transformation of vegetable cells with T-DNA using Agrobacterium tumefaciens or Agrobacterium rhizogenes as the transformation medium, the fusion of protoplasts, injection, the electroporation of DNA, the introduction of DNA by means of the biolistic approach as well as other possibilities. The use of agrobacteria-mediated transformation of plant cells has been intensively investigated and adequately described in EP 120516; Hoekema, IN: The Binary Plant Vector System Offsetdrukkerij Kanters B.V., Alblasserdam (1985), Chapter V; Fraley et al., Crit. Rev. Plant Sci. 4, 1-46 and by An et al. EMBO J. 4, (1985), 277-287. For the transformation of potato, see Rocha-Sosa et al., EMBO J. 8, (1989), 29-33, for example.

[0050] The transformation of monocotyledonous plants by means of vectors based on agrobacterium transformation has also been described (Chan et al., Plant Mol. Biol. 22, (1993), 491-506; Hiei et al., Plant J. 6, (1994) 271-282; Deng et al, Science in China 33, (1990), 28-34; Wilmink et al., Plant Cell Reports 11, (1992), 76-80; May et al., Bio/Technology 13, (1995), 486-492; Conner and Domisse, Int. J. Plant Sci. 153 (1992), 550-555; Ritchie et al, Transgenic Res. 2, (1993), 252-265). An alternative system to the transformation of monocotyledonous plants is transformation by means of the biolistic approach (Wan and Lemaux, Plant Physiol. 104, (1994), 37-48; Vasil et al., Bio/Technology 11 (1993), 1553-1558; Ritala et al., Plant Mol. Biol. 24, (1994), 317-325; Spencer et al., Theor. Appl. Genet. 79, (1990), 625-631), protoplast transformation, electroporation of partially permeabilised cells and the introduction of DNA by means of glass fibres. In particular, the transformation of maize has been described in the literature many times (cf. e.g. WO95/06128, EP0513849, EP0465875, EP0292435; Fromm et al., Biotechnology 8, (1990), 833-844; Gordon-Kamm et al., Plant Cell 2, (1990), 603-618; Koziel et al., Biotechnology 11 (1993), 194-200; Moroc et al., Theor. Appl. Genet. 80, (1990), 721-726).

[0051] The successful transformation of other types of cereal has also already been described, for example for barley (Wan and Lemaux, see above; Ritala et al., see above; Krens et al., Nature 296, (1982), 72-74) and for wheat (Nehra et al., Plant J. 5, (1994), 285-297). All the above methods are suitable within the framework of the present invention.

Amongst other things, the plant cells according to the invention and the plants [0052] according to the invention can be differentiated from wild type plant cells and wild type plants respectively in that they contain a foreign nucleic acid molecule, which does not occur naturally in wild type plant cells or wild type plants, or in that such a molecule is present integrated at a place in the genome of the plant cell according to the invention or in the genome of the plant according to the invention at which it does not occur in wild type plant cells or wild type plants, i.e. in a different genomic environment. Furthermore, plant cells according to the invention and plants according to the invention of this type differ from wild type plant cells and wild type plants respectively in that they contain at least one copy of the foreign nucleic acid molecule stably integrated within their genome, possibly in addition to naturally occurring copies of such a molecule in the wild type plant cells or wild type plants. If the foreign nucleic acid molecule(s) introduced into the plant cells according to the invention or into the plants according to the invention is (are) additional copies of molecules already occurring naturally in the wild type plant cells or wild type plants respectively, then the plant cells according to the invention and the plants according to the invention can be differentiated from wild type plant cells or wild type plants respectively in particular in that this additional copy or these additional copies is (are) localised at places in the genome at which it does not occur (or they do not occur) in wild type plant cells or wild type plants. This can be verified, for example, with the help of a Southern Blot Analysis.

[0053] Furthermore, the plant cells according to the invention and the plants according to the invention can preferably be differentiated from wild type plant cells or wild type plants respectively by at least one of the following characteristics: If the foreign nucleic acid module that has been introduced is heterologous with respect to the plant cell or plant, then the plant cells according to the invention or plants according to the invention have transcripts of the introduced nucleic acid molecules. These can be verified, for example, by Northern blot analysis or by RT-

PCR (Reverse Transcription Polymerase Chain Reaction). Plant cells according to the invention and plants according to the invention, which express an antisense and/or an RNAi transcript, can be verified, for example, with the help of specific nucleic acid probes, which are complimentary to the RNA (occurring naturally in the plant cell), which is coding for the protein. Preferably, the plant cells according to the invention and the plants according to the invention contain a protein, which is coded by an introduced nucleic acid molecule. This can be demonstrated by immunological methods, for example, in particular by a Western Blot Analysis.

[0054] If the foreign nucleic acid module that has been introduced is homologous with respect to the plant cell or plant, the plant cells according to the invention or plants according to the invention can be differentiated from wild type plant cells or wild type plants respectively due to the additional expression of the introduced foreign nucleic acid molecule, for example. The plant cells according to the invention and the plants according to the invention preferably contain (sense and/or antisense) transcripts of the foreign nucleic acid molecules. This can be demonstrated by Northern blot analysis, for example, or with the help of so-called quantitative PCR.

[0055] In a special embodiment, the plant cells according to the invention and the plants according to the invention are transgenic plant cells or transgenic plants respectively

[0056] In a further embodiment, the present invention relates to plant cells according to the invention and plants according to the invention wherein the foreign nucleic acid molecule is chosen from the group consisting of

- a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;
- b) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 50% with the amino acid sequence given under SEQ ID NO: 4;
- c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence;
- d) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 50% with the nucleic acid sequences described under a) or c);

- e) Nucleic acid molecules, which hybridise with at least one strand of the nucleic acid molecules described under a) or c) under stringent conditions;
- f) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under a), b), c), d), e) or f) due to the degeneration of the genetic code; and
- g) Nucleic acid molecules, which represent fragments, allelic variants and/or derivatives of the nucleic acid molecules identified under a), b), c), d), e) or f).

[0057] The amino acid sequence specified in SEQ ID NO 4 codes a protein with the activity of a Class 3 branching enzyme from *Solanum tuberosum*.

[0058] A plasmid was deposited with the Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH, Mascheroder Weg 1b, 38124 Braunschweig, Germany, in accordance with the Budapest Treaty on 15th September 2003 under the number DSM 15926. The amino acid sequence shown SEQ ID NO 4 can be derived from the coding region of the cDNA sequence integrated in plasmid DSM 15926 and codes for a Class 3 branching enzyme from *Solanum tuberosum*. The present invention relates to nucleic acid molecules, which code a protein with the enzymatic activity of a Class 3 branching enzyme, which includes the amino acid sequence, which is coded by the insertion in plasmid DSM 15926, wherein the coded protein has an identity of at least 70%, preferably of at least 80%, particularly preferably of at least 90% and especially preferably of 95% with the amino acid sequence, which can be derived from the insertion coding a Class 3 branching enzyme in DSM 15926.

[0059] The proteins coded from the different varieties of nucleic acid molecules according to the invention have certain common characteristics. These can include, for example, biological activity, molecular weight, immunological reactivity, conformation, the presence of structural and/or functional domains etc, as well as physical characteristics such as, for example, the running behaviour in gel electrophoresis, chromatographic behaviour, sedimentation coefficients, solubility, spectroscopic characteristics, stability; optimum pH, optimum temperature etc.

[0060] The molecular weight of the Class 3 branching enzyme from Solanum tuberosum

derived from the amino acid sequence shown under SEQ ID NO 4 is ca. 103 kDa. The derived molecular weight of a protein according to the invention therefore preferably lies in the range from 85 kDa to 120 kDa, preferably in the range from 95 kDa to 110 kDa and particularly preferably from ca. kDa 100 to 105 kDa.

[0061] The nucleic acid sequence shown in SEQ ID NO 3 is a cDNA sequence, which includes the coding region for a Class 3 branching enzyme from *Solanum tuberosum*.

[0062] The present invention therefore also relates to nucleic acid molecules, which code a Class 3 branching enzyme and the coding region of the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence, nucleic acid molecules, which include the coding region of the nucleotide sequence of the insertion contained in plasmid DSM 15926, and nucleic acid molecules, which have an identity of at least 70%, preferably of at least 80%, particularly preferably of at least 90% and especially preferably of at least 95% with the said nucleic acid molecules.

[0063] With the help of the sequence information of the nucleic acid molecule according to the invention or with the help of the nucleic acid molecule according to the invention, it is now possible for the person skilled in the art to isolate homologous sequences from other plant species, preferably from starch-storing plants, preferably from plant species of the genus *Solanum*, particularly preferably from *Solanum tuberosum*. This can be carried out, for example, with the help of conventional methods such as the examination of cDNA or genomic banks with suitable hybridisation samples. The person skilled in the art knows that homologous sequences can also be isolated with the help of (degenerated) oligonucleotides and the use of PCR-based methods.

[0064] The examination of databases, such as are made available, for example, by EMBL (http://www.ebi.ac.uk/Tools/index.htm) or NCBI (National Center for Biotechnology Information, http://www.ncbi.nlm.nih.gov/), can also be used for identifying homologous sequences, which code for a Class 3 branching enzyme. In this case, one or more sequences are specified as a so-called query. This query sequence is then compared by means of statistical

computer programs with sequences, which are contained in the selected databases. Such database queries (e.g. blast or fasta searches) are known to the person skilled in the art and can be carried out by various providers. If such a database query is carried out, e.g. at the NCBI (National Center for Biotechnology Information, http://www.ncbi.nlm.nih.gov/), then the standard settings, which are specified for the particular comparison inquiry, should be used. For protein sequence comparisons (blastp), these are the following settings: Limit entrez = not activated; Filter = low complexity activated; Expect value = 10; word size = 3; Matrix = BLOSUM62; Gap costs: Existence = 11, Extension = 1.

[0065] For nucleic acid sequence comparisons (blastn), the following parameters must be set: Limit entrez = not activated; Filter = low complexity activated; Expect value = 10; word size = 11.

[0066] With such a database search, the sequences described in the present invention can be used as a query sequence in order to identify further nucleic acid molecules and/or proteins, which code a Class 3 branching enzyme.

[0067] With the help of the described methods, it is also possible to identify and/or isolate nucleic acid molecules according to the invention, which hybridise with the sequence specified under SEO ID NO: 3 and which code a Class 3 branching enzyme.

[0068] Within the framework of the present invention, the term "hybridising" means hybridisation under conventional hybridisation conditions, preferably under stringent conditions such as, for example, are described in Sambrock et al., Molecular Cloning, A Laboratory Manual, 2nd Ed. (1989) Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY). Particularly preferably, "hybridising" means hybridisation under the following conditions:

[0069] Hybridisation buffer: 2xSSC; 10xDenhardt solution (Ficoll 400+PEG+BSA; Ratio 1:1:1); 0.1% SDS; 5 mM EDTA; 50 mM Na<sub>2</sub>HPO<sub>4</sub>; 250 µg/ml herring sperm DNA; 50 µg/ml tRNA; or 25 M sodium phosphate buffer pH 7.2; 1 mM EDTA; 7% SDS

[0070] Hybridisation temperature: T=65 to 68°C

[0071] Wash buffer: 0.2xSSC; 0.1% SDS

[0072] Wash temperature: T=65 to 68°C.

[0073] In principle, nucleic acid molecules, which hybridise with the nucleic acid molecules according to the invention, can originate from any plant species, which expresses an appropriate protein, preferably they originate from starch-storing plants, preferably from species of the genus *Solanum*, particularly preferably from *Solanum tuberosum*. Nucleic acid molecules, which hybridise with the molecules according to the invention, can, for example, be isolated from genomic or from cDNA libraries. The identification and isolation of nuclear acid molecules of this type can be carried out using the nucleic acid molecules according to the invention or parts of these molecules or the reverse complements of these molecules, e.g. by means of hybridisation according to standard methods (see, for example, Sambrook et al., 1989, Molecular Cloning, A Laboratory Manual, 2nd Ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY) or by amplification using PCR.

[0074] Nucleic acid molecules, which exactly or essentially have the nucleotide sequence specified under SEQ ID NO: 3, or parts of this sequence, can be used as hybridisation samples. The fragments used as hybridisation samples can also be synthetic fragments or oligonucleotides, which have been manufactured using established synthesising techniques and the sequence of which corresponds essentially with that of a nucleic acid molecule according to the invention. If genes have been identified and isolated, which hybridise with the nucleic acid sequences according to the invention, then a determination of this sequence and an analysis of the characteristics of the proteins coded by this sequence should be carried out in order to establish whether a Class 3 branching enzyme is involved. Homology comparisons on the level of the nucleic acid or amino acid sequence and a determination of the enzymatic activity are particularly suitable for this purpose. As described above, the activity of a Class 3 branching enzyme can take place by expression in E. coli strains, which themselves do not express an active branching enzyme (Kiel et al., 1987 Mol. Gen. Genet 207: 294-301); Guan et al., 1995, Proc. Natl. Acad. Sci. 92, 964-967).

[0075] The molecules hybridising with the nucleic acid molecules according to the invention particularly include fragments, derivatives and allelic variants of the nucleic acid molecules described above, which code a Class 3 branching enzyme from plants, preferably from starch-storing plants, preferably from plant species of the genus *Solanum*, particularly preferably from *Solanum tuberosum*. In conjunction with the present invention, the term "derivative" means that the sequences of these molecules differ at one or more positions from the sequences of the nucleic acid molecules described above and have a high degree of identity with these sequences. Here, the deviation from the nucleic acid molecules described above can have come about, for example, due to deletion, addition, substitution, insertion or recombination.

[0076] The proteins coded from the different derivatives of nucleic acid molecules according to the invention have certain common characteristics. These can include, for example, biological activity, substrate specificity, molecular weight, immunological reactivity, conformation, the presence of structural and/or functional domains etc, as well as physical characteristics such as, for example, the running behaviour in gel electrophoresis, chromatographic behaviour, sedimentation coefficients, solubility, spectroscopic characteristics, stability; optimum pH, optimum temperature etc.

[0077] In conjunction with the present invention, the term "identity" means a sequence identity over the whole length of the coding region of at least 60%, in particular an identity of at least 70%, preferably greater than 80%, particularly preferably greater than 90% and especially of at least 95%. In conjunction with the present invention, the term "identity" is to be understood to mean the number of amino acids/nucleotides (identity) corresponding with other proteins/nucleic acids, expressed as a percentage. Identity is preferably determined by comparing the Seq. ID NO 4 or SEQ ID NO 3 with other proteins/nucleic acids with the help of computer programs. If sequences that are compared with one another have different lengths, the identity is to be determined in such a way that the number of amino acids, which have the shorter sequence in common with the longer sequence, determines the percentage quotient of the identity. Preferably, identity is determined by means of the computer program ClustalW, which is well known and available to the public (Thompson et al., Nucleic Acids Research 22 (1994), 4673-4680).

ClustalW is made publicly available by Julie Thompson (Thompson@EMBL-Heidelberg.DE) and Toby Gibson (Gibson@EMBL-Heidelberg.DE), European Molecular Biology Laboratory, Meyerhofstrasse 1, D 69117 Heidelberg, Germany. ClustalW can also be downloaded from different Internet sites, including the IGBMC (Institut de Génétique et de Biologie Moléculaire et Cellulaire, B.P.163, 67404 Illkirch Cedex, France; ftp://ftp-igbmc.u-strasbg.fr/pub/) and the EBI (ftp://ftp.ebi.ac.uk/pub/software/) as well as from all mirrored Internet sites of the EBI (European Bioinformatics Institute, Wellcome Trust Genome Campus, Hinxton, Cambridge CB10 1SD, UK).

[0078] Preferably, Version 1.8 of the ClustalW computer program is used to determine the identity between proteins according to the invention and other proteins. In doing so, the following parameters must be set: KTUPLE=1, TOPDIAG=5, WINDOW=5, PAIRGAP=3, GAPOPEN=10, GAPEXTEND=0.05, GAPDIST=8, MAXDIV=40, MATRIX=GONNET, ENDGAPS(OFF), NOPGAP, NOHGAP.

[0079] Preferably, Version 1.8 of the ClustalW computer program is used to determine the identity between the nucleotide sequence of the nucleic acid molecules according to the invention, for example, and the nucleotide sequence of other nucleic acid molecules. In doing so, the following parameters must be set: KTUPLE=2, TOPDIAGS=4, PAIRGAP=5, DNAMATRIX:IUB, GAPOPEN=10, GAPEXT=5, MAXDIV=40, TRANSITIONS: unweighted.

[0080] Furthermore, identity means that functional and/or structural equivalence exists between the nucleic acid molecules concerned or the proteins coded by them. The nucleic acid molecules, which are homologous to the molecules described above and constitute derivatives of these molecules, are generally variations of these molecules, which constitute modifications, which execute the same biological function. At the same time, the variations can occur naturally, for example they can be sequences from other plant species, or they can be mutations, wherein these mutations may have occurred in a natural manner or have been introduced by objective mutagenesis. The variations can also be synthetically manufactured sequences. The allelic variants can be both naturally occurring variants and also synthetically manufactured variants or variants produced by recombinant DNA techniques. Nucleic acid molecules, which deviate from

nucleic acid molecules according to the invention due to degeneration of the genetic code, constitute a special form of derivatives.

[0081] The nucleic acid molecules according to the invention can be any nucleic acid molecules, in particular DNA or RNA molecules, for example cDNA, genomic DNA, mRNA etc. They can be naturally occurring molecules or molecules manufactured by genetic or chemical synthesis methods. They can be single-stranded molecules, which either contain the coding or the non-coding strand, or double-stranded molecules.

[0082] Furthermore, the present invention relates to nucleic acid molecules of at least 21, preferably more than 50 and particularly preferably more than 200 nucleotides length, which specifically hybridise with at least one nucleic acid molecule according to the invention. Here, specifically hybridise means that these molecules hybridise with nucleic acid molecules, which code a protein according to the invention, but not with nucleic acid molecules, which code other proteins.

[0083] A further embodiment of the present invention relates to plant cells according to the invention and plants according to the invention wherein the foreign nucleic acid molecule is chosen from the group consisting of

- a) T-DNA molecules, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (T-DNA activation tagging);
- b) DNA molecules, which contain transposons, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (transposon activation tagging);
- c) DNA molecules, which code a Class 3 branching enzyme and which are linked with regulatory sequences, which guarantee transcription in vegetable cells and lead to an increase in Class 3 branching enzyme activity in the cell.
- d) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme, wherein the mutation or insertion effects an increase in the expression of a gene coding a Class 3 branching enzyme.

[0084] In conjunction with the present invention, plant cells according to the invention and plants according to the invention can also be manufactured by the use of so-called insertion mutagenesis (overview article: Thorneycroft et al., 2001, Journal of experimental Botany 52 (361), 1593-1601). In conjunction with the present invention, insertion mutagenesis is to be understood to mean particularly the insertion of transposons or so-called transfer DNA (T-DNA) into a gene or in the vicinity of a gene coding for a Class 3 branching enzyme, whereby as a result of which the activity of a Class 3 branching enzyme in the cell concerned is increased.

[0085] The transposons can be both those that occur naturally in the cell (endogenous transposons) and also those that do not occur naturally in said cell but are introduced into the cell (heterologous transposons) by means of genetic engineering methods, such as transformation of the cell, for example. Changing the expression of genes by means of transposons is known to the person skilled in the art. An overview of the use of endogenous and heterologous transposons as tools in plant biotechnology is presented in Ramachandran and Sundaresan (2001, Plant Physiology and Biochemistry 39, 234-252).

[0086] T-DNA insertion mutagenesis is based on the fact that certain sections (T-DNA) of Ti plasmids from *Agrobacterium* can integrate into the genome of vegetable cells. The place of integration in the vegetable chromosome is not defined, but can take place at any point. If the T-DNA integrates into a part of the chromosome or in the vicinity of a part of the chromosome, which constitutes a gene function, then this can lead to an increase in the gene expression and thus also to a change in the activity of a protein coded by the gene concerned. Here, the sequences inserted into the genome (in particular transposons or T-DNA) are distinguished by the fact that they contain sequences, which lead to an activation of regulatory sequences of a Class 3 branching enzyme gene ("activation tagging").

[0087] Plant cells and plants according to the invention can be produced by means of the so-called "activation tagging" method (see, for example, Walden et al., Plant J. (1991), 281-288; Walden et al., Plant Mol. Biol. 26 (1994), 1521-1528). These methods are based on activating endogenous promoters by means of "enhancer" sequences, such as the enhancer of the 35S RNA promoter of the cauliflower mosaic virus, or the octopine synthase enhancer.

[0088] In conjunction with the present invention, the term "T-DNA activation tagging" is to be understood to mean a T-DNA fragment, which contains "enhancer" sequences and which leads to an increase in the activity of at least one Class 3 branching enzyme by integration into the genome of a plant cell.

[0089] In conjunction with the present invention, the term "transposon activation tagging" is to be understood to mean a transposon, which contains "enhancer" sequences and which leads to an increase in the activity of at least one Class 3 branching enzyme by integration into the genome of a plant cell.

[0090] In a preferred embodiment, the DNA molecules according to the invention, which code a Class 3 branching enzyme, are linked with regulatory sequences, which guarantee transcription in vegetable cells and lead to an increase in Class 3 branching enzyme activity in the cell. In this case, the nucleic acid molecules according to the invention are present in "sense" orientation to the regulatory sequences.

[0091] For expressing nucleic acid molecules according to the invention, which code Class 3 branching enzymes, these are preferably linked with regulatory DNA sequences, which guarantee transcription in vegetable cells. In particular, these include promoters. In general, any promoter that is active in vegetable cells is eligible for expression. At the same time, the promoter can be chosen so that expression takes place constitutively or only in a certain tissue, at a certain stage of the plant development or at a time determined by external influences. The promoter can be homologous or heterologous both with respect to the plant and with respect to the nucleic acid molecule.

[0092] Suitable promoters are, for example, the promoter of the 35S RNA of the cauliflower mosaic virus and the ubiquitin promoter from maize for constitutive expression, the patatin promoter B33 (Rocha-Sosa et al., EMBO J. 8 (1989), 23-29) for tuber-specific expression in potatoes or a promoter, which only ensures expression in photosynthetically active tissues, e.g. the ST-LS1 promoter (Stockhaus et al., Proc. Natl. Acad. Sci. USA 84 (1987), 7943-7947;

Stockhaus et al., EMBO J. 8 (1989), 2445-2451) or, for endosperm-specific expression of the HMG promoter from wheat, the USP promoter, the phaseolin promoter, promoters of zein genes from maize (Pedersen et al., Cell 29 (1982), 1015-1026; Quatroccio et al., Plant Mol. Biol. 15 (1990), 81-93), glutelin promoter (Leisy et al., Plant Mol. Biol. 14 (1990), 41-50; Zheng et al., Plant J. 4 (1993), 357-366; Yoshihara et al., FEBS Lett. 383 (1996), 213-218) or shrunken-1 promoter (Werr et al., EMBO J. 4 (1985), 1373-1380). However, promoters can also be used, which are only activated at a time determined by external influences (see for example WO 9307279). Promoters of heat-shock proteins, which allow simple induction, can be of particular interest here. Furthermore, seed-specific promoters can be used, such as the USP promoter from *Vicia faba*, which guarantees seed-specific expression in *Vicia faba* and other plants (Fiedler et al., Plant Mol. Biol. 22 (1993), 669-679; Bäumlein et al., Mol. Gen. Genet. 225 (1991), 459-467).

[0093] Furthermore, a termination sequence (polyadenylation signal) can be present, which is used for adding a poly-A tail to the transcript. A function in the stabilisation of the transcripts is ascribed to the poly-A tail. Elements of this type are described in the literature (cf. Gielen et al., EMBO J. 8 (1989), 23-29) and can be exchanged at will.

[0094] Furthermore, plant cells according to the invention and plants according to the invention can be manufactured by means of so-called "in situ activation". In this case, the introduced genetic modification effects a change in the regulatory sequences of endogenous Class 3 branching enzyme genes, which leads to an increased expression of Class 3 branching enzyme genes. Preferably, the activation of a Class 3 branching enzyme gene takes place by "in vivo" mutagenesis of a promoter or of "enhancer" sequences of an endogenous Class 3 branching enzyme gene. In doing so, a promoter or an "enhancer" sequence, for example, can be changed in such a way that the mutation produced leads to an increased expression of a Class 3 branching enzyme gene in plant cells according to the invention or plants according to the invention in comparison with the expression of a Class 3 branching enzyme gene in wild type plant cells or wild type plants. The mutation in a promoter or an "enhancer" sequence can also lead to Class 3 branching enzyme genes in plant cells according to the invention or plants according to the invention being expressed at a time at which they would not be expressed in wild type plant cells or wild type plants.

[0095] In so-called "in vivo mutagenesis", a hybrid RNA-DNA oligonucleotide ("Chimeroplast") is introduced into plant cells (Kipp, P.B. et al., Poster Session at the "5 handle Congress of Plant Molecular Biology, 21st-27th September 1997, Singapore; R. A. Dixon and C.J. Arntzen, meeting report on "Metabolic Engineering in Transgenic Plants", Keystone Symposia, Copper Mountain, CO, USA, TIBTECH 15, (1997), 441-447; international patent application WO 9515972; Kren et al., Hepatology 25, (1997), 1462-1468; Cole-Strauss et al., Science 273, (1996), 1386-1389; Beetham et al., 1999, PNAS 96, 8774-8778).

[0096] A part of the DNA components of the RNA-DNA oligonucleotide is homologous to a nucleic acid sequence of an endogenous Class 3 branching enzyme gene, but, in comparison with the nucleic acid sequence of a Class 3 branching enzyme gene, it has a mutation or contains a heterologous region, which is surrounded by the homologous regions.

[0097] By base pairing of the homologous regions of the RNA-DNA oligonucleotide and the endogenous nucleic acid molecule followed by homologous recombination, the mutation or heterologous region contained in the DNA components of the RNA-DNA oligonucleotide can be transferred into the genome of a plant cell. This leads to an increase in the activity of one or more Class 3 branching enzymes.

[0098] All these methods are based on the introduction of a foreign nucleic acid molecule into the genome of a plant cell or plant and are therefore basically suitable for the manufacture of plant cells according to the invention and plants according to the invention.

[0099] Surprisingly, it has been found that plant cells according to the invention and plants according to the invention synthesise a modified starch in comparison with starch of corresponding wild type plant cells or wild type plants that have not been genetically modified.

[00100] The plant cells according to the invention and plants according to the invention synthesise a modified starch, which in its physical-chemical characteristics, in particular the amylose content or the amylose/amylopectin ratio, the degree of branching, the average chain

length, the side chain distribution, the viscosity behaviour, the gelling strength, the starch grain size and/or the starch grain morphology, is changed in comparison with the synthesised starch in wild type plant cells or wild type plants, so that this is better suited for special applications.

[00101] The present invention therefore also includes plant cells according to the invention and plants according to the invention, which synthesise a modified starch.

[00102] In conjunction with the present invention, the term "modified starch" means that the starch has changed physical-chemical characteristics compared with non-modified starch obtainable from corresponding wild type plant cells or wild type plants.

[00103] In a preferred embodiment of the present invention, the modified starch is native starch.

[00104] In conjunction with the present invention, the term "native starch" means that the starch is isolated from plants according to the invention, harvestable plant plants according to the invention or propagation material of plants according to the invention by methods known to the person skilled in the art.

[00105] Furthermore, genetically modified plants, which contain the plant cells according to the invention, are also the subject matter of the invention. Plants of this type can be produced from plant cells according to the invention by regeneration.

[00106] In principle, the plants according to the invention can be plants of any plant species, i.e. both monocotyledonous and dicotyledonous plants. Preferably they are useful plants, i.e. plants, which are cultivated by people for the purposes of food or for technical, in particular industrial purposes.

[00107] In a further preferred embodiment, the plant according to the invention is a starch-storing plant.

[00108] In a further preferred embodiment, the present invention relates to starch-storing

plants according to the invention of the genus Solanum, in particular Solanum tuberosum.

[00109] The term "starch-storing plants" includes all plants with starch-storing plant parts such as, for example, maize, rice, wheat, rye, oat, barley, cassava, potato, sago, mung bean, pea or sorghum. Preferred starch-storing plant parts are, for example, tubers, storage roots and grains containing an endosperm; tubers are particularly preferred; tubers of potato plants are especially preferred.

[00110] In conjunction with the present invention, the term "potato plant" or "potato" means plant species of the genus *Solanum*, in particular tuber-producing species of the genus *Solanum* and especially *Solanum tuberosum*.

[00111] The present invention also relates to propagation material of plants according to the invention containing a plant cell according to the invention.

[00112] Here, the term "propagation material" includes those constituents of the plant that are suitable for producing offspring by vegetative or sexual means. Cuttings, callus cultures, rhizomes or tubers, for example, are suitable for vegetative propagation. Other propagation material includes, for example, fruits, seeds, seedlings, protoplasts, cell cultures, etc. Preferably, the propagation material is seeds and particularly preferably tubers.

[00113] In a further embodiment, the present invention relates to harvestable plant parts of plants according to the invention such as fruits, storage roots, roots, blooms, buds, shoots or stems, preferably seeds or tubers, wherein these harvestable parts contain plant cells according to the invention.

[00114] Furthermore, the present invention also relates to a method for the manufacture of a genetically modified plant according to the invention, wherein

a) a plant cell is genetically modified, whereby the genetic modification leads to an increase in the activity of a Class 3 vegetable branching enzyme in comparison with corresponding wild type plant cells that have not been genetically modified;

- b) a plant is regenerated from plant cells from Step a); and
- c) if necessary, further plants are produced with the help of the plants according to Step b).

[00115] The genetic modification introduced into the plant cell according to Step a) can basically be any type of modification, which leads to the reduction [sic?] of the activity of a Class 3 branching enzyme. The regeneration of the plants according to Step (b) can be carried out using methods known to the person skilled in the art (e.g. described in "Plant Cell Culture Protocols", 1999, edt. by R.D. Hall, Humana Press, ISBN 0-89603-549-2).

[00116] The production of further plants according to Step (c) of the method according to the invention can be carried out, for example, by vegetative propagation (for example using cuttings, tubers or by means of callus culture and regeneration of whole plants) or by sexual propagation. Here, sexual propagation preferably takes place under controlled conditions, i.e. selected plants with particular characteristics are crossed and propagated with one another.

[00117] In a preferred embodiment of the method according to the invention, the genetic modification consists in the introduction of a foreign nucleic acid molecule into the genome of the plant cell, wherein the presence or the expression of said foreign nucleic acid molecule leads to an increased activity of a Class 3 branching enzyme in the cell.

[00118] In a further preferred embodiment, the method according to the invention is used for producing potato plants according to the invention.

[00119] In a further preferred embodiment of the method according to the invention, the foreign nucleic acid molecule is chosen from the group consisting of

- a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;
- b) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 50% with the amino acid sequence given under SEQ ID NO: 4;
- c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID

NO 3 or a complimentary sequence;

- d) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 50% with the nucleic acid sequences described under a) or c);
- e) Nucleic acid molecules, which hybridise with at least one strand of the nucleic acid molecules described under a) or c) under stringent conditions;
- f) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under a), b), c), d), e) or f) due to the degeneration of the genetic code; and
- g) Nucleic acid molecules, which represent fragments, allelic variants and/or derivatives of the nucleic acid molecules identified under a), b), c), d), e) or f).

[00120] In a further preferred embodiment of the method according to the invention, the foreign nucleic acid molecule is chosen from the group consisting of

- a) T-DNA molecules, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (T-DNA activation tagging);
- b) DNA molecules, which contain transposons, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (transposon activation tagging);
- c) DNA molecules, which code a Class 3 branching enzyme and which are linked with regulatory sequences, which guarantee transcription in vegetable cells and lead to an increase in Class 3 branching enzyme activity in the cell;
- d) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme, wherein the mutation or insertion effects an increase in the expression of a gene coding a Class 3 branching enzyme.

[00121] The present invention also relates to the plants obtained by the method according to the invention.

[00122] In a further embodiment of the method according to the invention, the plants according to the invention synthesise a modified starch in comparison with corresponding wild

type plants that have not been genetically modified.

[00123] Surprisingly, it has been found that plant cells and plants, which have an increased activity of a Class 3 branching enzyme, synthesise a modified starch.

[00124] The present invention also relates to the plants obtained by the method according to the invention.

[00125] The present invention also relates to modified starches obtainable from plant cells according to the invention or plants according to the invention, from propagation material according to the invention or from harvestable plant parts according to the invention.

[00126] In a particularly preferred embodiment, the present invention relates to modified potato starch.

[00127] Furthermore the present invention relates to a method for the manufacture of a modified starch including the step of extracting the starch from a plant cell according to the invention or from a plant according to the invention, from propagation material according to the invention of such a plant and/or from harvestable plant parts according to the invention of such a plant, preferably from starch-storing parts according to the invention of a plant. Preferably, such a method also includes the step of harvesting the cultivated plants or plant parts and/or the propagation material of these plants before the extraction of the starch and, further, particularly preferably the step of cultivating plants according to the invention before harvesting.

[00128] Methods for extracting starches from plants or from starch-storing parts of plants are known to the person skilled in the art. Furthermore, methods for extracting starch from different starch-storing plants are described, e.g. in Starch: Chemistry and Technology (Publisher: Whistler, BeMiller and Paschall (1994), 2nd Edition, Academic Press Inc. London Ltd; ISBN 0-12-746270-8; see e.g. Chapter XII, Page 412-468: Maize and Sorghum Starches: Manufacture; by Watson; Chapter XIII, Page 469-479: Tapioca, Arrowroot and Sago Starches: Manufacture; by Corbishley and Miller; Chapter XIV, Page 479-490: Potato starch: Manufacture and Uses; by Mitch; Chapter XV, Page 491 to 506: Wheat starch: Manufacture, Modification and Uses; by

Knight and Oson; and Chapter XVI, Page 507 to 528: Rice starch: Manufacture and Uses; by Rohmer and Klem; Maize starch: Eckhoff et al., Cereal Chem. 73 (1996), 54-57, the extraction of maize starch on an industrial scale is generally achieved by so-called "wet milling".). Devices, which are in common use in methods for extracting starch from plant material are separators, decanters, hydrocyclones, spray dryers and fluid bed dryers.

[00129] In conjunction with the present invention, the term "starch-storing parts" is to be understood to mean such parts of a plant in which, in contrast to transitory leaf starch, starch is stored as a deposit for surviving for longer periods. Preferred starch-storing parts are tubers, storage roots, seeds or endosperm; particularly preferred are potato tubers or the endospermo of maize, wheat or rice plants.

[00130] Modified starch obtainable by a method according to the invention for manufacturing modified starch is also the subject matter of the present invention.

[00131] Furthermore, the use of plant cells according to the invention or plants according to the invention for manufacturing a modified starch are the subject matter of the present invention.

[00132] The person skilled in the art knows that the characteristics of starch can be changed by thermal, chemical, enzymatic or mechanical derivation, for example. Derived starches are particularly suitable for different applications in the foodstuffs and/or non-foodstuffs sector. The starches according to the invention are better suited as a starting substance for the manufacture of derived starches than conventional starches.

[00133] The present invention therefore also relates to the manufacture of a derived starch, wherein modified starch according to the invention is derived retrospectively.

[00134] In conjunction with the present invention, the term "derived starch" is to be understood to mean a modified starch according to the invention, the characteristics of which have been changed after isolation from vegetable cells with the help of chemical, enzymatic, thermal or mechanical methods. In a preferred embodiment of the present invention, the derived

starch according to the invention is starch that has been heat-treated and/or acid-treated. In a further preferred embodiment, the derived starches are starch ethers, in particular starch alkyl ethers, O-allyl ethers, hydroxylalkyl ethers, O-carboxylmethyl ethers, nitrogen-containing starch ethers, phosphate-containing starch ethers or sulphur-containing starch ethers. In a further preferred embodiment, the derived starches are cross-linked starches. In a further preferred embodiment, the derived starches are starch graft polymers. In a further preferred embodiment, the derived starches are oxidised starches. In a further preferred embodiment, the derived starches are starch esters, in particular starch esters, which have been introduced into the starch using organic acids. Particularly preferably these are phosphate, nitrate, sulphate, xanthate, acetate or citrate starches.

[00135] The derived starches according to the invention are suitable for different applications in the foodstuffs and/or non-foodstuffs sector. Methods for manufacturing derived starches according to the invention are known to the person skilled in the art and are adequately described in the general literature. An overview on the manufacture of derived starches can be found, for example, in Orthoefer (in Corn, Chemistry and Technology, 1987, eds. Watson und Ramstad, Chapter 16, 479-499).

[00136] Derived starch obtainable by the method according to the invention for manufacturing a derived starch is also the subject matter of the present invention.

[00137] Furthermore, the use of modified starches according to the invention for manufacturing derived starch is the subject matter of the present invention.

# **Description of sequences**

[00138] SEQ ID NO 1: Nucleic acid sequence containing the coding region of the 3'-area of a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence is inserted in plasmid AN 46-196.

[00139] SEQ ID NO 2: Nucleic acid sequence containing the coding region of the 5'-area of a

Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence is inserted in plasmid AN 47-196.

[00140] SEQ ID NO 3: Nucleic acid sequence containing the full coding region of a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence is inserted in plasmid AN 49 and was deposited with the Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH, Mascheroder Weg 1b, 38124 Braunschweig, Germany, in accordance with the Budapest Treaty on 15th September 2003 under the number DSM 15926.

[00141] SEQ ID NO 4: Amino acid sequence coding a Class 3 branching enzyme from Solanum tuberosum (cv Désirée). This sequence can be derived from the nucleic acid sequence inserted in plasmid AN 49 or from the nucleic acid sequence described under SEQ ID NO 3.

[00142] SEQ ID NO 5: Nucleic acid sequence containing the full coding region of a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence has been obtained by combining the nucleic acid sequences described under SEQ ID NO 1 and SEQ ID NO 2. This nucleic acid sequence constitutes an allelic variant of the nucleic acid sequence described under SEQ ID NO 3 coding a Class 3 branching enzyme.

[00143] SEQ ID NO 6: Amino acid sequence coding a Class 3 branching enzyme from Solanum tuberosum (cv Désirée). This sequence can be derived from the nucleic acid sequence described under SEQ ID NO 5 and constitutes an allelic variant of the amino acid sequence described under SEQ ID NO 4 coding a Class 3 branching enzyme.

### **Description of the figures**

[00144] Fig. 1 shows the relative amount of mRNA in seeds of genetically modified rice plants (GOAS0453), expressing a potato branching enzyme Class 3. Also shoen is the example of a genetically non modified wild type plant (wt).

#### General methods

[00145] The following methods were used in the examples:

# 1. Demonstration of the activity of a Class 3 branching enzyme

[00146] The activity of a Class 3 branching enzyme was demonstrated with the help of non-denaturing gel electrophoresis as follows:

[00147] To isolate proteins from plants, the test material was ground with a pestle in liquid nitrogen, absorbed into an extraction buffer (50 mM Na citrate, pH 6.5; 1 mM EDTA, 4 mM DTT) and, after centrifugation (10 min, 14.000 g, 4 °C), was used directly for measurement of the protein content according to Bradford. Subsequently,  $5\mu$ g to 20  $\mu$ g total protein extract was mixed with 4X loading buffer (20% glycerol, 125 mM Tris HCl, pH 6.8) and loaded onto a BE activity gel. The BE activity gel was made up as follows: 2.5 ml 30% acrylamide:0.8% bisacrylamide, 0.1 ml running buffer, 7.4 ml  $^{4}$ C, 10% ammonium persulphate solution and 5  $\mu$ l N,N,N',N'- tetramethylethylenediamine (TEMED). The running buffer (RB) was made up as follows: RB = 30.2 g Tris base, pH 8.0, 144 g glycine on 1 L  $^{4}$ C. On completion of the gel run, each of the gels was incubated overnight at 37 °C in 25 ml "phosphorylase buffer" (25 ml 1M Na citrate pH 7.0, 0.47 g glucose-1-phosphate, 12.5 mg AMP, 2.5 mg phosphorylase a/b from "rabbit"). The gels were coloured with Lugol's solution.

#### 2. Transformation of *Oryza sativa* (cv. M202)

[00148] Rice plants were transformed in accordance with the methods described by Hiei et al. (1994, Plant Journal 6(2), 271-282).

### 3. Starch analysis

a) Determination of the amylose content and of the amylose/amylopectin ratio

[00149] Rice flour was obtained from polished rice by milling the grains in a Cyclotec labmill to particle size smaller than 0,5 mm.

[00150] Amylose content was determined by the method of Juliano.(1971)(Cereal Science Today, 16, p334-340) with slight modifications. 50mg of rice flour are weighed in a 100ml

Erlenmeyer flask and wetted with 1 ml of 95% ethanol to avoid lumping. After addition of 9 ml of 1 M NaOH the sample is heated to 100°C for 20 min, cooled to room temperature and filled up to 100 ml with destilled water.

[00151] An aliquot of 100  $\mu$ l is mixed with 10 $\mu$ l 1M acetic acid, 20 $\mu$ l Lugol solution (0,2% I<sub>2</sub> and 2% KI) and 970  $\mu$ l water. After 10 minutes the OD at 620 nm is determined. The amylose content is calculated from a standard curve generated from samples with defined amount of potato amylose.

### b) Determination of the phosphate content

starch.

[00152] In starch, the positions C2, C3 and C6 of the glucose units can be phosphorylated. Determination of C6-P content of rice starch is performed either on single mature grains hydrolysed in 200 μl of 0,7 M HCl or on 50 mg rice flour hydroylsed in 500 μl 0,7 M HCl. After 4 h hydrolysis at 95°C under continuous shaking, samples are centrifuged for 10 minutes at 15500xg and the supernatants are applied to a spin module containing 0,2 μm PTFE-filter membran for complete clarification of the hydrolyzate (5 min 1000xg). 20 μl of the supernatants are mixed with 180 μl of imidazole buffer (300 mM imidazole, pH 7.2; 7,5 mM MgCl<sub>2</sub>, 1 mM EDTA and 0.4 mM NADP). The measurement was carried out in a photometer at 340 nm. After the base absorption had been established, the enzyme reaction was started by addition of 0,4 units glucose-6-phosphate dehydrogenase (from Leuconostoc mesenteroides, Boehringer Mannheim). The change in absorption is directly proportional to the concentration of the G-6-P content of the

[00153] The total phosphate content was determined by the method of Ames (Methods in Enzymology VIII, (1966), 115-118).

[00154] Approximately 50 mg of starch are treated with 30  $\mu$ l of ethanolic magnesium nitrate solution and ashed for 3 hours at 500°C in a muffle oven. The residue is treated with 300  $\mu$ l of 0.5 M hydrochloric acid and incubated for 30 minutes at 60°C. One aliquot is subsequently made up to 300  $\mu$ l 0.5 M hydrochloric acid and this is added to a mixture of 100  $\mu$ l of 10% ascorbic acid and 600  $\mu$ l of 0.42% ammonium molybdate in 2 M sulphuric acid and incubated for 20 minutes at

45°C.

[00155] This is followed by a photometric determination at 820 nm with a phosphate calibration series as standard.

[00156] 3 g of rice flour (DM) are taken up in 25 ml of H<sub>2</sub>O (VE-type water, conductivity of at least 15 mega ohm) and used for the analysis in a Rapid Visco Analyser Super3 (Newport Scientific Pty Ltd., Investmet Support Group, Warriewod NSW 2102, Australia). The apparatus is operated following the manufacturer's instructions. The viscosity values are indicated in Centipoise (cP) in accordance with the manufacturer's operating manual, which is incorporated into the description herewith by reference. To determine the viscosity of the aqueous starch solution, the starch suspension is first stirred for 10 seconds at 960 rpm and subsequently heated at 50°C at a stirring speed of 160 rpm, initially for a minute (step 1). The temperature was then raised from 50°C to 95°C at a heating rate of 12°C per minute (step 2). The temperature is held for 2.5 minutes at 95°C (step 3) and then cooled from 95°C to 50°C at 12°C per minute (step 4). In the last step (step 5), the temperature of 50°C is held for 2 minutes. The viscosity is determined during the entire duration.

[00157] After the program has ended, the stirrer is removed and the beaker covered. The gelatinized starch is now available for the texture analysis after 24 hours incubation at room temperature.

[00158] The profile of the RVA analysis contains parameters which are shown for the comparison of different measurements and substances. In the context of the present invention, the following terms are to be understood as follows:

# 1. Maximum viscosity (RVA Max)

[00159] The maximum viscosity is understood as meaning the highest viscosity value, measured in cP, obtained in step 2 or 3 of the temperature profile.

### 2. Minimum viscosity (RVA Min)

[00160] The minimum viscosity is understood as meaning the lowest viscosity value, measured in cP, observed in the temperature profile after the maximum viscosity. Normally, this takes place in step 3 of the temperature profile.

# 3. Final viscosity (RVA Fin)

[00161] The final viscosity is understood as meaning the viscosity value, measured in cP, observed at the end of the measurement.

### 4. Setback (RVA Set)

[00162] What is known as the "setback" is calculated by subtracting the value of the final viscosity from that of the minimum occurring after the maximum viscosity in the curve.

# 5. Gelatinization temperature (RVA PT)

[00163] The gelatinization temperature is understood as meaning the point in time of the temperature profile where, for the first time, the viscosity increases drastically for a brief period.

# d) Determination of the gel strength (Texture Analyser)

[00164] 3 g of rice flour (DM) are gelatinized in the RVA apparatus in 25 ml of an aqueous suspension (temperature program: see item c) "Determination of the viscosity characteristics by means of a Rapid Visco Analyser (RVA)") and subsequently stored for 24 hours at room temperature in a sealed container. The samples are fixed under the probe (round piston with planar surface) of a Texture Analyser TA-XT2 from Stable Micro Systems (Surrey, UK) and the gel strength was determined using the following parameters:

-	Test speed	0.5 mm/s
-	Depth of penetration	7 mm
-	Contact surface	$113 \text{ mm}^2$
-	Pressure	2 g

e) Analysis of the side-chain distribution of the amylopectin by means of ion-exchange chromatography

To separate amylose and amylopectin, 200 mg of starch are dissolved in 50 ml [00165] reaction vessels, using 12 ml of 90% (v/v) DMSO in H<sub>2</sub>0. After addition of 3 volumes of ethanol, the precipitate is separated by centrifugation for 10 minutes at about 1800xg at room temperature (RT). The pellet is then washed with 30 ml of ethanol, dried and dissolved in 40 ml of 1% (w/v) NaCl solution at 75°C. After the solution has cooled to 30°C, approximately 90 mg of thymol are added slowly, and this solution is incubated for at least 60 h at 30°C. The solution is then centrifuged for 30 minutes at 2000xg (RT). The supernatant is then treated with 3 volumes of ethanol, and the amylopectin which settles out is separated by centrifugation for 5 minutes at 2000xg (RT). The pellet (amylopectin) is then washed with ethanol and dried using acetone. By addition of DMSO to the pellet, one obtains a 1% solution, of which 200 µl are treated with 345 μl of water, 10 μl of 0.5 M sodium acetate (pH 3.5) and 5 μl of isoamylase (dilution 1:10; Megazyme) and incubated for about 16 hours at 37°C. A 1:5 aqueous dilution of this digest is subsequently filtered through a 0.2 µm filter, and 100 µl of the filtrate are analysed by ion exchange chromatography (HPAEC-PAD, Dionex). Separation was performed using a PA-100 column (with suitable precolumn), while detection was performed amperometrically. The elution conditions were as follows:

[00166] Solution A - 0.15M NaOH

[00167] Solution B - 1 M sodium acetate in 0.15M NaOH

t (min)	Solution A (%)	Solution B (%)
5	0	100
35	30	70
45	32	68
60	100	0
70	100	0
72	0	100
80	0	100
Stop		

Table 1: Composition of the elution buffer for the side chain analysis of the amylopectin at different times during the HPEAC-PAD Dionex analysis. Between the times stated, the

composition of the elution buffer changes in each case linearly.

[00168] The determination of the relative amount of short side chains in the total of all side chains is carried out via the determination of the percentage of a particular side chain in the total of all side chains. The total of all side chains is determined via the determination of the total area under the peaks which represent the polymerization degrees of DP 6 to 34 in the HPCL chromatogram.

[00169] The percentage of a particular side chain in the total of all side chains is determined via the determination of the ratio of the area under the peak which represents this side chain in the HPLC chromatogram to the total area. The programme Chromelion 6.20 Version 6.20 from Dionex, USA, was used for determining the peak areas.

- f) Determination of the activity of the BEIII protein[00170] This was carried out as specified in the example.
- g) DSC-analysis ("Differential Scanning Calorimetry")

[00171] Investigations with the aid of DSC-analysis have been done by the method described by WO 01/19975. 10 mg starch treated with 30  $\mu$ l H<sub>2</sub>0 (VE-type water, conductivity of at least 15 mega ohm) were sealed in stainless steal pans (volume 50  $\mu$ l). The pan is heated from 20°C to 150°C at a rate of 10°C per minute in a Diamond DSC-instrument (Perkin Elmer). The programme Pyres from Perkin Elmer was used for determining the data.

#### **Examples**

#### Example 1

Cloning of a full-length sequence coding a Class 3 branching enzyme from Solanum tuberosum

[00172] The gene sequence coding for this Class 3 branching enzyme in *Solanum tuberosum* has not previously been described.

[00173] By sequence comparisons with different branching enzymes, a domain was identified, with the help of which EST databases were examined. In doing so, the EST TC73137 (TIGR

database; http://www.tigr.org/tigr-scripts/tgi/tc\_report.pl?tc=TC73137&species=potato) from potato was identified.

[00174] With the help of the primers B1\_Asp (GAT GGG TAC CAG CAC TTC TAC TTG GCA GAG G) and B2\_Sal (TCA AGT CGA CCA CAA CCA GTC CAT TTC TGG), a sequence from a tuber-specific cDNA bank from Solanum tuberosum (cv. Désirée) corresponding to this EST sequence was amplified. Attempts to use leaf-specific, "sink"-tissue-specific or "source"-tissue-specific cDNA banks as a template for the PCR reaction led to no amplification.

[00175] In order to amplify the whole coding sequence of the branching enzyme concerned, which up to now had also included unknown sequences, primers were manufactured, which were complimentary to the ends of the previously known sequence and vector sequences of the cDNA banks concerned. With all the primer combinations for the amplification of a full-length sequence of a Class 3 branching enzyme used in this approach, it was not possible to amplify any further area. Hereupon, EST databases of tomato were examined again.

[00176] In this case, two ESTs from tomato were identified (TIGR database; BG127920 and TC130382), which either had a high homology to the amplification of the Class 3 branching enzyme from potato described above (TC130382) and (BG127920) respectively, or to the putative branching enzyme gene from arabidopsis (GenBank: GP|9294564|dbj|BAB02827.1).

[00177] Primers were now manufactured again in order to also amplify previously unknown sequences of the Class 3 branching enzyme. By means of PCR, the 3'-area of the Class 3 branching enzyme was amplified from a cDNA bank, made from tubers of *Solanum tuberosum* (cv. Désirée), with the primers KM2\_Spe (5'-TCAAACTAGTCACAACCAGTCCATTTCTGG-3') and So\_putE (5'-CACTTTAGAAGGTATCAGAGC-3'). The fragment with a size of ca. 1 kb that was obtained was cloned undirectedly in the pCR4-TOPO vector from Invitrogen (product number: 45-0030). The plasmid produced was designated as AN 46-196. The sequence of the inserted fragments in the plasmid AN 46-196 is shown under SEQ ID NO 1.

[00178] The 5'-area was likewise amplified by means of PCR technology and using the

primers So\_put5' (5'-GTATTTCTGCGAAGGAACGACC-3') and So\_putA (5'-AACAATGCTCTCTGTCGG-3') from the same cDNA bank. The fragment with a size of ca. 2 kb that was obtained was cloned undirectedly in the pCR4-TOPO vector from Invitrogen (product number: 45-0030). The plasmid produced was designated as AN 47-196. The sequence of the inserted fragments in the plasmid AN 47-196 is shown under SEQ ID NO 2.

[00179] Primers were now manufactured again in order to amplify a full-length sequence.

[00180] The following primers were used: SO\_putA (AACAATGCTCTCTGTCGG) and SO\_putE (CACTTTAGAAGGTATCAGAGC). A PCR product with an approximate size of 3.2 kb was obtained and was cloned in the pCR2.1 vector from Invitrogen (product number: 45-0030). The plasmid obtained (filed under DSM 15926) was designated as AN 49. The sequence of the inserted fragments in the plasmid AN 49 is shown under SEQ ID NO 3.

### Example 2

# Information on vectors and plasmids

# Manufacture of the expression vector ME5/6

[00181] pGSV71 is a derivative of the plasmid pGSV7, which derives from the intermediate vector pGSV1. pGSV1 constitutes a derivative of pGSC1700, the construction of which has been described by Cornelissen and Vanderwiele (Nucleic Acid Research 17, (1989), 19-25). pGSV1 was obtained from pGSC1700 by deletion of the carbenicillin resistance gene and deletion of the T-DNA sequences of the TL-DNA region of the plasmid pTiB6S3.

[00182] pGSV7 contains the replication origin of the plasmid pBR322 (Bolivar et al., Gene 2, (1977), 95-113) as well as the replication origin of the *Pseudomonas* plasmid pVS1 (Itoh et al., Plasmid 11, (1984), 206). pGSV7 also contains the selectable marker gene *aadA*, from the transposon Tn1331 from *Klebsiella pneumoniae*, which gives resistance against the antibiotics spectinomycin and streptomycin (Tolmasky, Plasmid 24 (3), (1990), 218-226; Tolmasky and Crosa, Plasmid 29(1), (1993), 31-40).

[00183] The plasmid pGSV71 was obtained by cloning a chimeric bar gene between the

border regions of pGSV7. The chimeric bar gene contains the promoter sequence of the cauliflower mosaic virus for initiating the transcription (Odell et al., Nature 313, (1985), 180), the bar gene from Streptomyces hygroscopicus (Thompson et al., Embo J. 6, (1987), 2519-2523) and the 3'-untranslated area of the nopaline synthase gene of the T-DNA of pTiT37 for terminating the transcription and polyadenylation. The bar gene provides tolerance against the herbicide glufosinate ammonium.

[00184] At position 198-222, the T-DNA is given the right edge sequence of the TL-DNA from the plasmid pTiB6S3 (Gielen et al., EMBO J. 3, (1984), 835-846). A polylinker sequence is located between nucleotide 223-249. The nucleotides 250-1634 contain the P35S3 promoter region of the cauliflower mosaic virus (Odell et al., see above). The coding sequence of the phosphinothricin resistance gene (bar) from Streptomyces hygroscopicus (Thompson et al. 1987, see above) is contained between the nucleotides 1635-2186. At the same time, the two end codons at the 5'-end of the bar wild type gene were replaced by the codons ATG and GAC. A polylinker sequence is located between the nucleotides 2187-2205. The 260-bp-long TaqI fragment of the untranslated 3'-end of the nopaline synthase gene (3'nos) from the T-DNA of the plasmid pTiT37 (Depicker et al., J. Mol. Appl. Genet. 1, (1982), 561-573) is located between the nucleotides 2206 and 2465. The nucleotides 2466-2519 contain a polylinker sequence. The left edge sequence of the TL-DNA from pTiB6S3 (Gielen et al., EMBO J. 3, (1984), 835-846) is located between the nucleotides 2520-2544.

[00185] The sector pGSV71 was then cut and smoothed with the enzyme *Pst*I. The B33 promoter and the *ocs* cassette were cut from the vector pB33-Kan as an *Eco*RI-*Hind*III fragment and smoothed and inserted in the vector pGSV71, which had been cut and smoothed with *Pst*I. The vector obtained was used as the starting vector for the construction of ME5/6. An oligonucleotide containing the sites *Eco*RI, *Pac*I, *Spe*I, *Srf*I, *Spe*I, *Not*I, *Pac*I and *Eco*RI was introduced into the *Pst*I site situated between the B33 promoter and *ocs* element while doubling the *Pst*I site. The expression vector obtained was designated as ME5/6.

#### Manufacture of the expression vector IL103-123

[00186] In the further course of events, a BamHI fragment of ME5-6 was replaced by a PCR

product that had been extended by a few sites but was otherwise identical, resulting in the plasmid UL1-17. The B33 promoter contained in UL1-17 was cut out with the restriction enzymes *Hind*III and *Pst*I and the vector relegated after smoothing the ends, producing the vector ML18-56. This vector was opened with *Mun*I and *Pst*I and an MCS synthesised by means of two oligonuclotides with appropriately sticky ends was added. The resulting plasmid ML72-123 was opened with the restriction enzymes *Hpa*I and *Mun*I and oligonucleotides for detection sequences of further restriction enzymes introduced (IR96-123). Subsequently, an *Ecl136II/EcoRV* PCR product for the globulin promoter for rice was spliced into the *EcoRV* site of IR96-123, as a result of which the base vector for an endosperm-specific expression of genes of different origin was produced. The vector is designated in the following as IR103-123.

### Manufacture of the plasmid AH33-191

[00187] The manufacture of the plasmid AH33-191 for an endosperm-specific expression of a potential Class 3 branching enzyme from potato in rice was carried out by splicing an *EcoRV/SacI* fragment of the appropriate cDNA from the plasmid AN49 into the appropriate sites of IR103-123.

## Example 3

### Genetically modified plants with increased Class 3 branching enzyme activity

[00188] In order to produce transgenic rice plants, which have an increased expression of a Class 3 branching enzyme gene, the T-DNA of the plasmid AH33-191 was transferred into rice plants (M202) with the help of agrobacteria, as described above under General Methods. Plants obtained by the transformation with the plasmid AH33-191 were designated GAOS0453.

[00189] Analysis of the transgenic rice plants obtained, with the help of non-denaturising gel electrophoresis of protein extracts from grains of wild type plant cells and/or protein extracts from genetically modified plants, showed that the grains of genetically modified plant cells have an increased activity of a Class 3 branching enzyme in comparison with protein extracts from grains of wild type plant cells.

[00190] In addition the expression level of potato branching enzyme Class 3 in transgenic rice

plants was also evaluated by analysis of the amount of mRNA by means of quantitative PCR (Q-PCR).

[00191] RNA was extracted from single immature seeds (10 to 12 days after pollination). Immature seeds were frozen in liquid nitrogen and homogenized in a ball mill (MM200, Retsch, Germany, at 30Hz, 45 seconds, 4 mm ball). Afterwards RNA was isolated by use of the SV 96 total RNA Isolation System (Promega, Prd. No. Z3500 according to manufacturers specifications (protocol No. 294) before it was treated with 10 µl each of RQ1 RNase-Free-DNase (Promega, Prd. No. M6101) according to manufacturers specifications. Equal amounts of RNA isolated from four single seeds harvested from one single plant was pooled before analysis by quantitative PCR.

[00192] Quantitative PCR analysis was carried out by use of the Access RT-PCR System (Promega, Prd. No. A1260) according to the manufacturers specifications. Under the used conditions the following amplification primers were hybridizing specifically to RNA of potato starch branching enzyme Class 3: St\_BE-f2 (TCA GGT CTA CAA GTT GAC CCG A) and \_BE-r2 (GTA GAA CCT TCC CTT TTG TGT GA). For monitoring expression levels the primer St\_BE-Fam(2) labelled with two fluorescent dyes (FAM-CAT GAT CAC TCT AGC AAT CAA AGT GCC-TAMRA) was used.

[00193] For calculation of relative expression levels an endogenous mRNA present in all plants, coding S-adenosylmethionindecarboxylase was amplified in parallel by using the following amplification primers: S-AMD-F1 (GGC TTC GAC GCC TCT ACT CT) AND S-AMD-R2 (AAG GGC CAA AGC ACC TGA G). The primer FAM-S-AMD labelled with two fluorescent dyes (FAM-ACC CTC TTC ACC AGG TCG CCA-TAMRA) was included into each of the reactions.

[00194] The Q-PCR reaction was carried out each in a total volume of 30 μl comprising 350 ng RNA extracted from plants, AMV/Tfl reaction buffer (provided with Promega Prd. No. A1260), 3 mM MgSO<sub>4</sub>, 500 nM of the respective primers, 0,2 mM of each desoxyribonucleotide, 0,6 μl reverse transcriptase, 0,6 μl Tfl Polymerase (according to Promega's protocol 294) and in addition 150 nM fluorescent primer ST\_BE-Fam(2) or 100 nM of fluorescent primer FAM-

S\_AMD, respectively. Control reactions performed in parallel did not contain reverse transcriptase.

[00195] Reaction conditions for Q-RT-PCR:

Step 1: 55°C 30 minutes

Step 2: 94°C 2 minutes

Step 3: 94°C 15 seconds

Step 4: 60°C 1 minute

40 repeats were performed between step 3 and step 4.

[00196] The fluorescent signal was detected during step 4 with ABI Prism 7700 (Applied Biosystems) equipment.

[00197] Relative expression levels of the respective transcripts were calculated as described in M. W. Pfaffl (2001,"A new mathematical model for relative quantification in real-time RT-PCR", Nucleic Acids Res. 29(9):e45) Therefore the expression levels of transcripts coding potato branching enzyme Class 3 were calculated as relative amounts compared to the expression levels of transcripts coding S-adenosylmethionindecarboxylase, which is highly and consistently expressed during seed development in rice. The relative expression levels calculated as just described, are shown in Fig 1.

#### Patent claims

- 1. Genetically modified plant cell, characterised in that it has an increased activity of at least one Class 3 branching enzyme in comparison with corresponding wild type plant cells that have not been genetically modified.
- 2. Genetically modified plant cell according to Claim 1, wherein the genetic modification consists in the introduction of at least one foreign nucleic acid molecule into the genome of the plant.
- 3. Genetically modified plant cell according to Claim 2, wherein the foreign nucleic acid molecule codes a Class 3 branching enzyme.
- 4. Genetically modified plant cell according to Claim 3, wherein the said foreign nucleic acid molecule is chosen from the group consisting of
  - a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;
  - b) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 50% with the amino acid sequence given under SEQ ID NO: 4;
  - c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence;
  - d) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 50% with the nucleic acid sequences described under a) or c);
  - e) Nucleic acid molecules, which hybridise with at least one strand of the nucleic acid molecules described under a) or c) under stringent conditions;
  - f) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under a), b), c), d), e) or f) due to the degeneration of the genetic code; and
  - g) Nucleic acid molecules, which represent fragments, allelic variants and/or derivatives of the nucleic acid molecules identified under a), b), c), d), e) or f).
- 5. Genetically modified plant cell according to one of Claims 2 to 4, wherein the said foreign nucleic acid molecule is chosen from the group consisting of
  - a) T-DNA molecules, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (T-DNA activation tagging);


- b) DNA molecules, which contain transposons, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (transposon activation tagging);
- c) DNA molecules, which code a Class 3 branching enzyme and which are linked with regulatory sequences, which guarantee transcription in vegetable cells and lead to an increase in Class 3 branching enzyme activity in the cell.
- d) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme, wherein the mutation or insertion effects an increase in the expression of a gene coding a Class 3 branching enzyme.
- 6. Plant cell according to one of Claims 1 to 5, which synthesises a modified starch in comparison with corresponding wild type plant cells that have not been genetically modified.
- 7. Plant containing plant cells according to one of Claims 1 to 6.
- 8. Plant according to Claim 7, which is a starch-storing plant.
- 9. Plant according to Claim 7, which is a maize, rice, wheat, rye, oat, barley, cassava, potato, sago, mung bean, pea or sorghum plant.
- 10. Plant according to Claim 9, which is a potato plant.
- 11. Propagation material of plants according to one of Claims 7 to 10, containing plant cells according to one of Claims 1 to 6.
- 12. Harvestable plant parts of plants according to one of Claims 7 to 10, containing plant cells according to one of Claims 1 to 6.
- 13. Method for the manufacture of a genetically modified plant according to one of Claims 7 to 10, wherein
  - a) a plant cell is genetically modified, whereby the genetic modification leads to an increase in the activity of a Class 3 vegetable branching enzyme in comparison with corresponding wild type plant cells that have not been genetically modified;
  - b) a plant is regenerated from plant cells from Step a); and
  - c) if necessary, further plants are produced with the help of the plants according to Step b).
- 14. Method according to Claim 13, wherein the genetic modification consists in the

- introduction of a foreign nucleic acid molecule into the genome of the plant.
- 15. Method according to Claim 14, wherein the said foreign nucleic acid molecule is chosen from the group consisting of
  - a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;
  - b) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 50% with the amino acid sequence given under SEQ ID NO: 4;
  - c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence;
  - d) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 50% with the nucleic acid sequences described under a) or c);
  - e) Nucleic acid molecules, which hybridise with at least one strand of the nucleic acid molecules described under a) or c) under stringent conditions;
  - f) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under a), b), c), d), e) or f) due to the degeneration of the genetic code; and
  - g) Nucleic acid molecules, which represent fragments, allelic variants and/or derivatives of the nucleic acid molecules identified under a), b), c), d), e) or f).
- 16. Method according to Claim 14, wherein the said foreign nucleic acid molecule is chosen from the group consisting of
  - a) T-DNA molecules, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (T-DNA activation tagging);
  - b) DNA molecules, which contain transposons, which lead to an increase in the expression of a Class 3 branching enzyme gene due to integration in the vegetable genome (transposon activation tagging);
  - c) DNA molecules, which code a Class 3 branching enzyme and which are linked with regulatory sequences, which guarantee transcription in vegetable cells and lead to an increase in Class 3 branching enzyme activity in the cell;
  - d) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme, wherein the mutation or insertion effects an increase

- in the expression of a gene coding a Class 3 branching enzyme.
- 17. Method according to one of Claims 13 to 16, wherein the genetically modified plant synthesises a modified starch in comparison with corresponding wild type plants that have not been genetically modified.
- 18. Modified starch obtainable from a genetically modified plant according to one of Claims 7 to 10, from propagation material according to Claim 11, or from harvestable plant parts according to Claim 12.
- 19. Method for the manufacture of a modified starch including the step of extracting the starch from a plant cell according to one of Claims 1 to 6.
- 20. Method for the manufacture of a modified starch including the step of extracting the starch from a plant according to one of Claims 7 to 10.
- 21. Method for the manufacture of a modified starch including the step of extracting the starch from harvestable plant parts according to Claim 12.
- 22. Method for the manufacture of a derived starch, wherein modified starch according to Claim 18 or obtainable by means of a method according to one of Claims 19, 20 or 21 is derived.
- 23. Use of genetically modified plants according to one of Claims 7 to 10 for the manufacture of a modified starch.
- 24. Modified starch obtainable by means of a method according to one of Claims 19, 20 or 21.
- 25. Derived starch obtainable by means of a method according to Claim 22.
- 26. Use of modified starch according to one of Claims 18 or 24 for the manufacture of derived starch.

#### **Abstract**

The present invention relates to plant cells and plants, which are genetically modified, wherein the genetic modification leads to an increase in the activity of a Class 3 vegetable branching enzyme in comparison with corresponding wild type plant cells or wild type plants that have not been genetically modified. Furthermore, the present invention relates to means and methods for the manufacture of such plant cells and plants. Plant cells and plants of this type synthesise a modified starch. The present invention therefore also relates to the starch synthesised by the plant cells and plants according to the invention as well as to methods for the manufacture of the starch and to the manufacture of starch derivatives of this modified starch.



SwissProt Acc No. or Entry Name	Amino acid No.	1. 1.	SwissProt Acc No. or Entry Name	Amino acid No.
APU_THETU	1251-1331		Q9XED2	101-191
GLGB SYNY3	22-110		Q08131	137-227
P71095	39-130	•	GLGB_HUMAN	73-168
Q9RXB0	181-274		Q9V6K7	52-144
PULA KLEPN	301-395		Q22137	53-147
P70983	1143-1238		Q9RM63	25-149
Q41386	205-298		ISOA_FLASP	36-163
O64454	202-295		ISOA_PSEAY	30-155
O69008	105-191		P73608	22-122
O34587	104-189		O04196	74-177
Q9XDB5	231-319		Q9SPT7	8-110
PULA THEMA	223-311		Q41742	114-218
Q59319	206-300		GLGX_HAEIN	10-101
YIEL ECOLI	41-123		Q9RNH5	20-117
Q9RX51	22-100	•	GLGX_ECOLI	9-104
O66936	24-116		Q9RXP5	13-108
Q59832	141-233		GLGX_MYCTU	24-119
GLGB STRAU	160-252		Q9X947	18-113
GLGB_BUTFI	24-116		P72691	19-120
GLGB_AGRTU	130-223		P95868	17-117
Q9RQI5	134-226	•	O84046	11-108
GLGB ECOLI	122-214	•	Q9Z8F5	11-108 232-335
GLGB_HAEIN	122-214		Q9ZVT2	232-335 2-83
GLGB_SYNY3	126-217		Q44528	2-63 276-357
GLGB_MYCTU	127-223	•	Q9X2G0	276-357 15-98
Q9RTB7	26-115		Q9X2G0	46-114
GLGB_BACSU	23-115		Q45643	
Q59242	23-115		Q9X2G0	126-217
O84874	117-209		TREZ_ARTSQ	5-90 2-68
O49185	62-153		TREZ_MYCTU	2-06 1-79
GLGB_YEAST	59-153		Q55088	1-79 1-79
Q9Y8H3	47-147		Q53641	1-78

Table 1 Amino acid sequences, contained in the "seed alignment", that are used for producing the HMM for the Pfam isoamylase domain (PF 02922). The table gives the "accession" number (Acc No) or the name (Entry Name), under which the corresponding amino acid sequences are entered in the SwissProt database. Those sections of the amino acid sequences of the corresponding SwissProt entry, which are part of the "seed alignment" (amino acid No.), are also given.

SwissProt Acc No. or Entry Name	Amino acid No.	SwissProt Acc No. or Entry Name	Amino acid No.
AMYM_BACLI MALZ_ECOLI APU_THESA APU_THEET CDAS_THEET NEPU_BACST AMYM_BACAD AMY2_DICTH MALT_AEDAE MAL2_DROME MAL3_DROME MAL3_DROME MAL1_DROME MAXS_YEAST MAYS_YEAST MAYS_YEAST TREC_ECOLI TREC_BACSU O16G_BACSP O16G_BACCE DEXB_STRMU AMY_BACME AMY3_DICTH AMY_STRLI CDGT_KLEPN AMYM_BACST CDGT_BACST	137-479 128-522 393-821 390-820 136-494 139-497 139-497 138-470 29-425 30-432 31-428 35-420 17-441 22-446 21-443 15-414 16-418 11-420 13-419 13-394 44-406 39-381 77-520 47-463 46-430 47-425	CDG1_PAEMA CDGT_BACOH AMYB_PAEPO AMYA_ASPOR AMY1_DEBOC AMY1_SACFI AMY1_ECOLI ISOA_PSEAY AMY_BUTFI AMY_BACSU AMY_THECU AMY_STRHY AMY_STRGR AMY_ALTHA AMYA_AERHY AMYA_AERHY AMYA_DROME AMY1_AERHY AMYA_PSESA AMY2_ECOLI AMY_BACAM AMT6_BACAT AMY3_WHEAT AM3A_ORYSA AMYA_VIGMU	46-426 44-420 751-1107 34-390 49-405 40-396 193-611 209-652 126-520 41-383 40-392 37-360 35-372 28-373 26-369 26-413 29-396 22-379 38-387 12-402 34-420 34-422 40-426 26-348 29-367 24-361
AMYR_BACS8	46-425	AM2A_ORYSA	23-366

Table 2 Amino acid sequences, contained in the "seed alignment", that are used for producing the HMM for the Pfam alpha-amylase domain (PF 00128). The table gives the "accession" number (Acc No) or the name (Entry Name), under which the corresponding amino acid sequences are entered in the SwissProt database. Those sections of the amino acid sequences of the corresponding SwissProt entry, which are part of the "seed alignment" (amino acid No.), are also given.

Table 3 Information for producing the HMM for the Pfam isoamylase domain (PF 02922)

ACC PETIZIST.  LENGINITION N. Mark Examples N. Harm LENGIN San SEED ann COM Immediate FHMM san	NAME	isoamylase	z																•			•
Processes   Proc							·		• 1									•				
Right Manager From 1. 12.1  Amino no n	ပ္ခင္ဗ	PF02922	N toom														٠.	-		ξ.		
Amminumicalibratio – seed O HMM_Is, ann SEED ann hympolid F HMM_Is ann hympolid F HMM		Isoamiyidse	- [2]														٠.					
1901   1902   19		Amino																				
1312   14   14   14   14   14   14   14	ב ב ב		•		•	٠.								•								
995 Humbuild F HMM Lisamn SEEDann Humbuild F HMM Lisamn	2 0	2 2	٠																		٠	
Figure 1-96 O HMM_Is ann SEED ann himmalibrate -966 O HMM_Is ann fee and O HMM_Is a	WAP O	. Kes		٠. ٠٠	. ·																	
Primoralibrate -98ed 0 HMM, Is annoted 66.  2.3.2.3  2.3.3	OS	- plindmmh	HWW.	s.ann SEE	ED.ann					٠.					. •				٠.	٠.		
1302 2.3.2.3 2.1.2.3 2.1.2.3 2.1.2.3 2.1.2.3 2.1.2.3 2.1.2.3 2.1.2.3 2.1.2.3 2.2.3 2.2.3 2.2.3 2.2.3 2.2.3 2.2.3 2.2.3 2.2.3 2.2.3.2.3	SOM		teseed	O HMM	s.ann				٠.		٠.	• .			•					•		
2.3.2.3 2.12.1 8455 4 -1000 -1000 -8455 4 -8455 4  -4 -8455 6 338 -294 453 -1158 197 249 902 -1085 142 -21 -313 45 531 201 384 -1998 -56.839790 0.222419 0.22242 0.232242 0.232242 0.232242 0.232242 0.232242 0.232242 0.232242 0.232242 0.232242 0.232242 0.232242 0.232242 0.2322242 0.232242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.2322242 0.23222242 0.2322242 0.23222242 0.2322242 0.23222242 0.23222242 0.232222222222222222222222222222222222	NSEQ						:															
2.12.1 2.465	DATE																					
2.3.2.3 2.1.2.1 2.4.56 2.5.2.3 2.1.2.1 2.1.3 2.1.3 2.1.3 2.2.1 3.2	CKSU	M 3012		-																		
2.3.2.3 2.12.1	δ	2.3 2.3			,													-				
2.12.1	ဥ	2.3 2.3																				
4 - 8456  4 - 8456  5	S	2.1 2.1								•	-						•					
-66.839780         -56.839780         -284.65         -56.839780         -271         -313         45         531         201         384         -1998           -56.839780         0.224.19         -1085         -142         -21         -313         45         531         201         384         -1998           -56.839780         0.22419         -8.6839780         -1086         -158         -177         -1998         -189	×	٠.		4			-8455		-8455	4												
56.839790         10.22419         C         H         I         K         L         M         N         P         Q         R         S         T         V         W           A         C         D         E         F         G         H         I         K         L         M         N         P         Q         R         S         T         V         W           A         C         D         E         F         G         H         I         K         L         M         N         P         Q         R         S         T         V         W           433         2817         -1527         -263         -453         -130         -466         -720         275         236         -46         -727         -156         -466         -727         -736         -737         -168         -737         -168         -730         -737         -739         -739         -747         -748         -89         -741         -749         -89         -740         -750         -750         -750         -750         -750         -750         -750         -750         -750         -750         -750         -750 </td <td>NULT</td> <td></td> <td>•</td> <td></td> <td></td> <td></td> <td>4</td> <td></td> <td></td> <td>į</td> <td>. 0</td> <td></td> <td></td> <td>ç</td> <td></td> <td>21.2</td> <td>. 4</td> <td>531</td> <td>201</td> <td>384</td> <td>1998</td> <td>φ</td>	NULT		•				4			į	. 0			ç		21.2	. 4	531	201	384	1998	φ
-56.839790 0.222419  A C D E F G H I K L M N P Q R S T V W  A C D E F G H I K L M N P Q R S T V W  -32	NOLE			28			-294		-1158	/AL	. 643			741-		2	?	3	2	3		•
A C D E F G H I N N N N N N N N N N N N N N N N N N	EVD	-56.839790		19		1		(	:	-	2	-	. 2	2	٥	c	۵	ď	1-	>	3	
m.>1         m.>4         l.>m         l.pm         l.pm <th< td=""><td>HMM</td><td></td><td>∢</td><td>ပ</td><td><b>O</b></td><td>Ш</td><td><u>.</u></td><td><b>ී</b></td><td>E ·</td><td>- :</td><td>۷.</td><td>٠</td><td>Σ</td><td>z</td><td>L</td><td>3</td><td><u>.</u></td><td><b>)</b> .</td><td>-</td><td>•</td><td>:</td><td></td></th<>	HMM		∢	ပ	<b>O</b>	Ш	<u>.</u>	<b>ී</b>	E ·	- :	۷.	٠	Σ	z	L	3	<u>.</u>	<b>)</b> .	-	•	:	
2527         2527         2415         2426         2416         2763         4157         2303         -3877         -1058         -777         159         -2330           -2912         -5523         -483         -486         -720         275         394         45         96         359         117         -369           -500         233         -48         -1115         -701         -1378         -32         -1609         373         76         466         -720         275         394         45         96         359         117         -369           -600         -1733         -894         -1115         -701         -1378         -70         -466         -720         275         394         45         96         359         117         -369           -1085         -138         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369           -1085         -1189         -401         -31         -1188         126         -102         -720         275         394         45         96         359         117			EE	¥-	P-\-E	Ę.	<u> </u>	E^-	Š	E^A	θ^-E											
2912         -5203         4583         312         4575         -3417         -2418         -2703         -2717         -5203         -5203         -771         -771         -771         -771         -771         -771         -771         -772         -772         -775         -784         45         96         359         177         -369         -294           -500         233         43         -384         -116         -701         -1378         -262         210         -466         -720         275         394         45         96         359         117         -369         -294           -10860         -1170         -1378         -1609         373         78         463         -1115         -680         241         -2737         -824         -593         -117         -369         -294           -10867         -1189         -894         -116         -701         -317         -276         -275         394         45         96         359         117         -369         -294           -1086         -1386         -289         -103         -2466         -720         275         394         45         96         359         117 <td></td> <td></td> <td>-35</td> <td>•</td> <td></td> <td></td> <td>- ;</td> <td></td> <td></td> <td></td> <td></td> <td>9</td> <td></td> <td>- [</td> <td></td> <td>7077</td> <td>4050</td> <td>777</td> <td>150</td> <td>2330</td> <td>1852</td> <td>•</td>			-35	•			- ;					9		- [		7077	4050	777	150	2330	1852	•
-500         233         43         381         399         106         -626         210         -466         -720         275         394         45         90         359         117         -309         -224         -593         -1619         43           -10660         -1170         -894         -1115         -701         -1378         -32         -701         -466         -720         275         394         45         96         359         117         -369         -294           -600         -233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -1087         -381         -399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -500         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -284	•	-	433		٠		312	4575	-3427	-2412	4218	-2/03	ر د د	10.1	2007	202	3		2 7	200	200	•
-10660         -1173         -894         -1115         -701         -1378         -32         -1619         373         78         463         -1115         -680         241         -2737         -924         -593         -1619         43           -276         -456         1534         635         1339         -2632         -1609         373         78         463         -1115         -804         -594         -594         -593         -1619         43           -500         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -284           -1086         -2899         -88         -1199         -4001         -313         -188         -394         45         96         359         117         -369         -284           -1091         -1195         -701         -1378         -701         -466         -720         275         394         45         96         359         117         -369         -294           -1091         -461         -720         275         394         45         <		•	-149	- 20 -	233		38	388	9	-626	210	99		5/5	394		8		È	200	167-	
4276         455         1534         635         1339         -2632         -1609         373         78         463         -1115         -680         241         -2737         -369         -389         -117         -369         -294         -389         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -10857         -1189         -894         -1115         -701         -378         1255         -1032         -3486         -2653         2668         -172         105         545         387         -400         -4594           -500         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -10946         -11968         -894         -1115         -701         -1378         -1         -174         -6494         -5732         -3699         -5515         -3996         -5049         -359         -117         -369         -294           -1094         -		•	+		1703		-1115	-79	-1378	-32	•			. !						0,707	:	
-500         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -10857         -11899         -894         -1115         -701         -1378         *         *         *         *         -400         4594         -400         4599         -88         -1199         -4001         -313         -1878         1255         -1032         -3486         -2653         2668         -172         105         545         387         -400         4594           -500         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -10916         -1195         -1016         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -10916         -1196         -282         -452         2525         1112         -465         -487         45         96<		7	-503	-4276	455		635	1339	-2632	-1609	373	82		-1115	089		-2737		28¢-	6191-	5 5	•
-10857 -11899         -89 -1115         -701         -1378         **         -10857 -11899         -89 -1115         -701         -1378         **         -400         -4594         -450         -5514         -369         -294           -10916 -11958 -1196         -1032 -11958 -1196         -1030 -1196         -450         -720         275         394         45         96         359         117         -369         -294           -10916 -11958 -1195 -11958 -1195 -11958 -1115		•	-149	-200	233	. 43	-381	338	108	-626	210	466		275	394		96		11/	-369	-284	
4386         -2899         -88         -1199         4001         -313         -1878         1255         -1032         -3486         -2653         2668         -172         105         545         387         -400         -4584           -500         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -10916         -11958         -894         -1115         -701         -1378         -         -         -855         -187         -4199         4376         -1753         -1159         -2514         -3558           -10916         -11958         -894         -1115         -701         -1378         -         -700         -750         275         394         45         96         359         117         -369         -294           -10916         -11958         -894         -1115         -701         -1174         -6434         -5732         -3689         -5515         -3996         -5049         -5643         -808         117         -369         -294           -500         233		•	-		1899		-1115	-1	-1378	•	•									•		•
-500 233 43 -381 399 106 -626 210 -466 -720 275 394 45 96 359 117 -369 -294 -10916 -11958 -894 -1115 -701 -1378		ຕ	908-		-2899	<b>8</b>	-1199	4004	-313	-1878	1255	-1032	-3486	-2653	2668	-172	105	542	387	9	4584	•
-10916         -1158         -894         -1115         -701         -1378         *         *         *         465         -4871         -4199         -4376         -1753         -1159         -2514         -3558           -3101         -5615         -1806         2143         -2106         -3692         -829         -4575         2525         1112         -4465         -4871         -4199         -4376         -1753         -1159         -2514         -3558           -500         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -600         233         43         -381         399         106         -626         210         -466         -720         275         394         45         96         359         117         -369         -294           -1094         -1138         -894         -1115         -701         -1378         -7         -1117         -466         -720         275         394         45         96         359         117         -369         -294			-149	-200	233	43	-381	339	106	-626	210	468	-720	275	394	45	8	328	11/	-369	-584	
-3101 -5615 -1806 2143 -2106 -3692 -829 -4575 2525 1112 -4465 -4871 -4199 -4376 -1753 -1159 -2514 -3558   -500 233 43 -381 399 106 -626 210 -466 -720 275 394 45 96 359 117 -369 -294   -10916 -11958 -894 -1115 -701 -1378		•	÷				-1115	-701	-1378	•	•				•							
-500 233 43 -381 399 106 626 210 -466 -720 275 394 45 96 359 117 -369 -294 -10916 -11958 -894 -1115 -701 -1378		4	-1972				2143	-2106	-3692	-829	4575	2525	1112	-4465	4871	4199	-4376	-1753	-1159	-2514	-3558	
-10916 -11958 -894 -1115 -701 -1378 * 1432 -1434 -5732 -3689 -5515 -3996 -5049 -4652 -4943 -6008 166 -500 1172 -753 -6643 3551 -4321 -471 -1174 -6434 -5732 -3689 -5515 -3996 -5049 -4652 -4943 -6008 166 -500 233 43 -381 399 106 -626 210 -466 -720 275 394 45 96 359 117 -369 -294 -10941 -11983 -894 -1115 -701 -1378 * 355 -4593 -29 -2327 -4485 109 -4218 -4397 -260 -3237 343 -3582 -500 233 43 -381 399 106 -626 210 -466 -720 275 394 45 96 359 117 -369 -294 -10941 -11983 -894 -1115 -701 -1378 * * * * * * * * * * * * * * * * * * *		•	-149	-200			-381	388	106	-626	210	466	-720	275	394	45	8	328	117	-369	-294	
-6327 -1172 -753 -6643 3551 4321 471 -1174 -6434 -5732 -3689 -5515 -3996 -5049 -4652 -4943 -6008 166 -500 233 43 -381 399 106 -626 210 -466 -720 275 394 45 96 359 117 -369 -294 -10941 -11983 -894 -1115 -701 -1378 ** ** ** ** ** ** ** ** ** ** ** ** **		•	_	10916 -1	11958		-1115	-701	-1378	•	•											
-500 233 43 -381 399 106 -626 210 -466 -720 275 394 45 96 359 117 -369 -294 -10941 -11983 -894 -1115 -701 -1378 * * * * * * * * * * * * * * * * * * *	•	S			-1172		-6643	3551	4321	471	-1174	-	-5732	-3689	-5515	-3996	-5049	-4652	-4943	<del>2</del> 008	166	•
-10941 -11983 -894 -1115 -701 -1378 * * * 46 -5632 -109 -4218 -4397 -260 -3237 343 - 46 -5632 -1558 482 -1817 -3713 -635 -4593 -29 -2327 -4485 109 -4218 -4397 -260 -3237 343 -500 233 43 -381 399 106 626 210 -466 -720 275 394 45 96 359 117 -369 -10941 -11983 -894 -1115 -701 -1378 **		•	-149	-200	233	£	-381	338	106	-626	210		-720	275	394	45	8	328	117	-369	-294	
446 -5632 -1558 482 -1817 -3713 -635 -4593 -29 -2327 -4485 109 -4218 -4397 -260 -3237 343 -500 233 43 -381 399 106 626 210 -466 -720 275 394 45 96 359 117 -369 -10941 -11983 -894 -1115 -701 -1378		•	7		11983		-1115	-701	-1378	•	•				•		•					
-500 233 43 -381 399 106 626 210 466 -720 275 394 45 96 359 117 -369 -10941 -11983 -894 -1115 -701 -1378		<b>60</b>			-5632		482	-1817	-3713	-635	4593	-29	-2327	-4485	109	-4218	4397	-260	-3237	343	-3582	
-10941 -11983 -894 -1115 -701 -1378 *		•	-149	-200	233		-381	399	106	-626	210	466	-720	275	394	45	<b>8</b>	328	117	-369	-594	
		۱۰ <b>۰</b>			11983		-1115	-701	-1378	•	•											

۲ ۵	<b>D</b>	<b>ை</b> :	<b>은</b> .	Ŧ.	<del>?</del> .	ह	4	15	16	11	18	<b>9</b> .	8	
-3981 -249	-249	380 -249	-15 -249	-3345	-2959 -249	-3831 -249	-1529 -249	-2315 -249	-5237 -249	-2410 -249	-3260	-266 -249	-771	
-4653 -294	1850 -294	-294 -294	683 -294	-4026 -294	-3637 -294	-4646 -294	-1876 -294	-2998 294	-5331	-3046	-3933 -294	-294 -294	-294 -294	
312	834 -369	-577 -369	-1189 -369	-888 -369	-3067	-4063 -369	1517	-289	335	802 -369	2044	-1409 -369	-369 -369	
1327	1672	117	-514	117	912	117	-1503 117	-1284	-2415 117	-1440	459	470	117	
428 359	-1606 359	144 359	164 359	-2257 359	-621 359	-2580 359	-2162 359	-1224 359	816 359	-1401 359	-2196 359	203 359	359	
-67 96	86 8	-268 96	8 8 8	-2097 96	-253 96	-2778 96	-2591 96	-1068 96	4699 96	-1233 96	-2044 96	-585 96	-434 96	
-102 45	-1158 45	1174 45	-1590 45	45	738 45	823 45	-2380 45	683 45	4449 45	-729 45	-1495 45	395 45	186 45	
4102 394	1637 394	-1346 394.	1626 394	230 394	-3064 394	-3560 394	-3139 394	-2408 394	477 394	1166 394	-3378 394	-1034 394	394	
1206	-4198 275	244 275	-2026 275	448 275	1275 275	1207 275	-2663 275	1507 275	-3556 275	-1122 275	353 275	1770 275	-12 275	
-169 -720	-2400 -720	-3267 -720	-2963 -720	-2931 -720	2049 -720	-3642 -720	1929 -720	-1903 -720	4214 -720	-1944 -720	-2833 -720	-3078	-3565 -720 12/9	
-4467 -466	-603 -466	322 -466	-1843 -466	-1532 -466	-1423 -466	4468 466	-141 -466	-2828 -466	-5141 -466	-2816 -466	-1513 -466	4005	-4492 -3 -466 - 3, Sheet 2/9	
210	-159 210	-1953 210	458 258	467	389 210	-2156 210	-2718 210	499 210	4947 210	864 210	1272	210	627 210 Table	
-580 -626	346	, 7 -626	-3935 -626	-1276 -626	-810 -626	4550 -626	1265 -626	-2880 -626	-4858 -626	-2783 -626	-3779 -626	-4060 -626	-696 -626	
3316 106	-13/8 -3587 106	-1378 276 106	-106 -2048 106	-59 -2009 106	-709 1139 106	-2276 106	88 99 10 10 10 10 10 10 10 10 10 10 10 10 10	136 136 106	-88 -4399 106	-307 -1158 106	-1948 106	-2148 -2148 106	-3458 -196 106 -2654	
•	•	•		· .						•			-138 2552 399 -250	
-1229	-1115 1372 -381	-1115 -4483 -381	-1115 4188 -381	-1115 -810 -381	-1115 -3762 -381	-115 -4735 -381	-1115 -1379 -381	-1115 602 -381	-1115 -5091 -381	-1115 -3091 -381	-1-15 -4041 -381	-1115 -4310 -381	-1115 -1213 -381 -1115	
183 43	\$ <del>\$</del> 4	86 68 4 68 64	\$ 88 £	-894 1314 43	-884 -1300 43	-894 2261 43	-894 1196 43	-894 288 43	-894 -5046 43	-894 2128 43	454 43 43	86 2 4	-894 -506 -43 -894	
-2893 233	11983 -5058 233	-2276 1665	-2164 -616 233	-5043 1826 233	-931 1648 233	-1751 -1367 233	-2404 -3700 233	4097 2298 233	-3483 -4788 233	-698 -1292 233	-9845 1692 233	-11137 418 233	-5558 -607 233 -11959	
4458 -500	-3201 -500	121 121	10608 -3873	-3841 -500	10201 832 -500	-9739 -4407 -500	-9232 1322 -500	-8931 -2813 -500	-8846 -2556 -500	-8903 -2772 -500	-8803 -3738 -500	-10095 -3988 -500	-10365 -4476 -500 -10917	
													-32 -904 -149 -1	
18												,		

							• .						_		
21	22	83	24	25	, 56	27	78	23	8	3	. 32	33	8	35	٠.
512 -249	444	1564 -249	531 -249	265 -249	2570 -249	-5256 -249	-4985 -249	700 -249	-5893	-834 -249	-866	-4988 -249	910	-5607	
1631 -294	-4694 -294	-3659 -294	-4578 -294	-3750 -294	5535 -294	392 -294	-5617	-4755 -294	-6500 -294	-4739 -294	122 -294	-5365 -294	-4745 -294	-5892 -294	•
2518 -369	714	410 -369	-3897 -369	2623 -369	-6697	-4553 -369	-4961 -369	-682 -369	-1832 -369	-788 -369	-1807 -369	3460	-1017 -369	2356	
2145	1578	-3321	896 117	-3396	-7486 117	97	-1675 117	1414	4321	1202	-638	4511	976	-5011	
-4006 359	-1028 359	-1974 359	501 359	-4099 359	-7150 359	2037 359	697 359	-822 359	178 359	-590 359	470 359	-5634 359	1507 359	-6367 359	
-4478 96	1656 96	-14- 14- 14-	2409 96	4568 96	-1618 96	4834 96	-1215 96	-1460 96	-4921 96	1235 <sup>.</sup> 96	1510 96	-2134 96	962	-6803 - 96	
4301	-2312 45	45 45	-2403 45	-4386 45	-6639 45	-4560 45	-3175 45	. 261 45	-1072 45	1892 45	£ <del>1</del>	-5948 45	413 45	-6529 45	· .
-543 394	4189 394	4977 394	-1077 394	-5058 394	394	-5320 394	3730 394	4166 394	394	4151 394	-1906 394	-6412 394	4169 394	-6949	
4567	1974 275	-4572 275	-2834 275	-4654 275	-6513 275	-1206 275	-3477 275	2138 275	-1004 275	-983 275	1027 275	-6118 275	-2714 275	-6804	
-2403	-3587 -720	-2409 -720	-3447 -720	-2465 -720	-5949 -720	-4458	-4564 -720	-3661 -720	-5432 -720	-863	-3661 -720	-433	-3649	-3458	at 3/9
-1338	4488	-325 -466	-2327 -466	1669 466	-5859 -466	-1991 -466	-5465	4587	-6303 -466	-2673 -466	-2337	-1110	٠.	2467	3, Sheet
4678	450 . 2	4684 210	963 210	4761	-7815 210	-1677 210	-1616 210	-74 210	4	1147	352 210	Ψ.	587 210	-6901	Table 3,
989	408 408 408	•. •	`•	•	•	-4952 -626	•	•	-6257 -626	-993 -626	-4643 -626	-626 -626	-1791 -626		
	-1378 -526 -106				-1378 -4102 106										
-1893	399 4097 399	-701 -2056 399	4149 399	-701 -5013 399	-701 -1893 399	-701 -4813 399	-701 -1752 399	336 399	-2136 399	399	444 489 399 1	-701 -6466 399 399	-4076 399	-701 -1604 399	2
433	-381 -1115 190	-1115 3969 -381	-1115 -4550 -381	-1115 -116 -381	-1115 2064 -381	-1115 -5332 -381	-1115 -5759 -381	-1115 -4892 -381	-1115 -6477 -381	-4875 -381	-1115 -1179 -381	-1115 -4477 -381	- 496 - 387	-1115 0 -1252 3 -381	
-5083	-132 -132 -132	-894 -5089	-2546 -2546 43	931 43	-894 -1924 43	494 43 43	-894 156 43	-894 163 43	-894 -1527 43	-894 1463 43	8 8 4 5 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-894 -6525 -43	9. 7. 4. 37. 4.	24.5 4.6	Ď
-5719	233 -12065 -1380	-12065 -5724	-12065 -1346 -233	-12065 -1253 233	-12065 -7990 233	-12065 -5323 233	-12065 -3578 233	-12065 -945 233	-12065 -3960 233	-6420 148 233	-12048 491 233	-12065 -7042 233 233	-12065 -156 -233	3 -12065 5 -7592 0 233	3 -1200 1200 1200
-3200	11023 4488	-3207	11023 1196 1196	11023 -3277 -500	41023 -6573 -500	4354 -500	4943 -500	-11023 -4571 -500	-11023 -5060 -500	-11023 -4555 -500	-11006 -4572 -500	-11023 36 -506	4554 -506-	463 -50	בטדר- I
-903	-149	-1835	1377	-1482 -1482	-1- -7635 -149	-1 2849 -149	- 484 - 49	- 36 - 49 - 49	-1 3362 -149	-18 -1049 -149	-1 . 331 -149	922	619 619 -149	1 -2161 -148	•
			4	مار	, , 69 ,				. 0	· · · ·	. 2 .	. e	. 4 .	, ca, ,	•

36	37	38	66	<b>9</b> .	4	42	65	4	94	47	48	<b>6</b> 4.	90	
	.,	•••		•							- 0	oo	۲. 6	
-218 -249	-3925 -249	2201 -249	-4072 -249	-4075 -249	96	-263 -249	-2869 -249	-2292 -246	-2736 -249	-3708	361 -249	50 -249	4067	
.3666 -294	-4259 -284	-4386 -294	-4755 -294	-294	189 -294	-3757 -294	-3552 -294	-2974 295	-3646 -294	5255 -294	-4303 -294	1382 -294	-4746 -294	
1652 -369	945	1060 -369	-1613 -369	-4196 -369	-678 -369	-3195 -369	-979 -369	-338 -370	-3025 -369	-1471 -369	495 -369	-242 -369	488 -369	
194	1925	-667	-637	-302	459	735	45	269	-1715	-905 117	-2712 117	819 117	807	
-1302 359	4605 359	914 359	359	-914 359	-398 359	504 359	-1778 359	644 359	-1382 359	-2625 359	-137 · 359	-1260 359	359	
-1396 96	96 96	3095 96	-1098 96	-1400 96	-215 96	-1822 96	-284 96	447 95	-1954 96	96	-2546 96	-654 96	1235 96	
-1129 -1 45	4899 -{	-1254 -: 45	-2272 -	-2273 - 45	-772 45	-1275 -	1860	494 48	-734 45	-385 45	383	159 45	1003	
4956 -1 394	.5523 -4 394	-198 394	4166 394		194 394	-267 394	-226 394	93 393	2482 394	-1213 394	394	461 394	4169 394	
4518 4 275	-5161 -6 275		-715 - 275			1007 275	771 275	897 275	1962 275	-2355 275	1492 275	-2734 275	536 275	
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				•••	•		-2457 -720	-1880 -721	-2733 -720	-3291 -720	-3186 -720	-3612 -720	1409 -720	6/
248 466	17		•	•		•	·			-1027 -466	-2023 -466	-1569 -466	-1440 -466	rable 3, Sheet 4/9
140	•		•	· _	•		,	•	•		2051 ·		-725 210	Table 3
1189	. φ			٠.	•		-				_		-119 -626	•
		•	•		•	•	•	•		•			-1378 885 106	378
	-1378 -4436 -4436													
4905	2370 2370	-919 -919	-701 -701 -701 -701	-701 -1946	-707- 1166	1156	-5207 1508	-537 84 84	-569 -176 39	-371 39	-305 -375 -35	4 52 88	F 9 8	•
88	-1115 -56 -58	-381 -1115 1807	3174	-361 -1115 -4895	-301 -1115 -4824	-1115 -3894	-3688 -3688	-1115 -3110 -3110	-4913 -3659	-1115 -4517 -381	-1115 -880 -381	-1115 -1260 -381	-1115 96 -381	-111
	-894 -5655		2 8 4 s	. 36 8 26 8 36 8	142	2 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-894 558 54	-89 <del>4</del> 620 <del>4</del>	4 6 6 4	-894 509 43	- 894 - 120 - 43	-894 731 43	-894 1388 43	-894
1721	233 2065 6262	233 2121	233 12065 1686	233 12065 362	4329 1404 1404	-926 -1431	233 -2622 980	-1256 -1256 642	-638 2437	-1535 -915 -933	-11650 2253 233	-11683 -1114 233	-12065 -1116 233	-12065
													-11023 -4560 -500	
557	-149 -1 -1 -924 -	-149 -1 -1 3164 -	-149 -1 -1 1317 .	-149 -1- 584	-149 -74 -	-186 -05 -	-149 -258 -1897	-149 -786 -1320	-145 -1645	-149 -624 -2743	1155	656	-3100	≀ प
;1 CD	~		, , 60	, ` , 0	, . <del></del>	0	<u> </u>	4	, , s	. , 9		. i eo :	6	

م	25	8	<b>3</b>	55	. 20	. 51	<b>8</b> 2 ·	. 28	9	<b>.</b>	95	8	99 .	
-249	285 -249	-4074	798 -249	34 -249	183 -249	-2486 -249	.1915 -249	-1370 -249	-3413 -249	-3676 -249	-3773 -249	-209 -249	421	
-4739 -294	-3814 -294	-294	-3668	-4755 -294	-4347 -294	-3108	-2676 -294	-1816 -294	4095 -294	-4359 -294	-4459 -294	-4687 -294	-294 -294	
-254 -369	1148 -369	-260 -369	-593 -369	260 -369	-1625 -369	-2441 -369	-2134	988	479	-978 -369	-3897 -369	-4126 -369	-4391 -369	
1279	14 117	-73 117	-3320 117	1286	-1052 117	714	-1082 117	1429	-2380	-1303	1896	-837 117	-3684	
554 359	-3740 359	359	359	359	493 359	1536 359	-1002 359	-1199 359	-1067 359	165 359	359	636 359	-3660 359	
930 86	67 96	619 96	-4465 96	903	1913 96	930	-717 - 96	1512 96	1057	1682 96	-2526 96	-304 96	-3662 96	
-814 45	-722 45	1442 45	4279	<b>4</b> 4	-1943 45	-894 45	-257 45	-782 45	-1615 45	-602 45	-1969 45	9. <del>8</del> .	-1258 45	
394	4775 394	2995 394	4971 394	394	1315 394	-2738 394	-2097 394	-2299 394	366 394	-3770 394	-1321 394	-329 394	394	
-1344 275	364 275	-338 275	4550 275	-2708 275	-768 275	-1326 275	-560 275	-1180 275	1723 275	976 275	-246 275	1620 275	1368	
698	-257 <b>5</b> -720	-3663 -720	4259 -720	-3661 -720	-372	-1982 -720	-1648 -720	1503 -720	-3000	-3265 -720	-3366	-3593	-746 -720 et 5/9	
-2538 -466	332	4589 466	1632 -466	-4587 -466	-594 466	713	-2508 -466	99-	-227 -466	-577 -466	-4291	4520	3155 -4786 210 -466 Table 3, Sheet 5/9	
-1301	-703 210	493	-1610 210	1364 210	1748 210	201	•		•		-1103	•		
-824 -626	•	7					-2535 -626	•			-1328 -626	4575	•	
-2738 106	-1378 3032	-1378 -2732 106	-1378 -3789 106	-1378 1453 106	-1378 392 106	-86 -1317 106	-69 -678 106	-184 -963 106	-1100 1889 106	-817 -235 106	-456 -2427 106	-2136 -313 106	-2966 -502 106 106	
-1149	-701 -701 -701	4073 4073	-701 -4921 399	-701 -1716 399	-701 -3731 399	4109 918 399	-4411 1477 399	-3061 -2223 399	-906 -1517 399	-1209 825 399	-1882 133 399	-373 1699 399	3185 3185 399 5 -701	
-4860	-1115 439	-381 -4895 -381	-1115 -243	-1115 -4892 -381	-1115 -415 -381	-1115 -3099 -381	-1115 -2771 -381	-1115 -1461 -381	-1115 -610 -381	-1115 -4496 -381	-1115 -4595 -381	-1115 1410 -381	-1115 -707 -381 1 -1115	
													-894 -2956 3 43 5 -894	
-708	233 -12065 -1879	233 -12065 -58	-12065 -1623	-12065 -12065 -133	-2038 -2622 233	-700 129 233	-524 -524 233	-796 1440 233	-9232 36 233	4270 1427 233	4214 2377 233	-11668 216 233	-11990 403 233 -12065	
													-10947 -4838 -500 -11023	
. 146	-149 -420	-149 -1 -1952	-149 -1019	-149	-2745 -2745	-1381 -1634 -1634	-1723	-1253 -994 -149	-7 -2441 -149	-78 -272 -149	-81 -713 -149	-443 -149	-1102 -149	
II-		8	ຕ ເຄ	. 4	c.	9	2	, , & , ,	: : 6 : 2 :	. 0 9	61.	62		

92	99	29	89	.69	۶ ک	7	22	<u>د</u> ع	75	92	<b>8</b> 2	<b>6</b> 2.	8 .	<u>۳</u>	
			•	<b>.</b>	മ	4.0	<b>0</b> 0	6 8	සු මු :	82 02	6 6 6	-845 -249	-3384 -249	-1177 -249	
674 -249	1346	-4055 -249	-3338 -249	1250 -249	-3395 -249	-248	-3369	-2272 -250	-3243	-5028	-1309				
1942 -294	6021 -294	4735 -294	1543 -294	-4629 -294	163 -294	4757 -294	-4052 -294	-2953 -296	-4061 -294	-4854 -296	-1672 -294	-4495 -294	2649 -294	-4755 -294	·*.
2648 -369	6724 -369	.1784 -369	1675	1122 -369	2065 -369	-4196 -369	-1418	-2385 -368	-3409	4841	633 -369	-489 -369	-369	4194	
105	.7532 117	956	-68 117	1595	1271	117	-203	-1245 116	989	-3663 118	-1206	284	-1758 117	172	
4005 359	359	1595 359	-4028 359	411 359	-4083 359	-922 359	-774 359	1120 359	-1905 359	-3491 363	228 359	-213 359	-1080 359	661 359	
- 4477 96	.7320 96	312 96	4500 96	-23 96	4556 96	-1334 96	13. 96	-1030 95	-2288 96	-3154 95	-2112 96	-2683 96	-945 96	-2819 96	
4300 -	-6676 -45	-2262 45	-4323 45	-707 45	-4379 45	-2273	, 23 45	-480 47	-1307 45	-3494 44	-1824 45	-2140 45	-1436 45	-929 45	
4971 394	. 7780 394	4153 394	4992 394	-4215 394	-5043 394	3130 394	531 394	-2368 395	865 394	-4255 393	2442 394	482 394	-110 394	1991	٠
.1483 .	-6534 275	-2697 275	-4589 275	-1371 275	-4642 275	423	754 275	1347	2772 275	-3488 276	-2139 275	-162 275	-1534 275		
-2403 · -720	-5967 -720	-3840 -720	-209	-3509 -720	-2463 -720	-3663 -720	-2958 -720	-1858 -722	-3056 -720	-4841 -722	-424 -720	-3384 -720	-2502 -720	-3661 -720	ot 6/9
-810 -466	5868 466	4563 -466	1112	-2213 -466	1905	-4590 -466	-1291 -466	-563	-3872 -466	-5453 -465	267 -466	-622 -466	1775	-2482 -466	rable 3, Sheet 6/9
422	7962	2304	4700	571	-1620	-597 210	383	1226 211	- -1635 210	211	-2084 210	-1276 210	-963 210	1572 210	Table
1807	6567	4613		-4347 -626				•	-3935 -626			504 -626		•	
-3792	4105 - 208	3120 3120	-2088 -3816	415	-1378 -3875	305	-1378 -2028 106	25 E 5 26 E 5	-28 -1685 106	-26 -360 -104	-56 -1566 106		-4010 -3621 106	•	•
4921	.7926 -7926	-2001 -2001	399 -387 -675	-701 -701 -701 -701		-949 -949	2429 2429	-3087 -2270	136	-5796 3620 397	-4725 -2717 399	-263 495 399	-92 -2338 399	-701 291 399	-70
406	-381 1115 1262	-381 -1115 -4866	-381 -1115 -3173	-381 -1115 2483	-381 -1115 -3223	-301 -1115 -1268	-1115 -4190	-3081 -3081	-6038 -4113	-381 -1115 -5496 -382	-951 -381	-1115 -4556 -381	-1115 194 -381	-1115 -4893 -381	-1115
5082	894 894 896	43 2092	43 -894 -5104	-894 467	-894 -5155	-894 1232	894 -894 -553	-894 -596 -596	-25 -826 -836	-894 -894 -3527	-2356	96 4	-89- -145- 4	8 6 4	8
5718	233 2065 8044	233 -5937 - -645	233 12041 5739	233 12065 -3047	233 12065 -5787	12065 94	-1236 -42 -42	-517 -517 -517	-2066 2287	-9427 -3346	-9427 -664 -933	-9573 1991 233	-11861 -4976 -233	-12065 686 233	-169
3200	-500 1023 -1 6590	-500 -39 -39	-500 0999 1498	-500 11023 -4400	-500 11023 -3258	-500 11023 -4574	-500 11023 -3869	-500 -10226 -2766	-523 -523 -3593	-500 -8385 -3802	2000	4283	-330k -330k	-1102 -457 -50	-1102
•	-149 -1 -1 -7884		-149 -1 -	-149. -1 -	-149 -1 -	-149 -1 -1005	-149 -799 -1035	-149 -1736 727	-148 -3941 -2095	-149 -3370	-3549 -1261	- 149 - 892 - 149	-1 -874 -479	-149 -357 -149	-536
•			> <b>~</b>	., . co	, , 00	, , 0				1 4	22	9 2	- 11		• .

82	83	8	. 82	<b>8</b> .	9	91	85	. 8	94	95	98	. 97	88	66	
-3580 -249	-3359 -249	-139 -249	-2661 -250	-2771 -249	1485 -249	1812 -249	4584	5 -249.	4039	53	236 -249	-1166 -249	-4011 -249	1464 -249	
4253 -3 -294	4032 -294	3635 -294			1903 -294	4716 -294	4919 -294	-4736 -294	261 -294	-4076 -294	-3938 -294	2043 -294	-4684 -294	9-294	
-571 4 -369	3452 -4 -369	3068	•	•	1180 -369	-490 -369	209	-1911 -369	-847	-273 -369	2082	658 -369	872 -369	-1085 -369	
2565 117	926 -	1572		•	229	-545 117	4829	-525 117	-3857 117	-1632 117	-3560	1115	898	-235	
2514 -2 359	-830 359	1907	•		1179 359	-541 359	-5905 359	-1539 359	4518 359	-2040 359	-4296 359	-1669 359	-592 359	-2982 359	
-2358 -: 96	450 96		8 67- 9 49			1884	-6337 96	-337 96	-4969 96	2679 96	-4765 96	- 98	342	සු හ	
-1812 -45	.1588 45	1533	t 8	490.45	1816 45	238 45	-298 45	-532 45	-4757 45	-1131 45	4582	-601 45	-2241 45	-938 45	
394 394	3471 -	•	394 2398	393 -2864 394	4131 394	4180 394	-6634 394	4173 394	-5458 394	4533 394	-5237 394	-4207 394	-1471 394	1911	
877 275	1660 -				-3416 275	-779 275	-6303 275	-2720 275	-4990 275	-1006 275	-4850 275	-893 275	798 275	922 275	
3153 -720	2934	-720 -	-720 -2313	-721 -2359 -720	1415	-3613 -720	-3511 -720	-347 -720	-2896 -720	-445 -720	1877 -720	-3532 -720	-3585 -720	-3651	t 7/9
. 1437 - 466	1696	-3462	-466 -3036	-465 -3281	230 466	767	-2106 -466	-252 -466	-1692 -466	-893 -466	280 466	-1771	-2336 -466	-4575 -466	3, Sheet 7/9
24 210	- 556	210 -1203	210	209	-731 210	636	-6490 210	2534	-837 210	356 210	4960 210	. 738 210	- -2283 210	·	Table
-1448 -626		-626 -3512		-621		4547		•		-	• • •			. •	
2881 106	-192	5 5 5 5	106 -37 -1286	105 -539 -1433	106 -711 385	-5486 -2749	-1378 -5389	-1378 -96 -106	-1378 -3923 106	-1378 -3193 106	-1378 -4093 106	-1378 2442 106	-1378 1139 106	-2623 1013 106	9/8L= .
1116	-3008 2833	399 -4876	399 -5316 -533	402 -1681 2688	399 - -1361 -4071	-33 -4088 -33	-701 -6725	-701 1479	-701 -5424 -399	-701 -4457	-701 -5204 399	-701 -4116 399	-701 2082 399	-256 -256 473 399	DZ-
4364	-301 -1115 -4146	-381 -1115	-381 -381 -1115	-381 -603 205	-381 -1115 -2609	\$ 11. 8 4 8 8	-1115 -4006	-301 -1115 -4853	-301 -1115 2582 -381	-115	-1115 1663 -381	-1115 -448 -381	-1115 -4797	2 -1115 2 -1166 3 -381	-113
1067	2 4 4 F	24 gg	25 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	-1080 -1549 57	43 -894 -3565	-894 147	6804 6801 6801	8 8 5	-894 -5598 -5598	-89- 1600 -	-894 -5354	-89 -176	8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	+ & & &	ස
- 803	233 -2216 497	233	233 257	232 -2301 -2301	233 -10494 -868	233 -11301 -1312	233 -12065 -7273	-12065 -2961	233 -12065 -6172	-12065 -3807	-12065 -5979	-12065 1256 233	4840 391 391	2 -12014 3 -1178 0 233	-601
139 -	-500 0488 335	-500 -500 10207	-3448 -500 -9720	-2189 -501 -761 -3267	-500 -9452 582	-500 10259 -272	-500 -11023 -522	-500 -11023 -4545	-500 -11023 -3714	-500 -11023 -44	-500- -11023 192	-11023 856 856	-1102 -449	-1097 	-1102
- 99	-149 -351 -	-149 -490	961 -149 -2627	-1425 -150 -2273	-149 -3 627	-149 -2 -998	-149 -1 -4871	-149 -1	-149	491		-148 -1360 -1360	-52 -52 -1767	-149 -166 -169	-5
16-					<del> </del>		9	~	, , &	, , 6	, , ,	·. · <u></u>	Q	, , 60 ,	•

100	101	102	103	<b>10</b>	122	123	124	125	126	127	128	129	130	131
596 -249	326 -249	-3490 -249	1665 -249	-2597 -255	-2336 -249	-5952 -249	-2314	1672 -249	1694	422 -249	-760 -249	-960 -249	579 -249	1188
858 -294	3290	-4239 -294	-3297 -294	-3460 -269	-3010	-294	-2901 -294	1867 294	-3033	-3396	1747 -294	2895 -294	-4527 -294	2426 -294
-4174 -369	-3014	-3687 -369	-2730 -369	-2876 -364	-447 -369	-5843 -369	40 -369	-2712 -369	-164 -369	354 -369	651 -369	-369	885 -369	979
-1359	-1862 117	-2688	1287	-1592 117	-1317	-238	-1485	-1671 117	-1768 117	-1882 117	-1341	369	-317	-1548
843 359	519 359	, 1632 359	-1531 359	-1329 364	-1265 359	491 359	87 359	-213 359	-1850 359	-421 359	-904 359	359	-958 359	-2068 359
-1193 96	-1644 96	-2648 96	-1372 96	-1653 90	180 96	98	-1401 96	2944 96	-17 96	-1759 96	-1285 96	-224 96	1137 96	-1295 96
-798 45	777 45	-1914 45	700 45	-619	1522 45	467	1275 45	625 45	382 45	-1211 45	1076 45	971 45	-2398 45	4178
-510 394	1197	3097	-2717 394	-2265 388	-2450 394	-5159 394	-2677 394	-2803 394	-2999 394	394	1944 394	-4047 394	942 394	-4921 394
1595 275	165	170 275	-1260 275	1657 274	420	-3559 275	1005 275	-1366 275	348	2387 275	317 275	894 275	1040	-4458
-3641 -720	-2483 -720	-3279 -720	-2201 -720	-2473 -726	-1912 -720	-5824 -720	1100	-2201		-2267 -720	-3460 -720	-3514 -720	-430	1289 -2395 -466 -720 Sheet 8/9
4568 466	-1191	4097	-3125 -466	-3273 -470	-799 -466	-6569 -466	-466 -66	-902 -466	-2661 -466	-3119 -466	-1665 -466	-114 -466	-102 -466	က
482 210	1102	-2097 210	424 210	-969 210	1001 210	4334 210	-928 210	293	187	- 1269 210	-1170	758 210	1499	-4523 210 Table 3
4623			•	•	•			•	-2494 -626			874 -626		
														-634 -297 106 1-2168
753	-1381 -2897	-5359 -3320	-5443 -2623	-5540 -1860	-2398 -2357	3521 399	-4472 -2587 399	-4056 -2715 399	-3745 -2914 399	-3895 -2937 399	-193 -1006 399	-2658 -3955 399	-400 -1620 399	-1491 -4869 -399 -363
585	-301 -1115 -3713	-1115 1263	-1115 424	-3526 -3526	-3128 -3128	-1115 -6758 -381	-1115 -2810 -381	-1115 -3394 -381	-1115 3110 -381	-1115 -3366 -381	-1115 -1270 -381	-1115 -4731 -381	-1115 -1688 -381	-1115 588 -381 -1115
														-894 485 435 -894
1435	469 - 7.53	-3326 -1734	730 730 730 730 730	2505 2505	-2137 -1238	9958	-710	-10146 318	-10302 -1979 -1979	-10481 2145 233	-10609 -2912 233	-5643 150 233	-11927 -1522 233	12038 1 1900 233 3 -6189
4552	-3393 -3393	-900 -9651 -4027	-9501 -3111	-500 -9292 -3278	-505 -1217 1118	-300 -8916 -5377	-306 -10466 -2628	9104 -9104 -9104	-9260 -9260 1786 -500	-9439 -3147 -500	-9567 -4357 -500	-10913 -4422 -500	-10885 -192 -500	-10996 3194 -10996
4	-149 -1352 990	-149 -154 -2694	-149 -212 590	-149 -1738 763	-143 -1546 924	4 4 4 5	-1366 -1545	-1738	-1830 -1830	486	-3 -1642 -149	-30 -1173 -149	-1 -3107 -149	-3341 -149 -149
11: 11:	 	9		&	, , 6	0		0		4 .	, s i	90	10 7	. 8

	132	133	134	135	136	137	138	139	140	141	142	143	44	
	-3839 -249	-540 -249	-7065 -249	-1076 -249	4259 -249	-6720 -249	-3916 -249	1981 -249	123 -249	-101 -249	-3807 -249	-3812 -249	-3803	
	-4396 -294	4346 -294	-7702 -294	-4874 -294	3313 -294	-6964 -294	4514 -294	-4725 -294	-3630 -294	-4721 -294	-4488 -294	793 -294	4481	
	1173 -369	530 -369	-6356	-4174 -369	-4009	-5531 -369	-1581 -369	-819 -369	1867	1511	1049 -369	-3933 -369	451	
	302	815 117	-1693 117	-1326	4716	-764 117	1002	-3012	-536	117	-1010	-1349	-851	-
	359	-280 359	436	-3761 359	-5268 359	359	-3071 359	165 359	-22 359	359	359	-74 359	787	
	1231 96	-546 96	-6607 96	96	-677 96	-6130 96	1741	-156 · 96	-4450 98	-2798 96	-193 96	2020 96	-621	
	-851 - 45	-2623 45	-5224 45	-978 45	-5379	733	-1065 -45	-1025 45	-323	474	482	-2011 45	131	
	385 394	117 394	732 394	3834 394	-6164 394	-5611 394	956 394	4141 394	-4943 394	-308 394	394	1394 394	2430	
	-2962 275	-1173 275	-4536 275	-3528 275	634 275	-1234 275	-165 275	225 275	-4539 275	417	-2448 275	2127	23.	
	-3236 -720	-3176 -720	-6744 -720	-3786 -720	53 -720	-5828 -720	-3377 -720	-3630	-37 -720	-3626 -720	-718 -720	-3401	-3384	
	837 -466	1062 466	-7537 -466	-4555 -466	-2040 -466	-6710 -466	-2413 -466	-2223 -466	303 466	-4549 -466		•	-2372	_
	1662 210	-984	-5967	-2824 210	-5937 210	-6057	2314	453	-4650 210	-2291 210				
	-119 -626	•					1	-				•	•	•
•	-2903 106	-1984 -2964	-1378 -5445	-1378 -3382 -106	-1378 -3987	-1378 -5868 -106	-1378 -141	-1378 -2707	-1378 -3764 106	-1378 368 106	-1378 -259 106	-1378 -2471 106	-1378 -2474	•
		•					•					-701 -1454 -399		•
												-1115 -4632 -381		•
	-1038	4894 678	-894 -4419	-894 -1187	-894 -6355	-894 -6125	-894 -2567	-894 -894 592	-894 -5055	-894 1251	-894 -356 -356	-894 -525 -	-894 -626	•
1	-3254	233 12046 -1481	233 12065 3854	233 -12065 -3848	233 -12065 -6779	233 -12065 -6209	233 -12036 -3118	233 -12036 70	233 -12036 -5691	-12036 -12036 -432	-11773 -1773 	1 -11773 1 -11773 1 - 1556	11773	•
	4097	-500 11003 4030	-500 11023 -5414	-500 11023 -4583	-500 -11023 -428	-500 -11023 -4607	-500 -10994 -4254	-500 -10994 -4540	-500 -10994 976	-500- -10994 -4538	-501- -1073	-501- -431	-1073 -429	
	-117	-149 -1 -	-149 -1 · -4562	-149 -1 375	-149 -1 4784	-149 -1 3042	-149 -1554	-149 -1 1683	-149 -1 435	149	-149 -1 89	-149 -1 -2839	-148 -1 -2838	. •
	il:		· , <del>·</del>	8	, . m	1 14	ຸ , ທ			80	6	20,	4	

Table 3, Sheet 9/9

Table 4 Information for producing the MMM for the Pfam alpha-amylase domain (PF 00128)

HMMER 2.0 [2.3.1]

NAME alpha-amylase

	•	-1998	>	766 -294	-3182 -294	-3167 -294	-3163 -294	-4276 -294	4184 -294
		384	>	-3713 -369	1681	317	1419 -369	-1759 -369	-3408 -369
		201	<b>-</b>	423	-306	516	1224 117	-348	-2901
	,	531	<b>ω</b> .	-566 359	-1684 359	-3516 359	-1376 359	359	1729 359
	٠.	45	œ	-723 96	-3998 96	-3988 96	-3982 96	1650 96	2651 96
		-313	ø.	3256 45	-3820 45	-3811 45	-3804 45	1554 45	-2392 45
	•	-24	۵	-3686 394	4488 394	394	394	-954 394	4109
		-142	z	-2229 275	-883 275	-4078 275	-4071 275	-743 275	-2815 275
	¥	-1085	<b>∑</b> ·	-3181 -720	-1917 -720	1689 -720	899	-3182 -720	-3045
		905		4108	522 -466	444	-155 -466	4109	385 466
		249	¥ €	-1052 210	4195 210	-4188 210	4181 210	-28 210	-2370 210
	4	. 161	- <b>4</b>	-4163 -626	-36 3045 -626	1011	-30 -929	-4165 -626	-3669
	-8455	-1158	포	244 106	-1378 -3316 - 106	-1963 278 106	-1378 -3297 106	-1378 2291 106	-1378 -2739
	4	453	6-b B-4-b	-202 399	-701 -1822 399	-427 -4432 399	-701 -1450 399	-701 -1377 399	-701 851
•	-8455	-294	π. <u>3</u>	969 -381	-1115 -2673 -381	-1115 2368 -381	-1115 448 -381	-1115 -4414 -381	4039
	-1000	338	пŢ	925	-894 -4597 -43	-894 -4593 43.	-894 -4585 43	318 43	-894 -943
nain EED.anr I_s.an	-1000	85	o €	-5356 285 233	-5739 -5230 233	-11500 -5229 233	-11527 -5221 233	-11527 2249 233	-11527
alytic don Is.ann S d O HMM	4	-8455 -1558	33020 C D->i	-4092	-10485 -2711 -500				-10485 -1152 -3803 -311
asa, cati F HMM_ ate —see	-8455		150 0.15 A P	-36 -1605			-1 -275 -149		
PF00128 Alpha amylase, catalytic domain Amino no yes hmmbuild -F HMM_Is.ann SEED.a hmmcalibrateseed 0 HMM_Is.an 54 2797	-81.7 -81.7 -82.7 -82.7	:	-218.894150 0.133020 A C C m->m m->	<del>-</del> .			i ( <b>i 4</b> )	ָ מיֹן	

328 -249

-3593

-2821 -249

2755 -249

-282 -249

ı	_	o	o		တ		,	2		•	=,		12			5		•	4			15			16			17			19		3	7		5	77		23	;			
	-3409 -249		1332	}	-3210	-249		989	-248	9	-109	<u>:</u>	-3242	-249		-3279	-249		-3266	-249		-4077	-249		822	-249		-2237	-250		-1714	-247		2020	-249	9	2567	657-	. '	-249			
	-4250 -294		-4275 ·	107	4434	-294		-3874	-294	0	-3868	}	1820	-294		-3961	-294	: •	-3940	-294		4846	-294		-3081	-294		-2919	-285		-2362	-295	,	-1558	-294	000	1206	-294		-2143			
•	-3568 -369		-1924	8 : ?	-3332	-369		-3313	-369	: 8	-922	2	-893	-369		-3398	-369		-963	-369	:	-864	-369		-2523	-369		-2356	-370		187	-367		-1532	-369	Š	1631-	-369		-360	5		
	117		φ;	È	-200	117		-208	117		-195	È	1384	117		.587	117		-130	117		-3056	117		329	117		635	118	!	1192	117		₹	117		12/6			4/85			
	4986 359		119	RGS CS	-673	329		-222	329	2	-35	ec.	1520	350	}	1690	359		-2195	329		458	359		-1313	359	<b>}</b>	1208	358		1266	329		1211	329		-1376	328	7000	250	000		
	-6161 96		382	86	1149	96		170	96		-2232	8	Odd	3 8	3	699	96		-2039	96		-2969	96		43	9 9	3	858	8 8	3	-576	97		-1099		:	1164	8					
	5797 45		544	45	-1408	42		226	45		-1695	<del>4</del>	4640	- 25 - 25 - 25	?	-1479	45		463	45		102	45	!	970	45.	}	1050	5 4	-	÷-	. 45		<del>.</del>	45		-787			-430Z			
	394		-3686	38	-3300	394		-3285	394		-3528	394	97.70	9 7	t n	-671	394		-3381	394		-3945	394	<b>3</b>	2468	304	r S	010	200	2	-1889	393		2208	394		-2490	394		-5444	485		
	-5813 275 :		1248	275	1805	275	i	504	275		654	275	ć	757	617	1965	275	i	2669	275	i	1868	275	•	1351	275	27	. 076	010-	27	1334	275	·	-983	275		7	275		4	275		
	-3124		425	-720	080	-2007	2	-2780	-720		489	-720	į	-2794	OZ)-	2868	-750	1	-2841	-720	•	-3801	727	27.	000	0681-	07/-	100	1020	17)-	-1251	-721		•			-1264	-720	. •	-5801		06/0	7137
	-1435 -466	3.	4107	466	3770	7466	3	7076-	466	a*	-919	-466		-3694	9	916	466	3	1169	466	3	7870	188	2	1	0167-	400	000	7001-	-40	-2136	464			466		1991	-466		Ψ	466	,	rable 4, Sheet 2/32
	-6493	2 *	1059	210	. 6	677	2 *	700	210	•	-1746	210	•	862	210	122	2 5	2 *	276	210	2 *	2201	1007	2 *		22.	017		4/2	717	-79	211	•	-717	210	•	•	210		ကု	210	, 14 th	lable 4
	-946 -826	•	-4163	-626		19/5-	970	2762	-5765	•	-3520	-626	•	-873	-626	. 0	96	*		101-	7	4740	7474	070		0/67-	979-		-2804	79-		-623		•	-626		•	-626	٠.	Ψ	-626	_	
	4848	2100	-1378. 301	198	-1378	-1867	2 5	101.	108	2316	-2112	106	-161	-1966	108	-131	828	2 5	2	4 5 4 8 6	3 3	-131	-2603	2 2	8 8 9	849	999		868-		•	•		-							106		
	-1492																											•			•									•	399		
	4401	-381	-1115	-381	-1115	4030	-381	-1115	2012	1444	-1115	-381	-1115	-3978	-381	-1115	4097	. 381	GLL-	4055	5	-1115	-4951	.88	-1115	-3222	-381	-1115	-3055	-381	-5562	-381	-5313	-1107	381	-1115	-1511	-381	-1115	-6164	-381	-115	
	-6833	43	-894 -894	4 4 5 4	-894	381	<del>.</del>	<del>-8</del> 94	139	3 5	53.4	43	-894	-1650	43	-894	9	4.	-894	248	3	-894	-356	43	-894	454	43	-894	828	45	-31	45	3.5	908-	43	-894	-981	43	-894	4756	43	-894	
•	-7039	233	11527	233	-1840	1318	233	11055	60 60 60 60 60 60 60 60 60 60 60 60 60	233	-2495	233	4120	-489	233	-11161	1225	233	-11161	102	233	-3211	3087	233	-1020	-1279	233	-2818	145	237	-1208	220	2758	1203	233	-8757	880	233	-9336	4752	233	-1085	
	-4497	-200	10485	-5092 -500	10485	-3710	-200	10013	-3691	-200	10013	20.0	10204	-3694	909	10119	-3777	-200	10119	699	-200	-10119	-4662	-200	-9955	-2900	-200	-8976	-2735	-50	966-	001.7-	24	1851		-7715	200	Š	-829	200	-20	696-	
	-1460	-149	7	1015	474 -	-798	-149	7	-754	-149	-283	-2470	- 143	-1036	-149	?	-1310	-149	?	-2309	-149	-166	202	-149	-983	-1432	-149	-224	347	-150	-3921	900	2108	25.5	149	-19	458	-149	-7	-4548	-149	-923	
	11:11: <b></b> .			 <b>co</b>		6			10		, ;	=		, 5	٠,		13	. •	•	14			15			16		•	11	· <b>,</b>	. :	<u>8</u>		, ;	<u>a</u>	٠.	ç	₹.		.21	i.		

24	25	i	. 27	96	3	8	67		30		ç	25		33			38		:	<b>4</b>		7	<del>-</del>		42	!		4		í	3		ì	y Y			
-2247 -249	-1803	-248	-2101 -249	. 3476	-249		1661	C+7.	-1989	-251	07.70	240	647-	-1308	-247		-1985	-250		-3935	-249	000	5502-	647-	-2035	-244		-1901	-236	9	0861-	-249	0007	0901-	647-		
-2927	-2316	-296	-2655 -294	CCC	-294		-2434	167-	-2586	-296	000	0797-	167-	4088	-282		-2724	-295		-4068	-594	0	0007-	<b>467</b> -	-2775	-295		-2579	-297	į	-1794	-294	9	9215	<b>7</b> 87-		
-2362	-1479	-371	-226 -369	3000	-369	! !	-1647	802-	-1876	-369	i	5525-	60°-	-1562	-370		-2160	-367		-2799	-369		0861-	 	2187	-370		-1956	-372	9	-493	-369	,	05/1-	80°-		
-1216	1299	119	-1252		117		4 64	È	-1135	121	,	1140	È	-1145	116	:	-972	117		1591	117	į	1554	11	1010	117		-836	121		613	117	į	674	=		
1244	26	360	1473 359		359	}	-1229	328	294	360	9	4 5	AC C	-1254	358	}	-835	359		-1512	328	į	န်	328	040	320		1096	357		1463	328		-628	328		
691	1242	95	-1296 96	Ş	676- 96	3	-1146	9	1181	92		-939 -939	<u>S</u>	2066	56	3	1044	95		-3258	96		0 6-	5		95	)	1666	8		-1420	96	!	404	8		
452	3 5	4	-775 45	,	1628 45	?	930 9-	<del>2</del>	-504	44	,	1105	<del>0</del>	-520	44		-116	45		-3088	45	;	-336	45	2042	45	<u>?</u>	-113	5		-1077	3		සු :	<del>.</del>		
-2345	† 4	395	394		304	3	-2381	394	-2320	394		-2269	394	-2243	305	3	1442	393		3791	394	;	-2035	394	970	393	}	-1867	396		1812	394		-1794	394		٠
332	613	276	-1168 275		853 275	2.4	794	275	1155	276		2015	275	1120	276	3	-283	278		-2515	275		1798	275	6	275	ì	-373	273		-1214	275	٠.	1410	275		
-1832	7.75	-1134	-1499		-1765	3	1632	-720	-1446	-722		-1720	-720	1201	22	771-	-1674	-721		-3211	-720		-1592	-720	, ,	-172	•	-1509	-723		-541	-720		-1225	-720	ç	%
-2756	6	4 65 55	-2307		-2689	9	-2062	-466	-751	-467		-360	-466	1006	1090	ŝ	2550	466		-3965	-466		-2454	-466	0	6007-	}	-2392	-466		-1183	-466		-2120	-466		Sneet 3/32
674	017	, 21 11.	242	*	-420	*	-694	210	55.5	211	•	433	210	. ;	2 5	60 <b>7</b>	256	211	٠	-3291	210	•	444	210	• !	24.		-193	211	•	-1215	210	•	1304	210	. V	able 4,
-2808	979	-79 -628	-177	•	-2742	070	-1897	-626	, Ę	-624	•	315	-626 -626	• 6	-1000	70-	2615	-627	•	-3699	-626	•	-2424	-626	• 6	8507-	*	-2418	-629	•	2029	-626	•	-2139	-626	•	
1540	§ 4	1735 104 104 105 105 105 105 105 105 105 105 105 105	-14 <del>1</del>	4	-833 -833	5 5 5	-986	106	43 886	5 4	43	<del>-8</del> 40	90	4.5	70,	₹ 5 <del>5</del>	717	105	츋	-3114	106	-37	-749	106	92-	-002 -105 -105	ဗို	-538	103	-75	-1139	106	-113	-358	90 9	416	
-55	399 -5017	397	-5076 145 399	-5076	1087	389 -5076	632	399	-5076	397	-5076	-2171	366	-5076	1555	786	-3/40	- 1003 398	-4191	-2079	399	-5295	-1787	399	-4278	9891-	-5334	1600	403	-4299	-1561	333	-3735	-1688	333	-1998	
1125	-381 -1115	-374 -374	-6287 -2512 -381	-1115	-2992	-381 -1115	121	-381	-1115	-382	-6287	-2924	-381	-1115	41/1-	795-	2044	-284	-5016	-3951	-381	-1115	-2705	-381	-1115	-2866	-202	-2670	-383	-204	-1367	-381-	-1115	-2414	-381	-1115	
-578	-89 -89 -83	-929 42	-19 -932 43	-89	87.1	-8 -8 -8 -8	288	. 43	-894 25	4	-19	352	43	-894	9001-	4 5	1947	44	45	-3276	43	-894	897	43	-894	<u>ဂ</u> ၃	\$ <del>4</del>	-73	4	-2921	-1375	43	-894	1228	43	-894	
752	-3303 -3303	232	-9662 1203	-9662	235	233 -9662	793	233	-9662	235	-9662	1833	233	-653	-165/	533	-1933	234	-8490	-3073	233	-8783	-565	233	-1643	1220	-8527	1083	235	-1269	-1748	233	-8164	-541	233	-8743	
-2742	-500	-1981 -504	-111	-900 -8620	-2674	-500 -8620	2805	-200	-8620	-501	-12	-2624	-200	-8620	-1761	ည် ရ	9 5	-2546	-263	-1857	-200	-7741	-2196	-200	-7741	-2549.	-255	-2187	-502	-1232	-852	-200	-7122	-2120	-200	-7701	
740	-149 -158	1093 -148	-3784 1491	- 5 ڻ	-1203	-149 ch	-1213	-149	က် ငိ	150	-3784	-39	-149	-1468	-1168	-150	-2331	9001-	-2612	-1276	-149	-10	1795	-149	-567	1019	-140	-842	-151	-2649	468	149	-15	844	-149	<del>-</del> 6	•
22		. 23	. 54		25		26		. :	/7		28			29		. 8	9		. <del>(</del>	; .		32			33		34			35			36			

22	99	57	28	<b>.</b> 8.	<b>8</b> ·	61	62	63	64	65	99 5	۵.	89	69
-1818	-2445 -249	-2561 -249	3735 -249	950 -249	-2272 -249	-5752	-3575 -249	1549 -249	1599 -249	-4633 -249	-2848	-2886	-3593 -249	-3602
2063	-3126 -294	-3236 -294	2202 -294	1995 -294	2156 -294	2842 -294	-4266 -294	4461 -294	1561 -294	-5412 -294	-3190	-3248 -294	-4276 -294	-294 -294
-1302 -369	-2566	-2660	-4497 -369	-1457 -369	489 -369	-6847 -369	-3703	-5998 -369		-4841 -369	1462	-369	-3714 -369	-3724 -369
-1448	-163	912	-5247 117	117	-823	-5649 117	-85	-6866 117	117	-1041 117	-2841	1925 117	-916 117	-2567
359	54. 359	359	-5144 359	-2791 359	-2966 359	359	-92 359	-6607 359	349	-788 359	-1907 359	-1332 359	359	-607 359
-1840 96	1810 96	-1331 96	-5283 96	-3228 96	-3439 96	-6847 96	-2336 96	-6752 96	653 96	-3537 96	-334 96	-1052 96	-122 96	394 96
-1404 45	543 45	-785 45	-4740 45	415 45	-3260	-6630	-108 45	-6118 45	2327 45	-2731 45	-3831 45	-3405 45	1818	291
-313 394	-2539 394	-2673 394	-5814 394	-3744 394	-3932 394	-6308 394	-3641 394	-7210 394	-1010 394	394	-4500 394	-4369 394	394	-3694 394
-22 275	793 275	38 275	-4657 275	-3250 275	-3526 · 275	-503 275	745 275	-6000 275	. 1061 275	905	-852 275	-1442 275	1507 275	545 275
-1028 -720	-2033 -720	975 -720	-3879 -720	-1230 -720	-1368 -720	-7095 -720	-3178 -720	-817 -720	-3181 -720	-4372 -720	-384 -720	730	-694 -720	-3191 -720 /32
1445	-635 -466	-87 -466	-3916 -466	-289 -466	-2012 -466	-7616 -466	-1684 -466	2298	-4107 -466	-5236 -466	705 -466	539 -466	494	3069 -4117 -3 210 -466 - able 4, Sheet 4/32
-1529 . 210	1777 210	1910 210	-18 210	-3416 210	-3635 210	-6977	-488 210	-7378 210	1546 210	210	-4207 210	-3664 210	197 210	3069 210
902	-3015 -626	-3095 -626	-4407 -626	- -1531 -626	1190 -626	-7798 -626	-4154 -626	-5780 -626	-1675 -626	-5311 -626	3058 -626	2217 -626	-4164 -626	4174 -626
-1528 106	-99 1929 106	-166 1251 106	-54 -2337 106	-54 2211 106	-757 413 106	-1230 -6156 -106	8 8 6 8 6 6 8 9 6 8	-3539 936 106	-1378 -2252 106 -1378	-3144 106	-1376 -3325 106 -1378	-3144 106	-1378 -2252 106 1378	1004 106 -1378
-153 399	-3914 -2446 399	-3200 -2580 399	-4772 -5925 399	-3703 -3703 399	-1292 2872 399	3863	-2023 -187 399	-130 -7363 399	-701 -3593 399 -701	399	-701 -4452 399 -701	-1277 399 704	399	399 399 -701
-1869 -381	-1115 -3266 -381	-1115 197 -381	-1115 3176 -381	-1115 2865 -381	-1115 -357 -381	-1115 -6106 -381	-1115 -4399 -381	-1115 1401 -381	-115 -4412 -381 -115	-757	-1161 -1161 -381 -1115	-381	-1-15 -4413 -381	-381 -1115
-1680 43	-894 -772 43	30 4 43 50 64	-894 -6279 43	-894 -3804 43	-894 -4038 43	-894 -6490 -43	-894 -1838 43	-894 -7818 43	-331 -331 -843	-129 43	-894 -4610 -894	-3941 43	\$ 5 5 5 5 5 5 6 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	653 43 -894
- -1080 233	-9995 660 233	-10089 1094 233	-10272 -6105 233	-10272 4383 233	-10272 -4673 233	-10903 -6123 233	-11290 3357 233	-11330 -7498 233	196 196 233 -11527	826 233	-11527 -5245 233 -11527	233	-1152/ -1714 -233 	-1336 -1336 -11527
-1848 - -500	-8953 -2944 -500	-9047 -3045 -500	-9230 -4540 -500	9230 3448 -500	-9230 1113 -500	-9861 -5553 -500	-10248 -4083 -500	-10288 -5986 -500	-10485 -4092 -500 -10485	-5231	-10485 -2725 -500 -10485	-2803	-10483 -4092 -500	-10485 -4102 -500 -10485
590 -149	-4 -1473 -149	-1602 -149	-360 -149	-4 -2207 -149	-4 -2335 -149	-2 -5229 -149	-2 -2600 -149	-2 -7012 -149	-940 -149 -1	-3634	-1108	1260 -149	-1 -597 -149	-886 -149 -1
37 =	38	. 8 .	, <del>4</del> , 1	' 4'	- 45	' & .º	. 4 '	. 45 '	. 46	47	. 84 ' .	6 <b>4</b> '.	. 20	. <b>.</b>

49         -3835         -1877         -2804         -2167         866           45         96         359         117         -369         -294           46         95         360         119         -774         -4275           46         95         360         119         -372         -297           45         96         359         117         -369         -294           45         96         359         117         -369         -294           45         96         359         117         -369         -294           45         96         359         117         -369         -294           45         96         359         117         -369         -294           45         96         359         117         -369         -294           45         96         359         117         -369         -294           45         96         359         117         -369         -294           -2038         -204         -472         -215         -294           -2038         -204         -472         -176         -294           -2038	233 1518 -4323 -4625 2681 1511 -3381 -4485 -4145 275 394 45 96 359 117 -369 -294 -249
49         -3835         -1877         -2804         -2167           45         96         359         117         -369           -97         -851         -593         40         -714         -744           -85         360         119         -372         -86         -372           -872         -2913         -1575         -171         -1236         -714         -7629         -5889         -1773         -789           45         96         359         117         -369         -1773         -1569         -1773         -169         -370         -1717         -369         -1773         -45         96         359         117         -369         -1773         -169         -369         -177         -169         -369         -177         -169         -369         -177         -169         -369         -177         -369         -177         -369         -177         -369         -177         -369         -177         -369         -370         -369         -177         -369         -369         -177         -369         -379         -369         -379         -369         -379         -369         -379         -369         -379         -3	1518 -4323 -4625 2681 1511 -3381 394 45 96 359 117 -369
49         -8835         -1877         -2804         -49         -49         -3835         -1877         -2804         -40	1518 -4323 -4625 2681 1511 394 45 96 359 117
-49         -3835         -1877           -45         96         359           -97         -851         -593           -87         -851         -593           -87         -89         -1675           -87         -96         359           -830         -7081         -7629           -85         96         359           -1051         378           -45         96         359           -140         -5877         -4650           -45         96         359           -140         -5877         -4650           -45         96         359           -2038         -2610         -250           -533         -3437         -520           -533         -3437         -520           -54         96         359           -7712         -738         -6742           -5         96         359           -6001         -6294         359           -6001         -6450         -6294           -6504         -6594         359           -6504         -6596         359           -6504 <t< td=""><td>1518 -4323 -4625 2681 394 45 96 359</td></t<>	1518 -4323 -4625 2681 394 45 96 359
45 96 -835 - 97 -851 - 46 95 - 851 - 45 96 - 95 96 - 95 96 929 - 2342 - 45 96 95 96 - 95 96 - 95 96 - 95 96 96 96 96 96 96 96 96 96 96 96 96 96	1518 -4323 -4625 394 45 96
-49 -45 -97 -97 -97 -97 -97 -97 -97 -97 -97 -97	1518 -4323 394 45
	1518 394
223 994 994 994 997 997 997 997 997 997 997	
46, 66, 46, 56, 46, 56, 47, 57, 57, 67,	233 275
-3894 275 275 840 275 -7944 275 -1246 -1246 275 -1061 275 275 275 275 275 275 275 275 275 275	
273 -3181 -713 -713 -720 -720 -720 -720 -720 -720 -720 -720	783 -720
2285 466 4108 4468 466 4711 4711 466 466 4733 4733 4733 4733 4733 4733 4766 466 466 466 466 466 466 46	-1531 -466 · · Sheet 5/32
-1076 210 210 -912 210 -2540 -2745 210 211 -2745 210 -2745 210 -694 210 -694 210 -6009 210 -6715	-4592 210 Table 4,
695 -1864 -629 -994 -626 -627 -626	-3617 -626
145 106 1378 1378 1591 106 106 1378 1378 1378 1378 1378 1378 1378 1378	-4173 106 -1378
4369 399 1701 1720 1425 139 139 1701 1741 399 1701 300 300 300 300 300 300 300 300 300 3	-4330 399 -701
2710 381 4413 4414 383 5304 5304 5304 5304 5304 5304 5304 530	-4047 -381 -1115
4242 431 -894 545 -1552 -1552 -1552 -1552 -1552 -1364 -143 -144 -1	-4848 43 -894
- 428 233 233 2782 2782 2782 2782 233 11527 11527 1162	-5290 233 -11527
2795 - 500 - 10485 - 4092 - 502 - 503 - 503 - 503 - 503 - 503 - 503 - 504 - 504 - 504 - 504 - 504 - 506 - 10485 - 506 - 506 - 10485 - 506 - 506 - 10485 - 506 - 506 - 10485 - 506 - 506 - 10485 - 506 - 50	
26. 149 149 149 149 149 149 149 149	
	99

92	96	97	86	66	9	101	104	105	106	101	108	109	110	114
-6836 -249	-5492 -249	2169 -249	-3593 -249	-2498	-1765 -249	1085 -251	-1367 -249	-2668 -249	-2835 -249	1105	-3574 -249	648 -249	-1910 -251	1044 -249
-6953 -294	-5951 -294	1665 -294	-4276 -294	-3163 -294	-2099 -294	-2988 -296	3508 -294	-3260 -294	-3462 -294	-4106 -294	-4245 -294	-4014 -294	-2554 -296	-2562
-1240 -369	1900 -369	526 -369	-1818 -369	-183 -369	1248	-2416	862 -369	402	1437	-28 -369	-1532 369	-3453 -369	578 -371	-1846 -369
-4047 117	-4483 117	-28 117	-537	323	-1732 117	-90 120	1170	1132	117	-322 117	170	-568	-940 116	-1123
-3825 359	-5945 359	-303 359	-1385 359	-1453 359	-2432 359	949 362	-2013 359	359	-396 359	2571 359	-326 359	479 359	. 692	359
-5963 96	-6620 96	-3968 96	-152 96	-1307 96	-2846 96	-1076 94	-2446 96	-1733 96	-1766 96	-2452 96	-2358 96	-2079 96	-725 95	-1029 96
509 45	-6423 45	618 45	799 45	2129	1633 45	-527 46	-2239 45	-1204 45	334	969 45	248	1738	-215 44	-499 45
4130 394	2571 394	-4470 394	-352 394	-2633 394	3380	1707 392	-2982 394	-190 394	394	-3755 394	394	394	-2082 396	572 394
-5051 275	-6403 275	1332 275	-601 275	2667 275	-2943 275	1536 276	2323 275	570 275	952 275	-2348 275	-540 275	1724 275	798 274	1037 275
-5889 -720	-3454 -720	-1911 -720	-720 -720	-2060 -720	-718 -720	-1891 -722	-435 -720	164 -720	-2338 -720	67 -720	-3144 -720	1961 -720	-1448 -722	1556 -720 6/32
-6774 -466	-3617 -466	-639 -466	-2213 -466	-2964 -466	1010 -466	-2811 -467	643 -466	-2950 -466	-1745 -466	-3834	-1959 -466	-1529	-2336	-2254 1 -466 . I, Sheet 6/32
-6122 210	-6592 210	4156	1661 210	-803 210	893 210	-570 209	-2581 210	-1258 210	210	-740 210	-903	-325 210	2146 209	-553 210 Table 4,
-6474		-775 -626	-4164 -626	-2981 -626	1966 -626	-2855 -628	360	-186 -626	437	-3769 -626	-1615 -626	-3903	-2329 -628	-2151 -626
•			-		-51 -2215. 106									-144 -900 -900 -225
•	•				-4835 -3348 399								• •	-3400 -3400 -485 -2793
-6753 -381	-1115 434 -381	-1115 2792 -381	-115 -4413 -381	-1115 -3251 -381	-1115 867 -381	-1115 -238 -382	-3232 -1199 -381	-3181 -381 -381	-1-15 -3461 -381	-4084 -381 -381	-4352 -381 -381	-1115 -4152 -381 -115	-2616	300 300 -381 -1115
-6230 43	-894 -6741 43	-894 4553 43	-894 2245 43	-894 -879 43	-894 -3375 43	-894 558 42	-162 -2947 -43	-894 -1354 -43	-1388 43 43 43	-834 -2058 -43	-1940 -1940 -43	208 43 43	354	-557 648 -43 -894
-5920 233	-11527 -7124 233	-11527 -5187 233	-11527 1024 233	-717 384 233	-3052 -3998 233	4075 452 237	-2721 -3568 -233	-9669 765 233	233	-10/34 -1339 233 14527	-132 -839 -233	233 233	239	-9309 1350 233 -9639
-4199 -500	-10485 -4065 -500	-10485 -2708 -500	-10485 -4092 -500	-10485 1519 -500	-9133 -1625 -500	-8949 -2799 -501	-1247	-8627 -2991 -500	-3225 -500 -500	-3860 -3860 -500	4050 -500 -500 -500	-10483 -3831 -500 -500	-2330 -2330 -501	-369 -2294 -500 -8597
														-2157 1078 -149 -6
. 67	. 89 .	. 69	, ዩ ,	, <sub>F</sub> ,	. 22	. 23	. 44 .	. 75	. 92		. 48	. 62 .	. & .	, <u>e</u>

																																											•		
	115		116	2		117			118		:	119		:	120			121			122			123			124			125			126			127			128			129			
	286	647-	1312	-249	2	-3646	-249		3879	-249	ļ	-377	-249		-3593	-249		4874	-249		89	-249		-2821	-249		1751	-249		-6167	-249		4054	-249		2168	-249		-3576	-249		-2770	-249		
	-3117	<b>567</b> -	3280	200	2	3835	-294		3566	-294		1896	-294		-4268	-294		-5332	-294		3763	-294		1008	-294		-3990	-294		-7280	-294		2046	-294		-4268	-294		-4259	-294		-3119	-294		
	-2555	-309	888	366	}	-971	-369		-1321	-369		-3356	-369		-1529	-369		-8017	-369		4791	-369		303	-369		999	-369	•	-6580	-369		-5902	-369		-1293	-369		-3698	-369		1299	-369		
	-1401	=	1403	117	:	-2625	1117		-1573	117		327	117		-2571	111		-7664	117		-4588	117		1879	117		1253	117		-5057	. 117		-6877	117		688	117	•	-1214	117		-212	117		
	1813	328	1808	350	3	1681	359		-4205	328		-2604	328		-221	328		-7573	328		-4603	359		-3509	329		431	329		1074	329		-6653	329		-2503	329		493	329		-3381	329		
	848	8	1680	8	3	-2419	96		-4784	86		-2483	96		835	96		-7762	<b>%</b>		-291	96		-3980	96		1137	96	•	-5802	96		-6780	96		687	96 6		-234	<u>8</u>		-3795	8		
	717	42	1771		?	-845	5		-3872	45		477	45		-1811	45		-7730	45		2387	45	٠	-1144	45		80	45		-3990	45		-6136	45		-278	45		1009	45		-947	42		
	-2523	394	CO	700	60	3744	394		-5163	394		-3773	394		340	394		-7408	394		-5620	394		1915	394		-3805	394		-5333	394		-7227	394		-3689	394		-3669	394		-235	394		
	1555	275	0	275	27	436	275		894	275		819	275		-2248	275		-7492	275		-4314	275		-4068	275		-2438	275		1976	275		-6040	275		290	275		286	275		069-	275		
	-2024	-720	190	9 6	27.	-3231	-720		-4205	-720		1397	-720		-3172	-720		-7577	-720		233	-720		209	-720		-2840	-720		-6541	-720		-4944	-720		-563	-720		-3165	-720		-1867	-720		32
	-2949	-466	7000	-5005 46.8	9	4148	466		4801	-466		-1593	<del>1</del> 66		-1785	-466		-7590	-466		-4709	-466		411	-466		-1726	-466		-7097	-466		804	466		-4095	-466		7	-466		-389	-466		Sheet 7/32
	-675	210	. 0	5 5	2.	1010	210	•	4308	210	•	-2003	210	•	1129	210	•	-8274	210	•	-4122	210	•	4177	210	•.	-549	210	•	-4767	210	•	-7412	210	•	1727	210	•	1377	210	•	-3896	210	, ·	Table 4
	-3003	-626	• 6	6262-	070	7101	-626	•	-4659	-626	•	-3673	-626	•	-4135	-626	•	-8217	-626	•	-4906	-626	•	1800	-626	•	-761	-626	•	-7248	-626	•	-269	-626	•	-4144	-626	•	406	-626	•	2635	-626	•	
	1474	106	456	0001-	2 2	200	108	-1378	-3742	106	-1378	4033	106	-1378	230	106	-1378	-5966	106	-1378	143	106	-1378	-3296	106	-1378	282	106	-1378	-4283	106	-1378	-3629	100	-1378	-2255	106	-1378	212	106	-872	-3165	100	-412	
	-139	330	-1884	787	8	1 1	2 6	-707	-1300	330	-701	-712	330	-701	2727	336	-70	-305	399	-701	-5588	360	-701	-1500	339	-701	-3717	339	-701	-4711	399	-701	-7404	388	-70	-129	366	-707	-1729	. 399	-1141	-438	388	-2010	
	-3253	-381	-1115	-3240	1446	0111-	38	-1115	-3695	-381	-1115	612	-381	-1115	-4392	-381	-1115	-4839	-381	-1115	-296	-381	-1115	-2659	-381	-1115	-791	-381	-1115	-7225	-381	-1115	2273	-381	-1115	997	-381	-1115	-4397	-381	-1115	1107	-381	-1115	
	-749	43	-894		3 5	9 5	+71- 43	-894	-3445	43	-894	118	. 43	-894	-1940	43	-894	-8171	43	-894	4360	43	-894	4581	43	-894	364	43	-894	-2998	. 43	-894	-7846	43.	<del>8</del> 9	384	43	-894	1265	43	-894	-1657	54	-894	
•	984	233	10046	-1842	233	7000	167	.11527	1829	233	.11527	-861	233	-11527	-928	233	-11527	-7795	233	-11527	3020	233	-11527	-5216	233	-11527	-2718	233	-11527	3602	233	-11527	-7530	233	-11527	-168	233	-6218	-317	233	-4571	-1277	233	-172	
•				•																																				-			-200		
	-1461	-149	4	27	-149	, į	140	7	-4176	-149	· <del>-</del>	-1132	-149	-	-1015	-149	7	-7416	-149	-	4666	-149	7	-285	-149	7	482	-149	7	-4889	-149	7	-7029	-149	<u>-</u>	-2620	-149	-51	371	-149	မှ	-843	-149	-3167	•
	82		:	83		. ;	\$		85	; .		98			87			88	١.		0	3.	•	06			9		•	92			83			94			92			96			

Table 4, Sheet 7/32

130	131	133	135	136	137	138	139	147	148	149	150	151	152	153
-2027 -249	-2538 -250	-3941	-2632 -249	207 -249	-399	-398 -249	3458 -245	-8752 -249	-6141 -249	-3574	-3606 -249	-4008 -249	-4244 -249	-3595 -249
-2803 -294	-2844	-3457 -295	-3068	1778 -294	-4297 -294	-4264 -294	1011 -295	-7448 -294	-6593 -294	737 -294	-4289 -294	-4718 -294	403 -294	-294 -294
-2240 -369	-3074	-36 <b>94</b> -370	2883 -369	-3455 -369	-3735 -369	-3694 -369	-2996 -370	-9303	-5291	-3663	-3728 -369	-4156 -369	-3551 -369	-3708
-1032 117	-2358	-2690 121	-1613 117	-987 117	1324	-327 117	-3702 116	-8516 117	2942 117	93	-943	267 117	-5012 117	-2566
-857 359	-2273	-2545 360	-3175 359	-2246 359	359	-2504 359	-972 358	-8693 359	512 359	-1552 359	-197 359	-2886 359	-6041 359	-2510 359
-923 96	-1363 96	-3496 96	-3705 96	106 96	111	1767 96	-1239 95	-8185 96	-5305 96	1077 96	-2354 96	-2794 96	-6141 96	1456 96
1472 45	4302 45	-3435 45	-3484 45	415 45	-1812 45	1077	-4509 44	-8612 45	-4557 45	-1811 45	1321 45	1329 45	-5667 45	1839 45
-1882 394	-2844 393	-3114 393	-3714 394	394	2651 394	-914 394	-5245 393	-7614 394	-793 394	-3697 394	-3697 394	-4021 394	-6457 394	-3695 394
2478 275	-1799 275	-3019 275	-3542 275	1923 275	-909 275	693 275	-4706 277	-8451 275	2043 275	832	-1031 275	-2482 275	-6481 275	-2240 275
-1777 -720	-2741 -721	-3905 -721	-405 -720	-204 -720	-3203 -720	-611 -720	248 -721	-9067 -720	-5526 -720	2254 -720	-695 -720	-3642 -720	660 -720	-3179 -720 3/32
-2629 -466	-3149 -466	-4384 -466	466	-3850 -466	-4129 -466	-2352 -466	656 -467	-9145 -466	-6428 -466	260 466	-4122 -466	-1877 -466	2094 -466	-989 -3 -466 , Sheet 8/32
-340 210	-1247 216	-3631 210	-3640 210	-1579 210	-1854 210	1057 210	-4991 212	-8750 210	4922 210	1377	-659 210	-288 210	-6508 210	2159 210 Table 4,
-2699 -626	-3343 -627	-4433 -627	2486 -626	-3903 -626	-4184 -626	278	-3059	-9779 -626	-6315 -626	-1878 -626	-4178 -626	-4610 -626	-2914	-604 -626
2013 106	•	•	•	974	• •	•	•							
-1582 399	-5364 -2426 398	-5394 3719 398	-5394 -3872 399	339 399 399	385 399 399 399	-701 -1570 399	399	3865 399 399	-1350 -1350	-701 -2005 399 -701	399	-701 -3855 399 -701	989	-707- -3602 399 -701
-2897 -381	-1115 -2974 -381	-4439 -4059 -381	-4439 -1612 -381	-1115 -4154 -381	-4433 -381	-131 -381 -381	2942 -382	-24/ -8738 -381	-6496 -381	-574 -381	-381	-1-13 -4847 -381	3516	-1115 349 -381 -1115
158 43	-894 -1655 43	-68 -3307 43	-68 -3786 43	-25 -520 -43	8 8 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	-894 -5401 42	-2670 -8550 43	-834 -4311	1036 438 438 438 438 438 438 438 438 438 438	1843 43 43 43	1602 43 43	-6835 43	-894 828 43 -894
- 1898 233	-2377 -1597 233	-7991 -3004 233	-7991 -4160 233	-7991 - 2901 - 233	-534 -534 233	-1152/ -2475 -233	-1152/ -5916 -232	-11527 -8163 233	1704	-1152/ 8 233 -11527	1904 233	3047 233 11527	-7421 233	-11527 921 233 -11527
-2634 -	-7252 -2673 -500	-387 -2447 -500	-387 -1179 -500	-6949 -3834 -500	-10186 -4113 -500	-4076 -500 -500	-10485 -3535 -501	-5149 -7162 -500	-10485 276 -500	-10485 -4051 -500	-500	4538 -500 -500	1220	-10485 -4088 -500 -10485
-1053 -149	-320 -2259 -149	-2113 -2307 -149	-2113 -1622 -149	-17 -2365 -149	-1119 -149	-1031 -149	-1 -3766 -143	-8252 -8252 -149	-1 -3611 -149	-1- -503 -149	1612 -149	149	-2036 -149	-1 -851 -149 -1
26	 86 -	. 66 .	100	. 101	102	103	. 104	105	. 90 .	107	. 108	109	. 11	. <del>E</del>

Table 4, Sheet 8/32

																																•													
į	154 24		155		į	92.			157		į	158		į	159			9			161			164			165			166			167			168			169			12			
	-3593	247	-5560	-249		-2869	-249		-3593	-249		-3593	-249		-2956	-249		-3626	-249		-3594	-250		1099	-249		-6213	-249		-6132	-249		-879	-249		-4952	-249		2516	-249		-178	-249		
	200	167	-5316	-294		-3212	-294	.	4276	-294		-4275	-234		-3290	-294		4310	-294		-4277	-295		-4211	-294		-7269	-294		-6437	-294		-4297	-294		-5359	-294		4941	-294		-3169	-294		
	3715	600	-1221	-369		2286	-369		-1701	-369		-709	-369		-1125	-369		-3750	99°-		-3716	-369		-301	-369		-6437	-369	٠.	1873	-369		-3743	-369		2891	-369		927	-369		1788	-369		
	790	=	-5820	117		-987	1117		225	117	:	540	117		-120	117		-2593	117		-2560	117		-3042	117		-4937	117		-4901	117		-2591	117		-1543	117		-4885	117		<del>-</del> 868	117		
	1015	n CC	-7412	359		996-	329		1104	320		÷ 5	328		-3656	328		-1338	328		607	329		-3147	329		-2007	328		-6829	329		-1594	328		-5571	328		-6091	329		-3518	329		
	947	9	-7056	96	į	-1047	8		434	96		1256	9		4122	96		-370	96		-743	96		2466	8		-5831	96		-7325	96		1372	96		-6093	96		-6253	96		-3990	96		
	1276	<del>5</del>	-6322	45		-3853	42		968	45		ڊ ج	42		-3938	45		446	45		1166	45		-2376	45		-4063	45		-6988	45		274	45		-5902	45		-5815	42		-3812	45		
	-3687	<b>186</b>	-7137	394		-4520	394		-3686	394		-3686	394		-4607	394		-3715	394		-3687	396		-4233	394	•	-5315	394		-2096	394		-3717	394		-6258	394		-6505	394		-4482	394		
	1180	6/7	-7863	275		-4118	275		202	275		-565	275		-4215	275		354	275		905	275		1224	275		1612	275		-7139	275	•	-437	275		-6010	275		-6548	275		-4079	275		
	-3182	-/20	3310	-720		1448	-720		-3182	-720		-3181	-720		1479	-720		-3218	-720		-462	-721		-3119	-720		-6482	-720		3054	-720		-3209	-720		-3205	-720		2572	-720		2374	-720		/22
	-4109	400	2757	466		-612	466		-4108	466		-1864	-466		731	-466		-4143	-466		-4110	466		72	-466		-7077	-466		-1180	-466		-1561	-466		479	-466		187	-466		1545	-466		Shoot 0
	466	012 •	-7602	210	•	-4229	210	•	304	210	•	1260	210	•	-4323	210	•	1226	210	•	90	210	•	1571	210	•	-4837	210	•	-7240	210	•	3130	210	•	-6139	210	•	-6544	210	•	-4190	210	•	Tohlo A
	4165	979	2000	-626	•	2502	-626	•	4164	-626	•	4164	-626	•	-753	-626	•	4200	-626	•	-4166	-626	•	-3757	-626	•	-7191	-626	•	3162	-626	•	4190	-626	*	2243	-626	•	2833	-626	•	-173	-626	•	
	231	965	-13/8 -6821	106	-1378	-3348	106	-1378	843	106	-1378	-2252	106	-1378	-3442	106	-1378	4466	106	-1378	-2253	105	-1378	455	106	-1378	-4350	106	-1378	-7387	106	-1378	-196	106	-1378	-5646	106	-1378	-5739	106	-1378	-3305	106	-1378	
	-3593	66 66 66 6	- V	366	-701	-4472	333	-701	-786	336	-701	-3593	333	-701	-4568	333	-70	-1262	333	-70	-398	398	-701	-4168	399	-701	3376	399	-701	-7480	336	-701	-3625	333	-701	-6361	339	-701	-6889	399	-701	-745	333	-701	
	-4414	-381	5111- 7775	-381	-1115	-2702	-381	-1115	-4414	-381	-1115	-4413	-381	-1115	741	-381	-1115	-778	-381	-1115	-4415	-381	-1015	-4151	-381	-1115	-7197	-381	-1115	-4589	-381	-1115						-1115	-605	-381	-1115	719	-381	-1115	
	1072	£ 5	-894 7005	-, 603 43	-894	-4631	43	-894	-634	43	-894	1390	. 43	-894	-4725	43	-894	-729	43	-894	1669	43	-985	-2721	43	-894	-3086		-894	-7267	43	-894	-1952	43	-894	-6365	43	-894	-6825	43	-894	-4595	43	-894	
	406	233	-11527	233	-11527	-5265	233	7	•		7	-316		7	-		-11527	-124	233	-11527		235							•	-7600		-11527						•			•	-5231	233	-11527	
	-4093	200	-10485	-500	-10485	1484	-200	-10485	-4092	-500	-10485	-4092	-200	-10485	3387	-200	-10485	-4128	-500	-10485	-4094	-200	-5386	-3975	-500	-10485	-6205	-500	-10485	-4389	-200	-10485	-4119	-200	-10485	1226	-200	-10485	-4556	-200	-10485	-2711	-200	-10485	٠
	564	-149	- 5	149		-305	-149	7	88	-149	7	1572	-149	7	2346	-149	7	-2653	-149	•	1456	-149	-35	905	-149	7	-4722	-149	٦.	-4922	-149		. 362	-149	•	-2157	-149	7	-4973	-149	· •	790	-149	7	
	112			2		114			15			116			117		٠	118			119	2 .		120			121			122	Ĺ		123	٠		124			125			126			

Table 4, Sheet 9/32

14	. 221	173	174	175	176	177.	178	179	180	181	182	183	184	185
-8581 -249	-324	-6084 -249	427	-8424	-7887 -249	-30 -249	-6703 -249	1492 -249	-3593	560 -249	-3493 -249	1218 -249	750	-2097 -249
-7444 -294	-3163 -294	-6601 -294	-3192 -294	-7395 -294	-7256 -294	-3326 -294	-6797 -294	140 -294	-4275	-4263 -294	949 -294	4543 -294	-2942 -294	-2795 -294
-9400 -369	2047	3649 -369	1465	-9174 -369	-9493 -369	-2318 -369	-5159 -369	-1825 -369	-1325 -369	-1321 -369	-799 -369	-3487 -369	-2372 -369	-2193 -369
-8607 117	-1213	-1808	-400	-8336	-8931	2538 117	828 117	742 117	-1029 117	-91 117	-699	887 117	-1225 117	-1103
359	-1769 359	-6521 359	-3541 359	-8424 359	-9272 359	996 359	2399 359	359	74 359	1029 359	-287 359	-328 359	-1150 359	-1014 359
-8076 96	-3983 96	-7177- 96	-4013 96	-8070 96	-8145 96	96	96	-643 96	-903 -96	-2346 96	-1129 96	-864 96	864 96	96 96-
-7951 45	-3806 45	-6970 45	-3835 45	-8282	-8576 45	-3300 45	-5833 45	-1802 45	-7 45	385 45	-1753 45	-1587 45	443	-318 45
-7557 394	-4476 394	-6944 394	2203 394	-7552 394	394	-4375 394	-5088 394	954 394	-3686 394	-3690 394	1318 394	394 394	-2307 394	-2136 394
-7636 275	4072	-6853 275	-4101 275	4459 275	-8509 275	-3660 275	230 275	-505 275	366 275	437	-846 275	356 275	-805 275	, 1416 275
-9042 -720	-213 -720	-3609	909	-8951 -720	-9078 -720	3125	96 -720	-3161 -720	-3181 -720	-3166 -720	-3053 -720	-2959 -720	-1855 -720	2728 -720
-9096 -466	665 -466	-944 -466	-885 -466	-9057 -466	-9076 -466	-2749	-6626 -466	4081	-4108 -466	-2342 -466	-1650 -466	-3882 -466	-2766 -466	-2593 2 -466 -
-8307 210	- 4183 210	-7025 210	4212 210	-8487 210	-8678 210	210	-6284 210	-1843 210	-625 210	-691 210	-923 210	216	-510 210	-426 210
-9750 -626	574 626	452	1709 -626	-9658 -626	-9783 -626	-831 -626	-6377 -626	-4123 -626	-4164 -626	-4133 -626	-907 -626	-3930 -626	-2816 -626	-2615 -626
-7495 106	-1378 -3297 106	-1378 -7171 106	-1378 -3328 106	-1378 -7642 106	5476 106	-1378 -3121 106	-1378 -5822 106	-268/ -2259 106	-1378 -2252 106	3017	-2203 -2203 106	-2044 106	-892 106	-42 -748 -106 -39
7098	39	-701 -7157 399	-701 -4455 399	-707- 399	-7246 399	-701- 4315 399	-701 1671 399	243 399 704	399	2 8 8 6 2 8 8 8	399	399	1269	-5116 -1952 · 399 -5240
-8700	-1115 2004 -381	-1115 -4907 -381	-1115 2039 -381	-1115 -8516 -381	-1115 -8089 -381	-2867 -381	-1115 -6579 -381	-1115 -4380 -381	450 -381	-1115 89 -381	-1210 -381 -381	-1-15 -381 -381 -381	3064	-1115 -2871 -381 -1115
-7396	-894 4588 43	-894 -7072 43	-894 -4616 43	-894 -8023 -43	8503 43 643	-894 -3820 43	-894 -6508 - 43	-894 -245 -43	-634 1711 43	-894 -1115 43	1481 1481	-094 -1713 -43	2171	-894 1130 43 -894
4232	11527 -5224 -523	.11527 -7392 233	11527 -5251 233	-11527 -7637 233	-11527 -8125 233	-11527 -4429 233	4194 -6380 233	-11446 1810 233	1113 233	-11527 1337 233	733 733 733 733 733 733	233 233	233	-1848 1260 233 -9077
														-8501 -2588 -500 -8034
														-475 1353 -149 -8
127	128	129	130	131	132	133	134	135	136	137	138	139	140	· <del>2</del> · ·

Table 4, Sheet 10/32

186	195	196	197	198	199	200	201	202	203	204	205	506	207	208
-1686 -231	-2253	21 -249	-3291	885 -249	1373 -249	-3593 -249	-6 -249	763 -249	1094 -249	-3192 -249	151 -249	1996 -249	-1766	3252 -249
-2296 -297	-2606	-3893 -294	-3973 -294	-3077 -294	215 -294	-4275 -294	-4099 -294	-4244 -294	-4251 -294	-3875 -294	-3592 -294	-1721 -294	-2296 -294	1226 -294
1220	-259 -369	225 -369	-688 -369	1238 -369	454 -369	-1243 -369	-486 -369	-3676 -369	-3688	-3314	-452 -369	1038 -369	-9e -369	-3334
-803	-141	-72 117	-2257 117	622	603	-898	-2387	-297 117	48	231	247	-1269 117	70 117	63
329	417. 359	459 359	-219 359	1858 359	359	1141 359	1401 359	699 359	-320 359	975 359	336 359	-1846 359	-1181 359	359
670 97	-3220 96	ę. 8	1139	-3529 96	959 96	-727 96	-2170 96	-1007 96	1407 96	-174 96	-841 96	505 96	819 96	-2026 96
1549 46	-2979 45	2002	-1492 45	-3244 45	-2359 45	265	-1622 45	-614 45	-1771 45	852 45	979 45	-1890	-605 45	104 45
-1971 391	-3816 394	-770 394	1280 394	394	-3976 394	-297 394	394	-639 394	-3665 394	1163 394	1995 394	-2850 394	-2327 394	-3366 394
-564 273	-185 275	436 275	-1928 275	-3562 275	1631 275	-242 275	1137 275	924 275	-5 275	2037 275	-1876 275	-2208 275	861 275	1348
-1164 -723	-1354 -720	-2798 -720	-2878 -720	-1830 -720	-2491 -720	628 -720	-3004	-3148 -720	-3156 -720	-2781 -720	-110 -720	-476 -720	-1123 -720	-2816 -720 //32
-2011	-666 -466	-3723 -466	-3804 -466	-2487 -466	-140 -466	-1722 -466	-788 -466	-1180 -466	-1755 -466	-1337 -466	-369 -466	-1132 -466	-1901 -466	-1250 -21 -466 -: Sheet 11/32
1106 210	-3285 210	973 210	. 784 210	-3505 210	-1401 210	1639 210	857 210	1549	210	-225 210	631 210	-2150 210	674 210	877 210 Table 4,
640 -629	-133 -626	93	-293 -626	180	-672 -626	-4164 -626	-3982 -626	-1749	-4136 -626	-3764 -626	-3229 -626	727	-179	-10 -626
-555 103	-1200 -2613 106	-577 -1875 106	-385 -1951 106	279 106	-3484 -299 106	-13/8 -236 106	-1378 106	-2384 -2233 106	-776 -2230 106	-7.6 -1851 106	-108 -1859 -106 	-32 -1624 106	940	-1934 -1934 106 -2793
309 399	-825 -3761 399	-1601 -3216 399	-2093 -251 399	-1106 222 399	-135 289 399	-701 652 399	399	-307 1035 399	-1265 1273 399	-1265 -384 399 399 399	382 382 399	-401- -2793 399	399 399	-550 -3274 399 -225
-2257 -379	-495 3508 -381	-1115 -448 -381	-1115 -4108 -381	-1115 -431 -381	-1115 814 -381	-1115 -4413 -381	-1115 -706 -381	-1115 -429 -381	-1115 -1161 -381	-1115 -4013 -381	-1115 588 -381	.381 -381	381	-1115 -4025 -381 -1115
-277	-1784 -3609 43	-894 -613 -43	-894 1980 43	-894 -3784 43	-894 -911 -91	486 43 643	-894 1114 43	-894 -1902 43	-894 597 43	-894 -47 -43	-894 -79 -43	1286 43	24. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	-894 43 -894
- 1960	-3094 235 · 233	-10840 906 233	11084 737 233	-11175 - 527 233	-11340 -871 233	-11527 -1124 233	-2953 1012 233	-11328 257 233	-11501 1484 233	-1915 162 233	-3849 -2140 -233	-762 -3028 -233	2293 233	-9542 -466 233 -11141
														-8499 -3722 -500 -10099
			•	-									_	-6 -2293 -149 -2
142	143:	144	145	146	- 147 -	148	149	150	151	152	- 153 -	154	155	156

509	210	211	212	213	214	216	221	222	223	224	225	. 526	228	230
-3562 -249	-3591 -249	3644 -249	3076 -249	799 -249	-1882 -250	-2477 -246	-2876 -249	-2978 -249	-2933 -249	396 -249	583 -249	1930	878 250	934
-4245 -294	-4273 -294	3651 -294	392 -294	-3157 -294	-2552 -295	5731 -296	-3540 -294	-3663 -294	-3580	2038	1726 -294	-2759 -295	-2670 -295	-2985 -294
-3684 -369	-1229 -369	-2136 -369	-1763 -369	-22 -369	-1974 -370	-2563 -371	-2946 -369	-3102 -369	-2961 -369	.369 -369	-39	-44 -369	-2086 -370	-2411
-343	-92 117	-1205	374 117	-877 117	-870	-3190 124	-1878 117	209	-197	-1519 117	-1228	-1202 117	-984 116	735 117
374 359	-152 359	-3446 359	-716 359	467 359	-819 358	-3721 358	-579 359	-1881 359	-749 359	326	-18 359	1631 359	578 358	-146 359
1582 96	-2341 96	-3866 96	-131: 96	-3570 96	1041 95	102	1608 96	-1730 96	-101- 96	1463 96	266 96	-1111	-792 95	-1078 96
11.	1057 45	-3647 45	1070 45	-716 45	-114 48	-3265	-1136 45	890 45	-1239 45	-1054 45	-848 45	-531 45	-223 44	1242 45
394	-3687 394	4423 394	-940 394	-839 394	505 393	-4583 392	-720 394	2752 394	1374	-2771 394	-2512 394	-2322 394	393	1812 394
-972 275	894 275	-3930 275	107 275	610 275	-551 275	-3944 274	-1571 275	-230 275	-1673 275	-1474 275	1261 275	1424 275	2156 276	385
-3151 -720	-3178 -720	-1920 -720	48 -720	-1911 -720	-1454 -721	-2102 -722	-2437	-2571 -720	-2471 -720	-1548 -720	-1144 -720	-1644 -721	-1575 -721	-1887 -720 2/32
-4078 -466	4104	-2566 -466	-3982	-400 -466	-2368	-91	-1045 -466	-3496 -466	-3361 -466	-2323 -466	441 -466	-2497 -466	-2483 -467	253 -2806 -16 210 -466 -7 Table 4, Sheet 12/32
492 210	546 210	. 404 210	-85 210	-3527 210	1092 210	-2773 209	932 210	141	200	1980 210	295 210	. 611 210	280	253 210 Table 4,
-4134 -626	-244 -626	496 -626	-4021 -626	2092 -626	-2402 -627	-722 -628	-3361 -626	-3551 -626	736	-367	17 -626	-2438 -626	-2514 -627	708
-2221 106	-2128 -2253 106	•			-337 -568 105									-262 1428 106 -587
1922 399	-375 -1508 399	-701 -253 399	-1890 -3507 399	-2264 -1395 399	-2264 352 399	-1006 -573 397	-2653 387 399	-1807 -2959 399	-3554 2536 399	-4297 -690 399	4838 665 399	-5043 400 400	-5139 -1980 399	-2593 -2328 399 -1580
-4383	-1115 -716 -381	-1115 1305 -381	-1115 939 -381	-1115 960 -381	-1115 867 -381	-5471 -2478 -375	-554 2742 -381	-1115 -76 -381	-1115 -3638 -381	-1115 -82 -381	-1115 -2072 -381	-1115 -2734 -376	-4100 476 -377	-5634 -3104 -381 -1115
350	-254 -254 -254	-894 -4338 43	-894 -671 43	-894 -3797 43	-894 1402 44	-33 4382 42	-1648 -1266 43	-894 403 43	-894 -293 43	-894 -1234 43	-894 -1044 43	-894 -585 -43	-87 677 47	-29 579 43 -894
527	11490 2756 233	-4400 -1074	-5247 -1061 233	693	-361 -791 232	-2219 -5235 234	-3688 -426 233	-2475 1563 233	-10730 -1920 233	-1549 277 233	-1978 496 233	-2500 528 233	-3213 1476 234	-9308 -1208 233 -3259
4062 -	10448 -4089 -500	10485 579 -500	10415 1605 500	.10377 581 -500	-2360 -500	-539 -3172 -501	-2618 -3339 -500	-9660 -3480 -500	-9688 -3357 -500	-9729 -2399 -500	-9127 -1986 -500	-8707 -2465 -500	-2243 -2476 -501	-430 -2795 -500 -8878
. 7.5	36.2	-71 - -71 - -2856 -149	9 6 6	-2 -1573	-2181 -591 -144	-3368 -3247 -150	-397 -660 -149	-288 -2004 -149	-3 -569 -149	-606 -1580 -149	-426 -1289 -149	-285 -1243 -149	-554 -1042 -147	-1964 -1350 -149 -163
. 157 =	158:	159	160	161	162	163	164	165	166	167	168	169 -	170	. 4

231	232	233	234	235	236	237	238	239	240	241	242	243	244	245
-2785 -249	-3323 -249	2118 -249	1883 -249	-3592	-3592 -249	-4 -249	-203 -249	1322 -249	232 -249	-108 -249	1901 -249	-2177 -249	-197 -249	-2111
-3467 -294	-4005 -294	-4130 -294	-4209 -294	297 -294	845 -294	481 -294	-4209 -294	4896 -294	-4160 -294	1938 -294	2626 -294	-2606 -294	-914 -294	-2813 -295
-2903 -369	-904 -369	-1248 -369	-1669 -369	-721 -369	-3713	-2547 -369	-3645 -369	-2623 -369	-805 -369	-3331	-1490	-2378 -369	1288 -369	-2249
-1754	776 117	182	685	-277 117	-2558 117	1668	-261 117	-2582	-2465 117	-951 117	-1666 117	-1706 117	-1131	-1083 118
-1696 359	-54 359	-1474 359	602 359	1339 359	-313 359	856 359	-2440 359	359	-30 359	1714 359	-1971 · 359	-1793 359	-1740 359	1444 360
8 8	-2070 96	510 96	-221 96	-2340 96	-161 96	-2982 96	-349 96	-2825 96	96 .	-475 96	-2041 96	-125 96	-2179 96	-889 95
1554 45	-364 45	-215 45	396 45	717 45	-319 45	-985 45	-696 45	-2357 45	-1708 45	-233 45	-1614 45	-700 45	-1948 45	-289 44
-2882 394	-1235 394	1475 394	394	1610 394	2452 394	-1550 394	394 394	-3922 394	-3597 394	394	394	-2710 394	-2704 394	818 393
209 275	2270	68 275	-720 275	1312 275	-74 275	1208 275	2707 275	410 275	1359 275	-183 275	1516 275	-1481 275	-2183 275	1169 274
-2372 -720	-2911 -720	-3029 -720	-440 -720	-3181 -720	-3180 -720	-2265 -720	-3114	784 -720	-3062 -720	-2800 -720	-1203 -720	-1910 -720	-222 -720	-1732 -711
-1030 -466	-3838 -466	425	-909 466	-4107 -466	-2357 -466	-154 -466	4039	-745 -466	-1018 -466	-3725 -466	-113 -466	-2624 -466	-789 -466	768 -2643 -1 210 -467 - Table 4, Sheet 13/32
-123 210	210 210	-813 210	-267 210	-668 210	293 210	-218 210	-105 210	677 210	. 665 210	-220 210	374 210	2194 210	-2327 210	768 210 •
-342 -626	-3893 -626	-3970 -626	72 -626	-4163 -626	-1208 -626	-2692 -626	-265 -626	-1152 -626	922-626	-3778 -626	-1618 -626	-2650 -626	451 -626	•
-1448 106	-1333 -1982 106	-204 106	-1673 662 106	-2104 1865 106	-1378 -2252 106	-1378 -2689 106	106 25	106	1233 106 23	1404	3226 106	3935 106	2355	1333 105 105
2235 399	-729 1173 399	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	-543 399	-382 -1236 399	-701 -955 399	-701 -439 399	399 399 399 399	-1900 399	39 39	240 399 3733	399 399 5012	399	2639 399	-3526 -1997 402 -4371
-3601 -381	-1115 -796 -381	-1115 108 -381	-1115 959 -381	-1115 -512 -381	-1115 -4411 -381	-381 -381	-1115 -4342 -381	-1324 -381	-4278 -381	1206 -381 -381	.381 -381	-2813 -381	3010	-1115 -2942 -379 -5656
277 43	-894 -190 -190 -190	-894 -964 -43	23 68	28 64 45 64 45 64	86 - 199 64 5	-894 -2796 -43	-1860 -43 -43	-1101 -43	8 4 5	-1543 -43 -804	-1929 43	-1434 434 804	-2703 43	-304 -304 -29
-343 233	10552 <sup>-</sup> 826 233	11213 212 233	11399 932 233	11492 757 233	11527 1936 233	-3360 -3360 -233	11457 1509 233	-5163 -1026 -233	233 233 233	307 233 780	233	-3/1 -2132 233	233 233 233	-8800 1948 232 -3129
-3282	-9510 - -3822 -500	10171 - 1292 -500	- 4012 -500	10450 -4092 -500	-451 -500 -500	1548 1548 -500	1368 -500 -500	-3153 -500 -500	230	-3710 -500 -500	-2015	2872 -500 -500	2374	-7758 -2630 -501 -343
														-10 -1135 -150 -3365
172	173	174	- 175 -	176	177	178	179	. <sub>180</sub> .	181	182	. 183	184	185	186

247	248	249	250	251		253	254	255	256	269	270	. 27	272	273
-1021	1888 -249	-3234 249	-2875 -249	426 -249	-413	-3592 -249	2849 -249	-674 -249	2144 -247	-2255 -249	901 -249	-768 -249	-456 -249	-294 -249
2758 -294	.3039 -294	2959 -294	1221 -294	881 -294	-4250 -294	-4274 -294	4853 -294	-4273 -294	2619 -299	3157 -294	-4222 -294	2947 -294	1920 -294	1107 -294
695 -369	369	-1479 -369	-2411 -369	-1263 -369	-1321 -369	-1544 -369	-285	-3710	-1164 -373	251 -369	-3644 -369	-1236 -369	-1719 -369	1460
316	-721 117	17 3	-339 117	-2475 117	1918	-1387	-2936 117	1105	22 115	-1505 117	501 117	342	537 117	1032
-1607 359	-255 359	-1247 359	407 359	-2430 359	1892 359	-571 359	-3351 359	1339 359	-179 355	-1533 359	359	-1119 359	-1397 359	276 359
-2039 . 96	-2529 96	377 96	96	-2278 96	-2315 96	877 96	-337 96	96	102	1509 96	392 96	-2376 96	-979 96	96
-1816 45	-2080 45	-360 45	-2242	1150 45	-447 45	1413	-3116 45	419 45	-1902 43	-925 45	-1774 45	-289	787 45	-494 45
426	394	-3360 394	-3773 394	-896 394	394	-126 394	-116 394	-3687 394	-3723 392	-2656 394	-3662 394	-352 394	-3692 394	-915 394
-2097 275	-270 275	1385 275	-2639 275	462 275	998 275	1953 275	-3482 275	1221 275	1352 273	-1285 275	. 1018 275	551 275	1822 275	-1211 275
-115	-1824 -720	-2803 -720	-106 -720	-3033 -720	-3156 -720	1183 -720	-2334 -720	-3178 -720	-2868 -725	-1733 -720	-3123 -720	-433 -720	-458 -720	-2524 -720 4/32
-763 -466	366 -466	-1488 -466	-2837	-1731 -466	-4083 -466	-2033 -466	-2999 -466	-1611 -466	-2136 -470	-2524 -466	-1214 -466	-4007	-1157 -466	-2096 -28 -466 -3 Sheet 14/32
-2140 210	-184 210	-593 210	-2347 210	-938 210	-571 210	-472 210	-1015 210	-686 210	-204 215	-937 210	-151 210	-1876 210	241	-2404 210 Table 4,
2394		φ.		1393 -626	•		•		-3617 -613	•	-636 -626	-4015 -626	• .	-3036 -626
-1413	-1269 1783 106	-545 514 106	-399 -2436 106	-1472 -119 106	-1640 -2227 106	-2003 -2252 106	-1378 -3014 106	-1378 946 106	-1378 -2309 105	-503 -1283 106	888 106	-2128 -2279 106	297 297 106	-1378 -2591 106 -1378
399	-774 -3494 399	-1667 629 399	-2048 1605 399	2096 399	-558 -679 399	-414 -1328 399	-701 -1186 399	-701 -353 399	-701 -3634 404	-1765 1705 399	-3569 399	-375 681 399	-3599 399	-701 :1545 :399 -701
-875 -381	-1115 17 -381	-1115 2378 -381	-1115 -2988 -381	-1115 -4226 -381	-1115 -4387 -381	-1115 -4410 -381	-1115 1171 -381	-1115 -654 -381	-1115 -644 -371	-309 -2697 -381	-843 -381	-1115 117 -381	-1115 678 -381	-1115 -3437 -381 -1115
-2485 43	-894 69 43	48 4 43 64	-894 -2484 43	-894 534 43	-894 -205 43	-894 -1919 43	-894 -3498 43	-894 1043 43	-894 -2049 40	-2375 -1033 43	-120 -120 43	-894 1991 43	-894 1304 43	-894 -2524 43 -894
3098 233	-9204 760 233	-10942 -894 233	-11132 2503 233	-11214 - 188 233	-11423 -740 233	-11498 1608 233	-11527 -128 233	-11527 -46 233	-4628 2499 231	-502 1918 233	-9703 2073 233	-11490 619 233	-11527 669 233	-11527 -3081 233 -2142
-903 -500	-8161 2075 :-500	-9900 1049 -500	-10090 -10090 -500	-10171 -3936 -500	-10381 -4067 -500	-10456 -4090 -500	-10485 -3142 -500	-10485 1393 -500	-10485 -3745 -504	-2761 -2503 -500	-8661 1340 -500	-10448 -290 -500	-10485 -4068 -500	-10485 -3362 -500 -10485
71	-1031 -149	-2 -2286 -149	-2 -1217 -149	-2536 -149	-2 -675 -149	-2 947 -149	-2997 -149	-1 -2619 -149	-61 -2602 -149	-2772 -1540 -149	23 -149	-2 -461 -149	-1 -715 -149	-1 255 -149 -372
187	188:	189	190	191	192	193	194	195	196	197	198	199	500	

274	275	276	277	278	279	280	281	282	283	284	285	786	287	288	
-82 -249	-3033 -249	3340	3892 -249	1349 -249	545 -249	1525 -249	-3493 -249	1529 -249	933	-3558 -249	423	-302 -249	-5983 -249	-980 -249	
2596 -294	-3716 -294	-3095 -294	1981 -294	-2837 -294	1764 -294	-3845 -294	-4172 -294	1616 -294	387	-4240 -294	-3603	-3492 -294	-6886 -294	967	
-3387	-3155 -369	-2402 -369	-2664 -369	-1983 -369	-2684 -369	-1520 -369	-1245 -369	456 -369	1464 -369	-3679 -369	-2567 -369	-1518 -369	-1142 -369	-654 -369	
-2242 117	903	-1666	-3264	807	142	18	-512 117	-586 117	-2632 117	-699	-3287	-2728 117	-4816 117	-5335	
-727 359	-427 359	-103 359	-3714 359	-2695 359	-1551 359	-2285 359	57 359	-103 359	-138 359	1016 359	-3927 359	-450 359	-4424 359	-6466 359	
-70 -70 -70	-106 96	-1580 96	4029	-3320 96	307 96	-285 96	ထို %	-3814 96	-2823 96	176 96	-4129 96	-1266 96	-4984 96	-6445 96	
2171 45	1841 45	-1027 45	-3667 45	-3050 45	-852 45	1464	-1705 45	-1052 45	-2344	16 45	2186 45	-2744 45	-3898 45	-5898 45	
-3371 . 394	-3126 394	-2828 394	-4637 394	-3786 394	-2735 394	-758 394	-3596 394	-4392 394	-659 394	-3651 394	-4853 394	3169 394	-5270 394	-6720 394	
-799 275	1763 275	399 275	895 275	133 275	989	-2045 275	1162 275	-3876 275	-659 275	-564 275	-4298 275	-3124 275	256	-6796 275	
-2857 -720	-2622 -720	-1979 -720	-2368 -720	-1785 -720	-2170 -720	404	-3075	311	-2439 -720	757 -720	2254 -720	-2270 -720	-6082 -720	-2327 -720 5/32	7010
-1505 -466	-3549 -466	-624 -466	-2869 -466	2182 -466	-3080	-466	-3997 -466	1539 -466	-154 -466	-4073 -466	2474 -466	-1755 -466	-6721 -466	2782 -2: -466 - Sheet 15/32	
-370 210	-128 210	-1096 210	-4132 210	-3311 210	* -894 210	280	-1747 210	-1194 -210	992	639 210	-4185 210	-2878 210	210	-6862 210	ין מחום
744	-3605 -626	-2710 -626	-2723 -626	-2113 -626	-3105 -626	3536 -626	-4043 -626	-641 -626	-1324 -626	-4129 -626	-2497 -626	-922 -626	-6772 -626	1643 -626	
-1937 106	-130 106.4 106.4	-241 -1422 106	-198 -2413 106	-211 -2737 106	-124 3695 106	-1458 429 106	-1394 -2163 106	-1454 -307 106	-626 -2591 -106	-626 -2216 106	-626 -3651 106	-2184 -2838 106	-13/8 -4206 106	-1378 -5463 106 -1378	
	. •	•		•				•	•	-				-701 -7248 399 -701	
-4085 -381	-1115 -174 -381	-1115 1449 -381	-1115 2001 -381	-1115 -2327 -381	-1115 -3371 -381	-1115 -987 -381	-1115 2729 -381	-1115 962 -381	-1115 981 -381	-1115 -699 -381	-1115 -2927 -381	-1115 -3102 -381	-1115 -6927 -381	-1115 1022 -381 -1115	٠.
-92 43	-894 1521 43	-894 742 43	-894 -4425 43	-894 -3458 43	-894 -979 43	-894 -891 -43	-894 689 43	-894 -1870 43	-894 -1132 43	-894 431 433	-894 -1194 -43	-894 -3038 43	-894 -3094 43	-894 -7163 43 -894	
-1430	-2438 351 233	-1297 301 233	-10257 -19 233	-3038 3736 233	-3102 896 233	-10338 198 233	-11198 1162 233	-11411 222 233	-11487 580 233	-11487 510 233	-11487 -5099 233	-11487 -182 233	-11527 -3855 233	-11527 -7698 233 -11527	
														-10485 -4986 -500 -10485	
-1167	-296 -923 -149	-756 -1724 -149	-468 -149	-190 -2272 -149	-181 -379 -149	3 -98 -149	-494 -149	-190 -149	-2 643 -149	-19 -149	-2 -355 -149	-2 1739 -149	-1 -4651 -149	-1 -5461 -149 -1	
202	203:	504	. 202	206	207	208	209	- 210 -	211	212	213	214	- 215 -	216	

289	290	291	.292	293	294	304	305	306	307	308	309	310	311	315	
-3587 -249	2080	-264 -249	-3559	-3629 -249	1832 -246	-3877 -249	1201 -249	-3593 -249	1757 -249	1633 -249	2186 -249	-357 -249	2148	-2821	
797 -294	3158 -294	-4275 -294	-4239	880 -294	-4275 -281	-4243 -294	-3297 -294	-4276 -294	-4275 -294	417	-3509 -294	-4275 -294	4062 -295	-3163 -294	
-3687 -369	-2176 -369	-3714 -369	-3680	-3751 -369	257 -366	3184 -369	1420	-3715 -369	-587	517	149 -369	-3713 -369	-2858 -370	1575 -369	
-2568 117	2462 117	-536 117	-2529 117	1292	188	-445 117	-2751 117	-1255 117	-519	-1544	-463 117	88 117	-325 116	-956 117	
-651 359	-1878 359	359	839 359	359	360	-4538 359	-714 359	210 359	-2500 359	-3507 359	-679 359	-1480 359	670 360	-319 359	
-517 96	-3946 96	96	-653 96	-2379 96	-1255 93	-5031 96	2202 96	96	408 96	-3976 96	-237 96	309 96	-1991 95	-3981 96	
-1810 45	885 45	723 45	-1757 45	-1826 - 45	771 43	-4849 45	2287 45	1796 45	679	-626 45	-1024 45	-1792 45	-1457 44	-3803 45	
-3699 394	-955 394	394	394	2711 394	-1618 393	-5394	-4274 394	-3686 394	-3686 394	-4473 394	-1626 394	-3686 394	3276	-4475 394	
3227 275	-4017 275	619 275	3577 275	971 275	-306 280	-5054 275	-3487 275	1775 275	354 275	-273 275	-1261 275	1611 275	-1883 275	-4070 275	
-440 -720	-193 -720	-3181 -720	54 -720	-3220	-413 -723	-2606 -720	460 -720	-3182 -720	113	2195	245 -720	-3180 -720	-2425 -721	2050 -720	3/32
4082	-71 -466	-116 -466	4072	4146 -466	-2472 -466	-839 -466	-2725 -466	-4109 -466	-1668 -466	939 -466	680 -466	-996 -466	-3265	1109 -466	Table 4, Sheet 16/32
495	-4087 210	-158 210	-279 210	-639 210	* 602 703 *	-5173 210	-1463 210	1025 210	366	-1151 210	1468 210	1126 210	-1511 212	-4179 210	Table 4,
-1255 -626	* -2256 -626	-1840 -626	-4127 -626	-4201 -626	-4163 -625	230 -626	614 -626	-992 -626	-4162 -626	2094	-228	-1262 -626	-3174 -627	1273	
-2266 106	-1378 2308 106	-1378 -2251 106	-1378 1588 106	-2731 -2284 106	-1378 -2252 103	1378 106	-1511 -3013 106	-2097 -2252 106	-1378 1269 106	-1378 -3293 106	-1378 -2787 106	-1378 -2252 106	-1378 -1863 111	-4734 -3297 106	-13/6
-1778 399	-701 -4433 399	396 399	-701 -3554 399	-235 300 399	-701 -513 397	-5405 -5405 399	-623 -4213 399	-384 -125 399	-701 -1356 399	-701 -4423 399	-701 -4035 399	-701 -1776 399	-701 -864 398	-146 399	ī.0/ <b>-</b>
-4380 -381	-1115 -19 -381	-1115 -4413 -381	-1115 -4379 -381	-1115 -4450 -381	-1115 -4412 -383	-262 1402 -381	-1115 -2846 -381	-1115 -4414 -381	-1115 -4412 -381	-1115 971 -381	-1115 -496 -381	-1115 -381	-1115 473 -381	.384 -384 -381	-1115
-1938 43	-894 -4455 43	-894 2089 43	-894 -968 43	-894 874 43	-894 1607 43	-2588 -5505 43	-894 -3574 43	.894 319 43	-894 2053 43	-894 -4573 -43	-894 -1085 43	907	-894 1169 44	-1545 -1393 43	-89 <b>-</b>
2159	11527 -5076 233	11527 844 233	4122 492 233	30 30 233	-11527 726 234	-3805 -6066 233	-11420 -4164 233	-11492 1469 233	-11527 -1137 233	-11527 -1848 233	-11527 -3504 233	2196 233 233	320 234 234	-10929 -5219 233	-11527
	•	•		-	-10485 -4092 -502										
	•	•	•	•	260 -147		-							•	
217	218	- 219 -	220	221	222	223	224	225	226	227	228	229	230	231	

6	310		317		327			328			329		6	330		221	3		330	4		333	3		336	3		337			338		220	800		340	}		341	5				
į	-301 -249		-3572	-240	2811	-249		-2874	-249		-256	-249	0	-3293	-249	1204	500	647-	73767	240	7	1082	250	27	-2700	-240	2	000	-249		4130	-249	0200	6/67-	647-	-844	5	247-	6801	-249	<u> </u>			
	-3293 -294		3083	-296	-3157	-294	ì	5347	-294		-3212	-294		841	-294	5	2 5	+67-	1850	200	107	1510	205	67	-3550	200	1	2073	-294		-5001	-294	,,,,,	7700-	<b>567-</b>	GERO		<b>567-</b>	033	296	ì			
	871 -369	}	-3694	-371	800-	989	3	621	-369		-383	-369	;	-3414	-369	9070	-3400	80°-	AGE	200	600	12/8	240	2	20078	360	S	427	-369		-4358	-369	0440	01 47	905-	5005	0700-	200-	6054	369	}			
	-1530	:	-33	121	3037	117	:	-1348	117		-797	117		-2260	111	,	491	È		447	=	850	4 4 6	=	1284	117	=	-1641	117		-3044	117		545	<u>-</u>	7766	4440	È	4727	1 2 5	:			
	ğ ç	3.	-1371	358	2724	359	3	-3489	359		15	329		-730	328	. 0	7577-	800	ć	25.00	238	Č	950	800	11/36	020	BOO.	2232	359		-874	326	0	8005	ec.	171	- 2	ACS	4522	350	)			
	-1673	8	805	26		<u>.</u> 8		73	96	}	-1731	96		1351	96	i	ရှိသ ရ	S	1010	-2403	9	. 00	601-	9	17/6	2 8	g .	7000	96		-3239	96	;	-4141	8	0007	5 5 5 6 6	ş	6070	7,00	3			
	-3227	5	415	4	5	-399- 45	?	-1018	45	?	-1240	45		-1494	45	į	607	6	0	606L-	<del>5</del>	4	င္ပ	<b>4</b>	707	±7/-	<del>,</del>	2626	45		1178	45	000	5365-	<del>4</del>	CCOC	6705-	<del>4</del>	6774	٥ بر	ř			
	4314	400	-3665	395		406	100	4464	305	3	-4409	394		-3388	394		-495	394	5	رائ د د	465	,	-2034	S85	2700	0/67-	t n	2207	394		-3692	394	9	-4619	394	900	250	394	204	200	100	· .		
	1063	. 6/7	11	274		275	017	3062	275	2	446	275		1728	275		-1981	275	Ġ	503	2/2	8		9/7	1000	677	6/7	. 000	275	i	542	275		-4224	275	0	-3250	2/2	4000	1000-	2			
	1459	07/-	-3161	-722	ç	808 608	07/-	1071	1781-	71	828	-720		381	-720		458	-720		-2078	-/20	3	2421	-/21	7637	1/07-	-/20	4 600	-720	?	-4030	-720	Ġ	797	-720	1	-5641	-720	010	100	771-	132	Į.	
	328	400	-4088	-465	į	1748	-400	720	466	3	1655	-466		-740	-466		-2157	466		-2812	-466	9	-926	-465	7	4/55-	-400	4400	450	3	-4814	-466		06/-	-466	1	7/59	-466		-/441	5	Sheet 17/32	: :	
	799	210	1820	209	*	-4390	012		2 5	2 *	-3847	210	*	532	210	*	1250	210	•	-2074	210	•	-770	211		/90L-	210	000	210	*	-2536	210	• !	-4335	210	• ?	304	210	. !	147)-	2 *	Table 4		
	1080	-626	4144	-628	•	-2384	979		- 50 - 60 - 60 - 60 - 60 - 60 - 60 - 60 - 6	070 <u>+</u>	1185	-626	*	-3862	-626	*	-3915	-626	*	-2568	-626		-536	-627		-3463	979-	100	602	*	-4899	-626	•	2402	-626	• •	-6451	-626		/30/-	979-			
	-3067	106	-1378 1146	104	-1911	1098	90 ;	-13/8	-3222	1378	-1376	108	-1378	-1953	106	-775	1082	106	-158	-2197	106	-73	-775	105	-115	c011-	106	7 7	9117-	-108	-2504	106	-4060	92	106	-675	-3961	106	-2564	200	1378	2	.·	
	89	330	5 5	399	-446	-4633	388	-701	-4413	3 28	- 6	399	-28	4	333	-1267	. 569	333	-3266	3002	360	-4336	1526	398	-3702	-19/5	399	- 1003	300	-3824	2995	399	68	-4578	330	-1420	-553	333	-267	3753	399	2		
	-2832	-381	-1115	-382	-191	2467	-381	-1115	-2731	-381	2 5	-384	-1115	-4112	-381	-1115	-4165	-381	-1115	4	-381	-1115	-1112	-38	-1304	-3628	-381	2 : :	1044	-1115	-5048	-381	-1115	472	-381	-1115	-6561	-381	-1115	-6930	1115	2		
	-3685	43	-894 25	4 5	-3012	-4796	<del>6</del>	-894	-4354	54 5	4694	4 102	-894	1012	5	-894	681	43	-894	-2116	43	-894	299	45	-749	2247	4 5	900	-3408	-895	-1550	43	-894	-4732	43	-894	-2898	43	-894	-7394	4 5 2 6	1 0		
•	-1515	233	-5900	234	11503	-5412	233	11527	-4991	233	/7GLL	23.0	-2213	2018	233	-4037	749	233	-1775	-58	233	-349	-1347	234	-2300	2298	233	2019	66 4 5 6 6 7	.10137	1267	233	-10224	-5359	233	-5378	3750	233	-11458	-7040	233	17011-		
			10485		•			٠.																													_					_		
			- 25					•			•					-			-																						_			
	232 =			. 233		234			235			236		237	; .		238	٠,		239			240			241			242		243	!	 ·.	244			245			246				

342	343	344	345	346	347	348	349	350	351	352	354	382	383	384
92	-6845 -249	-4973 249	-7548 -249	-2833 -249	-3164 -249	-3605 -249	141 -249	1837 -249	641	-940 -251	-2319	1327 -249	. 897 -249	988 -249
3771 - -294	-6649 ·	-4988 -294	-7251 -294	-3176 -294	-3509 -294	-4286 -294	-3185 -294	-3254 -294	1322 -294	-4265 -296	-2995 -288	-2977 -294	-2462 -294	796 -294
-5422 -369	-7468 -369	445 -369	-8427 -369	1651 -369	2448 -369	-3726 -369	-727 -369	1493 -369	-3714 -369	-369e -366	-445 -372	-2372 -369	-1536 -369	-3683
-6415	-6659 117	117	-7475 117	1109	-3050	-866	-2826 117	-2908 117	-2558	-1329 116	-1299 113	-1357 117	-99 117	-301
-6447 359	-6812 359	-6199 359	-7234 359	-1105 359	-903 359	-251 359	-1731 359	-3612 359	1631	-1133 360	-1244 355	-1317 359	-1807 359	756 359
96 · 6099-	4226 96	969-	-7576 96	-3990 96	-4268 96	351 96	-3896 96	-4081 96	-740 96	-2346 96	242 89	569 96	-1874	-564 96
-748 45	-5393 45	-5839 45	-6709 45	-3812 45	-4079 45	-1802 - 45	-3677 45	-3900 45	-609 45	44	1354 28	-622 45	-1416 45	382 45
-7055 394	-6902 394	-6557 394	-7106 394	-4484 394	-4697 394	362 394	-4455 394	-988 394	1215 394	1013 396	1512 414	394	-2915 394	1458 394
-5988 275	-6439 275	-6665 275	-6217 275	-4078 275	-4299 275	1385 275	-3962 275	-4171 275	-601 275	262 274	-973 283	2745 275	1387 275	-494 275
-4495 -720	33 -720	2141 -720	-8114 -720	-1919 -720	193	-3193 -720	1252 -720	2830 -720	-3181 -720	8 -722	-1898 -736	-1878 -720	-1252 -720	-3150 -720 3/32
255 -466	-7152 -466	1676 -466	-1940 -466	-1198 -466	-2819 -466	-2035 -466	482 466	4 -466	4108	-390 -468	-2816 -479	-2768 -466	-1967 -466	-20043 -466 Sheet 18/32
-7173 210	. 4419 210	-1344 210	-7289 210	4186 210	-4438 210	3070	-4009 210	-4281 210	-166 210	1718 209	-582 194	-666 210	-1527 210	-1802 210 Table 4,
494 -626	-7674 -626	2609	-8745 -626	-752 -626	714 -626	-4175	-2250 -626	2480 -626	4163 -626	-1191 -623	-2857 -637	242	778 -626	-4132 -626
-3668 106	-1378 -5618 106	-1378 -5853 106	-1378 -6618 106	154	-1378 -3615 106	195 106 106	4521 - 106 106	-3399 106	-1378 -2252 -2552 -106	1678	96 2 5	105	-1598 106 173	-175 106 -2097
-7222 399	-701 -6618 399	-701 -6991 399	-701 -6589 399	-4433 399	-701 -1281 -399	-1114 399	530 399 44	-1479 399	399	398	397	399 399	399	1288 399 -384
3802	-1115 -7409 -381	-1115 1609 -381	-1115 -7868 -381	. 381 186	-1115 -2980 -381	-4426	-381 -381	-582 -381	263 -381 -381	584 -379	-3114 -375	-3035 -381 -381	-2115 -381	-4382 -381 -1115
-7597 43	-894 -6711 43	-894 -6907 43	-894 -5905 43	4589	-2004 43	-1930 -1930 -1930	\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4683 43 43 43 43	\$ & & \$	1023 43	43 43	-736 -736 -43	-1660 43	474 43 -894
-7433 233	11527 -7597 233	11527 -7488 233	4192 4192 233	233 -5223 -233	-5404 -5404 -233	-1140 -1140 -233	-11527 -4977 233	-5317 -5317 233	1261 1261 233 1251	239 236 236	2192 264 264	1429 233	-192 233 233	-10121 -56 233 -11492
														-3076 -4061 -500 -10450
-6543	-1 -6705 -149	-1 - -5076 -149	-1 -7293 -149	-1 2483 -149	-1 2379 -149	-1 -2633 -149	-1 -2885 -149	-1 -2968 -149	-1 502 -149	411	-411 -411 -146	-26/4 -1416 -149	513 -149	557 -149 -2
41.											,			

385			386		287	Š		000	ဂ ဂ		000	600		200	2		201	5		ć	38¢ .		ć	383		,	46.		9	282		396	}		207	5		000	020		410	2	-		
-274	-249		295	-249	2503	200	-443		2562	-749	3446	2 6	647-	ç	700	647-	300	9 9	647-		9/9	-249	0	9797-	-249	9	8601	-249	074	0470	647-	2108	270	647-	400	2 6	647-	7070	1947-	007	2250	249	2		
2822	-294		3926	-294	47.76	27	<b>567-</b>		42/5	-294	97.00	9	<b>567-</b>	700	8 8	<b>5</b> 67-	27.04	0/7	-294		9/74	-294	0	-3168	-294	0.01	-42/6	-294		5 5	<b>5</b> 67-	-3084	5 6	167-	000	0067-	<b>+67-</b>	9466	2100	<del>5</del> 07-	2800	-2007	5	•	
-807	-369		403	-369	20.04	0/01-	-308		-258	-369	9	751.	905-	9	9 6	-369	,	7/11-	-369	,	-1728	-369	9	1488	-369	į	-3/14	-369		7865-	995-	828	9 0	600	000	9 6	60°-	0	1607-	-305	305		3		
-1281	117		-1339	117	4	040 140	) LL .		-672	117		-2832	11/	0	6071	117	9	240	117		-2558	117	Ì	-775	117		404	117	į	7.5	11	1040	2 4	=	100	70.	1	. 8	3	114	707	5 4	=		
-768	359		-838	329	Č	795-	326	i	753	328	•	-13/8	328	0	0967-	328	Č	င္သ	328	!	-1517	328	į	မှ	328	. :	-1030	328		334	329	7704	1	AC C	•	3 6	328	0	-765	356	4450	0.40	e e e		
1061	96	}	-3927	96		1484	96		-2339	96		-3994	96		1152	96		-1132	8		397	96		-3981	8		167	<b>9</b> 6	•		8	700	2	8	0	96C7-	95	į	22	5	4400	064-	<b>.</b>		
-3162	45	?	1084	45	;	1144	42		934	45		-1135	45		-2549	45		1806	45	,	-736	45		294	45		-319	45	;	821	45	0000	6667-	5		-21/4	45		00. -	. 4	ć	99	3		
4293	304	5	-4456	394	į	114	394		-1001	394		-4487	394		-1033	394	. !	45	394		-3686	394		-50	394	•	361	394	į	178	394	1	200	394		-35/5	394	;	င္ပ	393		-2/34	400		
1257	275	2	-802	275		-744	275		202	275		68 84	275		-1113	275		8 6 7	275		745	275		4069	275		2049	275		1664	275	1	0117-	275		829	275		-1136	277		₹.	6/7		
430	100	07/-	-1922	-720		-3182	-720		-3181	-720		283	-720		2307	-720		£	-720		-3182	-720		2698	-720		-3182	-720		-3029	-720	,	6291-	-720	;	830	-720		-2069	-713		785	07/-	0130	3/34
1080	6001-	Ş	1050	466		4109	-466		4108	466		142	-466		370	-466		-4108	-466		-4109	-466		982	-466		4108	-466		-3986	-466	Ġ	-329	-466	,	-326	-466		122	-467		-2432	404 004	Chaot 10/32	_
4140	200	•	-4078	210	• .	1899	210	•	417	210	•	-4194	210	•	22	210	•	313	210	•	1186	210	•	-4176	210	•	1815	210		-267			797	210	•	1235	210	•	794	221	•	-1043	01.2	- Oblo	apple 4
	9 C	•	-	979 <b>9</b> 79		•	-626			-626						-626			-626		•	-626			-626		•	-626		•	-626			-626		-115			-3038			-366		r	
				106																																									
	•			600 600 600 600 600 600 600 600 600 600		_																																							
	2837	-381	- CL C	-1028	-1115	4414	-381	-1115	4413	-381	-1115	3037	-381	-1115	-3218	-381	-1115	-4413	-381	-1115	-4414	-381	-1115	-2664	-381	-1115	-4414	-381	-1115	-4291	-381	-1115	-171	-381	-1115	-5	-381	-1115	1194	-380	-475	-2635	-381	-1115	
				-4453																																									
- !	1120	233	-1152/	1591-	-11527	-707	233	-11527	286	233	-11527	-5233	233	-11527	-1037	233	-11527	1289	233	-11527	1238	233	-11527	-5213	233	-11527	262	233	-3406	462	233	-2489	-1177	233	-2793	-1066	233	-1356	1132	231	-10165	1117	233	-10165	
	-2879	-200	-10485	-2720	-10485	4093	-500	10485	4002	-500	-10485	2717	-500	-10485	-3183	200	-10485	-4092	-500	-10485	400	-500	-10485	-2709	-200	-10485	-4092	-200	-10485	-3970	-200	-10342	-2676	-200	-10060	-2503	-200	-9836	-2978	-506	-436	-2494	-200	-9123	
				122																																									
	262			263		787	<b>1</b> 04	1	100	C07		286	9		787	ò ,		268	3		90	607 .		270	2 .		274			272			273	•		274			275	,		276			

		421	423	437
2375 -249 896 -249 -249 -2512 -249 -208 -249 -249	-5886 -249 -6874 -249 -249	1422 -249 -915 -249	-1999 -237 -3362 -249	-3302 -249
-3528 -294 -294 -294 -294 -294 -294 -3246 -294	-6934 -294 -7315 -294 -294	4640 -294 -4273 -294	-2374 -297 -4044 -294	-3983 -294
-2980 -369 -1765 -369 -1046 -369 -369 -2596 -369	-6301 -369 -7450 -369 -2210 -369	-795 -369 -1726 -369	-1213 -372 -1514 -369	-1623 -369
-1846 117 -2169 117 -2380 117 117 117 1924 117	-4868 117 -6009 117 -1307	-2816 117 -841	1564 115 580 117	446
.1780 359 691 359 .364 359 .3498 .359 .359 359 359 359 359	-4432 359 -5553 359 -3509 359	-532 359 175 359	1858 358 -635 359	518 359
1325 96 570 96 692 96 -3958 -3955 96 -4072 96	-5293 96 -6414 96 -3981	-750 96 -2341	-1945 93 -1027 96	-2060 96
1163 45 426 45 -1615 -3728 45 -643 45 45	1419 45 -4906 45 -3804	-3772 45 1361	-1561 44 1765	-1511 45
394 1981 394 1566 394 -774 394 394 394	-5218 394 394 394	-1510 394 -3687 394	-2261 395 -3459 394	141
-1452 -1839 -1839 -4006 -4042 -1446 -1446 -4162 -75	-3269 275 -1213 275 -1502 275	-4043 275 -1104	-1621 278 712 275	1208
2456 -720 -2792 -720 -3001 -720 -720 -720 -720 -720	-6095 -720 -7325 -720 1375 -720	-1913 -720 -3178 -720	-1160 -718 -166 -720	-2887 -720
-3364 -466 -3927 -466 -466 -466 -466 -466 -466	-2189 -466 -7778 -466 -466	-298 -466 -758 -466	-1880 -468 -1941 -466	-1911 -466
-1072 210 210 210 210 210 210 210 210 210 21	-4391 210 -5596 210 -1866 210	210 210 205 205 210	-1739 211 -1606 210	-1553 210
.3416 -626 -626 -626 -626 -626 -626 -626 -6	-6860 -626 -8036 -626 -626 -626	1399 -626 -1843 -626	1572 -627 -3928 -626	-3859 -626
1510 106 -1028 890 106 -1052 -2074 106 -3599 -3269 106 -1378 -3270 106 -2008 -3390 -2008	-1378 -4075 106 -1378 -5139 106 -1378	-1378 -349 -106 -1378 -2467 -1378	-1642 -1642 -2302 -2025 -106 -169	-1969 106 -136
1869 -972 -1118 -1118 -950 -950 -124 -1166 -701 -701 -4398 -412 -412 -4398 -4516 -4516	-701 3180 399 -701 -5502 399 -701 -4425 399	-701 -1110 -701 -701 1367	402 402 -327 1819 399 3177	1065 399 -3476
365 -365 -381 -1115 -381 -1115 -381 -381 -1115 -381 -1115 -381 -1115 -381 -381 -381 -381 -381 -381 -381 -381	-1115 -6920 -381 -7732 -381 -1115 -167	-1115 -381 -381 -1115 -381 -381	-2006 -383 -136 -4178 -381	-4111 -381 -1115
-1142 -894 -894 -894 -1575 -1322 -894 -907 -907 -450 -4674 -4674				
239 233 10389 369 233 11070 11070 11318 -1863 233 233 233 -5610 -5196 -5	233 233 -11527 -3549 233 -11527 -5221	-11527 -1661 233 -11527 1418 233	235 235 -8690 1096 233 233	1830 233 -269
-3358 - 500 - 9346 - 9346 - 9346 - 9346 - 1028 - 10276 - 10485 - 2711 - 500 - 10485 -	-10485 -6618 -500 -10485 -7026 -500 -2704	-10485 -2711 -500 -10485 -4088 -500	-1200 -1200 -503 -1741 -3859 -500	-3794 -500 -10136
1905 149 1093 1193 149 149 149 149 149 149 149	968 -149 -149 -149 -242 -149	-1781 -149 -162 -149	-2847 -732 -148 -518 -588 -149	1059 -149 -2561
277 = 278 :: 279 :: 280 :: 281 :: 283	. 582 584	287	289 - 290 - 290	

438	•		440		777	‡		,	447		. ;	443		777	1	•	,	440		•	440		!	447		,	448			449		450	2		451	٠,		452		į	453		
-3427	-250		-1683	-249	9	4 6	647		-3456	-249	000	200	-748	ç	3 5	647	Š	887-	-249	9	1040	-249	į	2051	-249	3	 141	-249	9	3212	-248	-350	076	Ì	852	-249		2241	-249		1213	-249	
-3694	-295		-2155	-294	1007	700	<b>567-</b>		-4139	-294	0	2653	-284	7000	/208-	-234	Š		-294		2048	-294		925	-294	į	-4271	-294		963	-584	4107	000	1	-4245	-294		1628	-294		-3759	-294	
-2280	-370		-1268	-369	: 6	040	90°-		-3578	-369	į	512	99	9	1089	-365 -		-3520	-369	į	1072	-369		248	-369	,	-1324	-369		-3650	69°-	350	360	3	-1729	-369		148	-369	1	-1139	-369	
-1095	117		1741	117	,	04. 0 1	11	;	-15	117		-566	11	ć	<b>8</b> !	۱۲/		-2365	117	!	187	117		-2659	117		1081	. 117	•	439	<b>/</b> LL	1437	117	:	-1304	117		133	117		320	11/	
888	359		773	328	,	5 5 6 6	329		575	328		-2681	328	. ;	-416	328		5	328	;	33	328		ကု	329		<u>6</u>	326		-203	326	2536	250	2	556	359		-2518	328		458	328	
-2723	95		2059	96		-2311	96		-561	96	ļ	52	8		-3195	96		2246	8	* !	-554	96		-2813	<b>9</b> 6.		-304	96		-1170	9	5	5 6	8	-765	96		962	96		-2757	96	
-2326	46		-730	45	;	238	5		-604	45		-2278	45	į	293	45		819	. 45		-867	42		844	45		1139	45		462	45	907	9 4	?	-1811	45		-328	45		-629	45	
1729	393		-2267	394		-1394	398		224	394		610	394	;	-4017	394		6 <u>8</u> 9	394		603	394		-137	394		-766	394		92	394	100	3 5	100	-3697	394		-136	394		006-	394	
1940	277		-1123	275		719	275		က္	275		-2673	275		-3189	275		1038	275		-3006	275		-727	275		-505	275		191	275	900	2 6	017	1134	275	i	691	275		942	275	
2570	-721		-976	-720		-531	-720		-3045	-720		-2058	-720		238	-720		-2987	-720		-2218	-720		-293	-720		452	-720		-3121	-720	9000		07/-	•	-720		-3128	-720		1993	-720	
3468	467		473	-466		-1498	-466		-1001	466		448	-466		999	-466		-570	-466		263	-466		294	-466		-1404	-466		4045	-466	9	2 5	9	•	466		-1244	-466		-867	-466	
2504	210	•	-753	210	•	-1805	210	•	-957	210	•	-2390	210	•	149	210	•	892	210	•	449	210	•	-833	210	•	282	210	•	-116	210	. 00	- 200	2 *	-1024	210	•	82	210	•	-39	210	•
	-627			-626		•			•	-626		-325					•	•			-	-626		•			. •	-626		-1235			? 6					•			-3109		*
	-																																									106	
														•																												399	
								٠.																																		-381	
.00	-2044 43	} ¥	976	43	-894	-401	43	-894	2234	43	-894	416	43	-894	312	43	-894	88	43	-894	-2901	43	-894	-2532	43	-894	798	43	-894	-1079	43	-894 1	) (	4 5		43	-894	-1118	43	-894	-2457	43	-894
1 6	233	207 8638	-1527	233	-9122	1864	233	-3225	702	233	-2940	-1048	233	-11199	-172	233	-11246	-149	233	-11303	-928	233	-11457	1832	233	-11527	594	233	-4636	173	233	-11468	420	233	72611-	233	-11527	ဝှ	233	-11527	-3012	233	-11527
	242	236	-1631	200	-8080	-4051	-200	-10448	-3956	-500	-10326	-2883	-500	-10157	1079	-500	-10204	-3898	-200	-10260	-3038	-200	-10415	-3356	-500	-10485	-4085	-200	-10485	-4031	-200	-10426	-3984	-500	-10485	3 5	-10485	4032	-500	-10485	-3415	-500	-10485
	2610	94-	136	-149	ထု	-1186	-149	-164	272	-149	-203	611	-149	-5	801	-149	7	4	-149	?	-1397	-149	-5	-1177	-149	•	1114	-149	ဓု	-833	-149	7	433	-149	۲۰ وژ	140	7	-1216	-149	7	-136	-149	٠
1	292		. 000		. •	294		•	295	3.		. 296			297			298			299	} .		300		· •	301			302	•		303		. 6	100	ı •	305		,	306	٠,	•

	454		455		756	?		458			459			460			461			462			463	3		464			AGE	P		466	3		467	į		AGA	}		460	ĝ.		
	-3593	-549	1529	-249	2524	-2251	2	1234	-249		-2347	-249		-75	-249		-3663	-249	!	672	-249	?	1241	240	2	1060	960	647-	070	5 5	647-	588	240		-1068	240	2	703	240	647-	1406	- 240	2	
	-4275	-594	2000	-294	45	-4212 -295	2	-3006	-294		-2692	-294		-3096	-294		-4350	-294	-	1010	200	107	4254	200	107	2603	200	<b>167</b> -	0000	3 8	<b>167</b> -	4266	204	5	-4172	200	107	2722	2015	<b>+67-</b>	4273	200	107	
	-3714	-369	1357	-369	200	000	200	-154	-369	}	1211	369	3	-2072	-369	}	-3789	-369	3	1077	360	600	920	096	600-	7604	1607-	80?-	4047	100	80°-	3607	280	3	662	200	60	0900	6007-	802-	. 45.4	260	9	
	267	117	-356	117	9	1338	<u>.</u>	69	117		282	117	•	249	117	:	63	117	•	-2845	447	=	200	717	È	ď	,	È	1	9 ;	=	438	4 4 5	-	7.07	7 7 7	=	. 1100	-2000	=	Š	-231	=	
	939	329	460	329		294	9	916	9.00	3	1354	320	3	537	359	8	712	35.	3	2525		200	903	0 0	ece.	. 77	200	329		6/7-	329	746	250	000	q	ם מ	RCC C	1967	/011-	329	4	70L-	800	
	-1015	8	-3979	96		-2280	c S	300	9 8	3	251	3 8	8	2554	8	3	609-	8 8	3	4008	200	5		200	S		D (	S		24g	8	, OC	Š Š	2	758	2 6	8	,	4 5	නි	,	/60L	8	
	99	45	-3801	45		1352	\$	21.26	27 7 V	?	2273	277C-	3	3268	3500	?	456	3 4	?	9000	2000-	<del>2</del>	101	174	5		1647-	<del>4</del>	ć		ჯ		807	5	450	8 4	<del>5</del>	ć	232	40	. 6	1891	<del>0</del>	
	-1408	394	-4474	394		1056	393	2006	000	t.	6000	7065-	486	4.470	6/4	, ,	27/13	2 2	† 5	9	-4439	394	9	1822	394	9	4030	394		-3981	394	•	5 5	400		67/5-	465 4.		-3947		Š	£ 683	55 4	
	760	275	1008	275		1235	277	CCO	770	617	3	6 - 4 - 1	6/7	4,45	747	617	1521	200	6/7	Š	န် နို	275	9	-2242	275	:	144	275		951		7000	4577-	0/7	900	9 1	2/2	,	-1146	275		732	2/2	
	-3181	-720	251	-120		157	-721	7000	2304	Q)-		81CL	07)-	9	2040	07)-	0300	220	97	9	-1932	-720		-3155	-720	;	8	-720		226	-720		F 6		0	000	07/-		-542		;	-237		2/32
	-2123	466	4	466		-2296	-467	i c	-13/3	4 8	,	2011	400	Č	255	400	44.00	3 5	400		င္ပို	-466		-162	-466		1342			-870	-466	,	-1227	400	,	27- 201	-466		1197	٠.		٠,٠	-466	
	-1832	210	• 07.70	512 510	٠	611	508	• }	-795	0LZ		-3631	210	. [	<u>ک</u> ک	012		-1902	0LZ	•	-4204	210	•	397	210	*.	-2594	210	•	÷	210	•	141	210		200	210		-574			\$		Table 4
	1864	-626	• 5	-101- -626	•	-1403	-627	•	-322	979-	•	1221			<del>4</del> 8			4239			-537			-985			-2850			-1378			`•	-626		134		4	1285			•	-626 -626	
		106	•		•	•		-2567				-		-1523															•			-1378	•		-1378							1186	106	-13/8
		399																																									38	•
		-385 186-																																										
		43																																										
	. [	233 233	-11527	-5217	4400	108	234	-1503	-2963	233	-10936	-4645	233	-10986	-613	233	-11363	2491	233	-11527	-148	233	-11527	394	233	-11527	1186	233	-11527	-3142	233	-11527	1226	233	-11527	165	233	-11527	529	233	-11527	-2468	233	-11527
		-4092	-10485	-2705	10485	4028	-501	-2403	-2610	-200	-9894	-2235	-200	-9944	-2651	-200	-10321	-4167	-500	-10485	-2730	-500	-10485	4063	200	-10485	-3224	-200	-10485	-3318	-500	-10485	-4079	-200	-10485	-3951	-20	-10485	551	-20	-1048	-4086	-200	-1048
	;	819 -149	7	8.5	1 1	142	-150	-1126	-734	-149	7	-694	-149	-5	-1055	-149	-5	467	-149	7	-1259	-149	7	-2622	-149	•	-2746	-149	•	-203	-149	7	216	-149	-	388	-149	7	346	-149	٠	-41	-148	•
•		307	•	308	•	308	3.	•	310		•	311			312			313	•		314			315			316		•	317		•	318	•		319			320		•	321	•	•

5	•		Ξ		473	1		•	5,		,	4		ç	0/4		!	7.7		1	478		i	479		;	8			481		5	787		8	563		;	484	•	į	485 25			
470			471		7.4	ř					. •	4									4			4									-										_		
-3593	-249		-583	-249	1010	2 6	-749	200	19/7-	-749	400	-4709	0¢7-	9	-2402	-749	,	-1940	-249		743	-249		12	-249		1369	-249		-591	-249	2	-3189	-249	,	0121	-248	000	-3093	-249		1482	-249		
-4276	-294		-3195	-294	4005	200	-294		-3452	-734	,	9 6	-585	0	-3084	-584		-2366	-294		3483	-294		-3891	-294		773	-294		4005	-294	0	-3872	-294	į	2776	-294	į	-3776	-294	-	-2222	-294		
-1228	-369		1440	69c-	9	200	-369	9	322	-369	. 0	-3536	-370		-2520	995-		1115	-369		-585	-369		-626	-369		-1063	-369	_	က	-369	,	-3311	-369	,	-1017	-369		-3214	-369	ļ	-1755	-369		
-205	117		400	117	4004	1551-	117	;	999-	11/	0	7777	117		-1370	11		-1570	117		155	117		-932	117		Ϋ́	. 117		446	117	į	827	117	į	-2075	117	į	696 96	117	i	-720	117		
534	359		Ś	328	,	7571	328		518	326	,	-1961	328	. ;	218	328	. !	-1881	328		458	329		425	328		-296	329		4	329		1184	328	.;	8	328	. :	1133	329		982	328		
-205	96		-3855	တ္တ		213	96		1381	96	9	-3520	92		692	හි		383	96		-1954	96		751	96		-2483	96		-2091	96	;	-283	96	į	471	96	;	658	8		<u>ن</u> و	96		
-720	. 45		1121	45	į	φ (2)	45		791	45	;	-2685	45		1034	42		-1491	. 45		209	45		1918	45		-2003	45	•	-1544	45		-206	45	;	2031	42		752	42		2049	45		
546	394		129	394	. [	3/13	394		-2902	394		3218	393		-2498	394		-2961	394		-3066	394		-3324	394		-3613	394		-3434	394		1787	394		886- -088	394	!	-3187	394		-1798	394		
1550	275	i	-363	275	į	-2274	275		22	275		2243	277		2083	275		675	•		-1885	275		832	275		-883 -883	275		1912	275	i	781	275		-1944	275		947	275		2085	275		
3181	-720		1944	-720		3095	-720		-2352	-720		-3836	-714		-1989	-720		1506	-720		-1509	-720		-231	-720		921	-720		-2908	-720		-2778	-720		-2247	-720		613	-720		-1233	-720		32
4108	466	<b>]</b> .	275	-466	i	-262	-466		1378	-466	.,	-4654	-466		-2914	-466		-1854	-466		-441	-466		-1033	-466		672	-466		-3829	-466		99	-466		-3052	-466		-823	-466	•	-2097	466		Sheet 23/32
1050	5	•	3946	210	•	24	210	•	-168	210	•	-3135		•	-646	210	*	1866	210	٠	-142	210	•	745	210	•	-803	210	•	1051	210	•	469	210	•	-1580	210	•	159	210	•	1349	210	•	able 4. S
4164	828	} *	-20	-626	•	-1596	-626	•	532	-626	•	-4556	-627	•	-2967	-626	*	-1567	-626	•	-51	-626	÷	146	-626	•	-389	-626	•	-814	-626	•	-3760	-626	•	623	-626	• .	-3664	-626	*	-2144	-626	• '	_
44	5	1378	3234	106	-1378	902	106	-1378	-1470	106	4	-5893	105	-576	-1064	106	8	-1625	106	-268	-1712	106	-1079	-1891	106	-243	775	106	-537	. 412	106	-154	-1848	106	-107	-1891	106	-157	-1752	106	6	-301	106	4	
		•		96 20 20	•			-																																					
7777		1115	1303	8 8 8	.1115	2076	-381	-1115	-3561	-381	-1115	-4644	-372	-4787	456	-381	-1115	2376	-381	-1115	2146	-381	-1115	-920	-381	-1115	-3010	-381	-1115	-624	-381	-1115	4010	-381	-1115	982	-381	-1115	-3913	-381	-1115	-2376	-381	-1115	
				5	-																																								
				233																			_				-									_			٠.	_	_	٠.	_	~	
		,	•	-2009-	٠							,					٠			•			•						•											_			_		
			•	-149	•			•																		-																			
+1				323.																														,,											

Table 4, Sheet 23/32

486	487	488	489	430	491	492	493	494	495	496	497	498	499	200
1779 -249	-2045 -249	-1861	-2707 -249	1229 -249	58 -249	733 -249	1177 -249	-3593 -249	338	585	-3539 -249	379 -249	546	661
-1722	-2498 -294	-2518 -294	1250 -294	-4261 -294	415 -294	984 -294	-4186 -294	-4275 294	2641 -294	990 -294	-4222 -294	-4222 -294	4091 -294	-3791 -294
-944 -369	-631	-1917 -369	-456 -369	-1811 -369	-3714	-260 -369	500 -369	-2008	-369 -369	-343 -369	-3661 -369	-3661 -369	802 -369	-531 -369
-399	-1076	1925	-784 117	-2560	189	-1133	-163 117	905	-293	587 117	642	-557 117	643	-932 117
1020	2830 359	-823 359	-988 359	313	-1018 359	-1988 359	-102 359	509 359	97 359	-1209 359	631 <sup>-</sup>	861 359	-1029 359	-1306 359
-515 96	-2230 96	-650 -96	15 96	1455 96	137 96	-3978 96	-921 96	-2339 96	504 96	-1274 96	-1067 96	-321 96	-182 96	-57 96
-5 -5	-2008 45	1344	-3673 45	250 45	1529 45	-1394 . 45	-798 45	1065 45	-1143 45	-3799 45	791 45	489 45	125	2001
-1603 394	-2390 394	-1988 394	-1379 394	-1426 394	-3686 394	-1693 394	-3720 394	-3686 394	-949 394	-1693 394	108 394	-3633 394	-3974 394	-3911 394
1518 275	-1892 275	-531 275	-659 275	775 275	766 275	-4067 275	1176 275	1669 275	279	-4067 275	1250 275	55 275	-1323 275	-572 275
-619 -720	-1167 -720	-1422 -720	3415 -720	-3164 -720	-3181 -720	336 -720	14	-3181 -720	2818 -720	1591 -720	871 -720	-3128 -720	1421 -720	. 533 -720 4/32
-1405 -466	-1614 -466	-2315 -466	926 -466	-759 -466	-942 -466	2065	-1722 -466	-2362	-219 -466		-1981 -466	-371	-688 -466	-308 327 320 210 -466 -
-83 210	-2146 210	861 210	4045 210	1359 210	866 210	-1972 210	1865	194	-123 210	-1135 210	-306 210	210	-1221 210	-308 210 Table 4,
-1234	1819 -626	-2325 -626	-215 -626	64 -626	-4164 -626	630	-3951 -626	-1477	115 -626	1948 -626	-1236 -626	-1212 -626	-786 -626	245 -626
										-1378 -3294 106 -1378				-1378 -2532 106 -1378
-1399 399	-4345 -1837 399	-3330 -1871 399	-177 -1761 399	267 267 399	. 727- 399	-701 -1418 399	-/01 -3628 399	-701 428 399	-701 -1211 399	-701 657 399 -701	399	389	-287 -574 399	-701 615 399 -701
-1517	-1115 -1917 -381	-1115 -2602 -381	-1115 -124 -381	-1115 -4384 -381	-1115 -4413 -381	-1115 1897 -381	-1115 -1332 -381	-1115 -4413 -381	-115 -142 -381	-1115 -381 -1115	-4360	-1115 -4360 -381	272 272 -381	-1115 -57 -381 -1115
-133 43	-894 -2345 43	-894 -228 43	-894 -4443 43	-894 -1928 43	-894 555 43	-894 -4579 43	-894 -1986 43	-894 793 43	-894 -3609 43	-894 -4578 -894	598	25 t- 43 t- 5 t- 5 t- 5 t- 5 t- 5 t- 5 t- 5 t- 5	-323 43 43	-894 -82 -83 -894
-578	-8039 -2517 -233	-8383 1639 233	-9072 -5077 233	-11399 1127 233	-11527 1793 233	-11527 -228 233	-11527 600 233	-11527 1011 233	-11527 -4193 233	-11527 -5213 233 -4576	1017	-11466 1347 233	-11466 -141 -233	-11527 -2964 233 -11527
-1241 -	-6997 -1193 -500	-7341 2366 -500	-8030 -2592 -500	-10357 -4072 -500	-10485 -4092 -500	-10485 521 -500	-10485 -3970 -500	-10485 -4092 -500	-10485 -2875 -500	-10485 -2705 -500 -10485	-500	-10423 -4039 -500	-10423 -3331 -500	-10485 -3456 -500 -10485
997	-17 -813 -149	-13 -927 -149	-8 1374 -149	-2 669 -149	-1.66 -149	-1 -2877 -149	1114-	-1 152 -149	-1 -218 -149	-17 -149 -63	388	-2 -1398 -149	-2724 -2724 -149	-1 623 -149 -1
337 =	. 338:	339	340	341	342	343	344	345	346	347	348	349	350	351

						_	_	_	~1	~	_		~	~
501	505	503	504	505	507	209	510	511	512	513	514	515	516	517
879 -249	789 -249	2373 -249	-654	918 -250	-2585 -250	-3113	949 -249	-879	-3475 -249	-2821 -249	-2881 -249	1759 -249	-3993	-3585
258 -294	1504 -294	139 -294	353 -294	-4189 -295	-3264 -280	-3794 -294	1301 -294	3343 -294	-4086 -294	-3163 -294	2337 -294	2012 -294	2295 -294	-4260 -294
-3709	-783 -369	-420 -369	-1328 -369	-3628 -370	1299	837 -369	-1379 -369	259 -369	-1175 -369	2404	1278	69 -369	2430 -369	-1474
341	-337	-226	360	-2472 120	1125	153	-291 117	-349	-297	358	2587 .117	-6467 117	-3937 117	1084
1019 359	426 359	-214 359	1170 359	633 359	-1502 359	-915 359	-647 359	-409 359	539 359	-985 359	-463 359	-6411 359	4820	-1034 359
-1267 96	96 96	-391 96	-573 96	-2253 95	362 96	-164 96	æ 8	940 96	-721 96	-1508 96	-4031 96	-6595 96	-5204 96	96 606-
-39 45	-71 45	-3674 45	-213 45	-668 51	698 45	45	932 45	-635 45	1155	-3797 45	-3850 45	-729 45	-4940 45	-1810 45
-3687 . 394	-3694 394	1019 394	2162 394	-795 395	-210 393	799 394	-3388 394	-3689 394	-3762 394	-4473 394	-4523 394	-7055 394	-5603 394	-3698 394
-11 275	60 275	-3959 275	151 275	1912 276	-1232 278	1357 275	-729 275	1163	1147	508 275	1891 275	-5931 275	-5350 275	-230 275
690	1388 -720	1708 -720	1182 -720	-3095 -721	-2168 -721	-2699 -720	-2788 -720	-3172 -720	1615 -720	480	-1957 -720	-4871	186 -720	-3161 -720
-991 -466	-549 -466	44 66 66	-4087 -466	-633	-3090 -466	-3624 -466	-939 -466	-1007 -466	256 -466	-12 -466	-66	426 -466	1541 -466	-4079 -3 -466 -
319 210	188 210	* -886 210	-667 210	-92 211	-838 210	895 210	-501 210	1670 210	-1980 210	-4171 210	-4221 210	210	-5425 210	-1852 210
-4157 -626	-4109 -626	• -627 -626	• -4142 -626	-4077 -627	-3138 -627	- -1392 -626	-1477 -626	-1474 -626	-3729 -626	200	366 -626	-5428 -626	1828 -626	-1160 -626
486 106	-1378 -2261 106	-1378 1302 106	-1378 525 106	-799 930 105	-1768 -1254 105	239 106 106	-571 -1959 106	4227 812 106	-1378 -2345 106	-1378 -3293 106	-1378 -3353 106	-3596 -3596 106	-1378 -4594 106	-1378 -2266 106 -1378
748	-701 438 399	-701 -465 399	-701 -438 399	-1234 15 398	-502 -16 398	-1155. -14 399	-1613 199 399	-3596 -3596 399	-701 -3672 399	-701 57 399	.4471 399	-7.189 399 754	-5697 -5697 399	-701 1163 399 -701
1032 -381	-1115 231 -381	-1115 -578 -381	-1115 -4392 -381	-1115 -4327 -382	-5935 -3392 -381	-4624 -88 -381	-1115 1375 -381	-1115 -4399 -381	-1115 -4049 -381	-1115 1133 -381	-1115 -2714 -381	3911 3911 -381	-175 -175 -381	-1115 -4376 -381 -1115
301 43	-894 -302 43	-894 -1583 43	\$ e 4	-894 874 42	-24 959 43	-60 -1443 43	-894 1343 43	-894 -744 -43	-894 -2073 43	-894 -4573 -43	-894 -4619 -43	-894 -7594 43	-894 -5783 43	-894 1540 43 -894
25	421 421 233	4984 233	-5900 789 233	4264 1385 232	-739 193 235	.10292 1115 233	-10964 947 233	-11154 -177 233	-11527 -284 233	-11527 -5208 233	-11527 -5249 233	-11527 -7397 -233	-11527 -6389 233	2819 2819 233 -11527
-4088	10485 4061 -500	1409 1409 -500	10485 -4071 -500	10461 -4006 -501	-2237 -3077 -500	-2486 -3609 -500	-9922 -500 -500	-10112 -4082 -500	-10485 -3835 -500	-10485 -2706 -500	-10485 -2751 -500	-10485 -5749 -500	-10485 -3732 -500	-10485 728 -500 -10485
	386 -1-149													
352	353	- 354 -	355	356	- 357 -	358	359	360	36,1	362	363	364	365	366

Table 4, Sheet 25/32

518	519	250	521	522	523	524	526	527	. 528	230	531	532	533	534
-6952 -249	-4466 -249	-6716	-3212 -249	550 -249	-118	-2414 -250	-2269 -249	-3183 -249	1259	-2616	-2791 -249	-249 -249	-3542 -249	395
-7031 -294	437	-7358 -294	-3694 -294	-4245 -294	-4619 -294	-3024	-2927 -294	-3527	-2101 -295	-3321 -294	-3135 -294	-4111 -294	850 -294	-3403 -294
-1177. -369	-8363 -369	-7322 -369	-1128 -369	-849 -369	-3678 -369	-2290 -369	-2389 -369	-2316 -369	-1193	-2757 -369	1385 -369	-107 -369	394 -369	738 -369
-990	-8411	-5830	2484	-2528	105	-1457 117	1816	-1555 117	-1618 116	-1585 117	-2783 117	468	2083	-966 117
1494 359	-8455 359	-5333 359	-637 359	359	-1709 359	403 359	-1230 359	359	-2012 358	359	359	83 359	1753 359	-150 359
-6340 96	-7738 96	-6337 96	898- 96	-623 96	3785 96	-1448 96	-881 96	-2885 96	-2731 97	-1397 96	-3925 96	-937 96	-679 96	2132 96
-6045	-7853 45	-4617 45	2033 45	1762 45	-3489 45	-871	1644 45	-2491 45	-2498 48	921 45	-3738 45	127 45	1020 45	431 45
-5207 394	-7602 394	-5899 394	-1231 394	1627 394	529 394	-2584 394	-2306 394	1262 394	-3110 393	134 394	4434 394	-1549 394	-987 394	-4202 394
3991 275	-7788 275	-4028 275	1570 275	830 275	-3864	2254 275	-755 275	-2340 275	-2625 274	1334 275	275	-855 275	-613 275	-3271
-5938 -720	-7739 -720	-7175 -720	2315 -720	1177	265	-1898 -721	-1901 -720	-2360 -720	-970 -721	-2238 -720	89 -720	473	-3082 -720	-333 -720 6/32
-6893 -466	-7682 -466	-7635 -466	-1922 -466	-4078 -466	-4210	-2739 -466	-2756 -466	-3150 -466	2090 -467	-3152 -466	-791 -466	1303 -466	-3974 -466	495466 Sheet 26/32
-6593 210	-8236 210	5377 210	-2438 210	-171 210	-3223 210	960	-450 210	-2712 210	-2796 214	-871 210	-4103 210	-709 210	-1891 210	-3061 210
-6617 -626	-8380 -626	-7880 -626	-941 -626	-4133 -626	-3967 -626	1213	-2796 -626	-2887 -626	-1290	-3212 -626	1288 -626	-464 -626	-874	-475
-6004	-1378 5446 106	-1378 -4876 106	-1378 -2610 106	-1378 -2221 106	-3670 -106	-253 -1268 105	3698 106	-85 -2607 106	-130 -2112 105	-211 -1240 106	-4116 -3251 106	-2148 -422 106	-1378 -2289 106	-1378 1018 106 -1378
-4397 399	-701 -7245 399	-701 -5309 399	-701 -1240 399	-701 533 399	-1420 -4271 399	-2638 1681 401	-5056 -2109 399	2255 399	-3538 1636 401	-2879 1305 399	399 399	-369 -369 399	-/07 -3625 399	-701 -4134 399 -701
-6811 -381	-1115 -4914 -381	-1115 -7691 -381	-1115 -3404 -381	-1115 -4383 -381	-1115 -4379 -381	-1115 -2969 -381	-4030 -3061 -381	-1115 1387 -381	-1115 -1549 -382	-5789 -3451 -381	-1-15 2346 -381	-1115 -69 -381	-1115 -111 -381	-1115 10 -381 -1115
-6472 43	-894 -8359 43	-894 -1139 43	-894 -2562 43	-894 735 43	-894 -4041 43	254 43 43	-94 762 43	-894 -2842 43	-894 -3089 44	1010 43	- 484 - 494 - 43	-894 -775 -43	-92 -92 43	-894 224 43 -894
- -6117 233	-11527 -8010 -233	-11527 4171 233	-11527 -3119 233	-5377 600 233	-3599 -4623 233	-551 -1301 233	-1486 -684 233	-9081 -3140 233	-9274 -3510 232	-9575 1871 233	397 233	-11489 -462 233	-1152/ -1125 233	-11527 -514 233 -11527
-4145 -	-7039 -500	-10485 -7209 -500	-10485 -3336 -500	-10485 -4062 -500	-10450 -3709 -500	-10326 -2585 -500	-2568 -2757 -500	-8039 -1810 -500	-8232 -1609 -501	-536 -3139 -500	-8935 -2678 -500	-10447 -3868 -500	-10485 -3979 500	-10485 658 -500 -10485
	•	•	-	-										-1 -962 -149 -1
367 =	368	369	370	. 371	372 -	373	374	375	376	377	378	379	380	38.

202	ccc		536		537	ŝ		6	238			R C C		3	240		:	<b>7</b>		,	245			268		į	270	-	į	571			7/9			573			574			575			
140	-249		561	-249	1		647		-3531	-249		7505-	-249	0000	9087-	-249	0	7997-	-249		-1539	-243		-3620	-520		1075	-249		3302	-249	3	-2324	-249		-2088	-249		-2361	-249		-3297	-249		
	297 294		3597	-294	696	200	-734		-4213	-294	,	-4214	-294	0,0	-3488	-294		-3420	-294		-2198	-269		-3808	-592	į	-2674	-294		2248	-294	į	-2971	-294		2202	-294		2000	-294		-3968	-294		
,000	1877-		-3301	-369		07/1-	-369	;	611	-369	,	-1484	-369		-2925	69e-	•	-2848	-369	•	-1600	-375		-2263	-370		396	-369		-2449	-369		-2443	-369		1849	-369		-2478	-369		-3385	-369		
0007	1630 117		-2599	117	0	0007-	/ [ [	;	229	117	9	-2497	11/	;	5	117		-1645	117		1175	119		-1074	117		-1017	. 117		-3036	117	!	-1317	. 117		-1321	117		-1330	117		-2286	117		
, 000	-3281 350	3.	755	359	;	- i	328		<b>8</b>	328	. 1	529	326	. :	1233	328	. !	-1496	328		492	364		1540	329		-974	328		-3353	328		-1268	328		-1382	328		-1272	328		821	328		
	9239 98		-2512	96	. 8	P,	8		-1142	96		1503	9		474	96		-1539	96		-320	6	٠	-3042	92		373	96		-3598	96	:	2615	96		808	96		1114	96		1116	96		
!	<del>-</del> 4	?	-531	45		-1802	5		8	45		1007	45		-1008	42		1497	. 42		202	51		-2759	42		-277	42		-3165	45	:	1215	45		995	42		1191	45		504	45		
	-4307	5	-3791	394		305			-1558	394		1382	394		1064	394		-2559	394		260	393		-2284	393		-2156	394		-4225	394		-2432	394		-2521	394		844	394		-3421	394		•
	762	27	-246	275	!	167	275		1729	275		312	275		849	275		673	275		-219	279		-2079	277		-712	275		186	275		-985	275		-1174	275		-1002	275		-1971	275	•	
	1430	07/-	-2881	-720		725	-720		-3118	-720		-3120	-720		-2393	-720		-5368	-720		-1100	-715		-2716	-721		1101	-720		-2078	-720		975	-720		-1200	-720		-1947	-720		321	-720	9	/32
	223	9	-3711	-466		-1746	466		-1661	-466		-4047	-466		-1031	-466		89	-466		-1999	47		-3599	-466		-2473	-466		986	-466		-2815	-466		-2303	-466		-2872	-466		672	-466		able 4, Sheet 27/32
	-3421	2*	-705	210	•	785	210	*	739	210	•	296	210	•	-107	210	*	-962	210	•	1436	202	٠	-3117	212	•	1705	210	•	-3727	210	•	723	210	•	869	210	•	1621	210	٠	1798	210	•	able 4,
	-2390	•	-1076	-626	•	4124	-626	•	-1612	-626	•	201	-626	•	-3373	-626	•	-3308	-626	•	-2015	-632	•	-3308	-627	*	-2487	-626	•	-2480	-626	•	-2875	-626	•	640	-626	•	629	-626	•	-3812	-626	• '	
	732	106 1378	-1370	106	-1378	-2259	106	-1378	-117	106	-451	-2190	106	451	-1467	106	φ	-1205	106	4-	-243	100	-74	-2789	105	-248	-726	106	-45	-1573	106	-134	-968	106	45	-1087	106	-145	-1023	106	-1694	-7	106	-1540	
	-630	399	2389	399	-701	1244	336	-701	-1340	333	-1898	969	388	-1898	-614	388	-4520	547	333	-5157	-1557	404	-4314	-1512	398	-2662	-2064	388	-5129	-4239	336	-3497	-2343	366 360	-5040	-2440	336	-3388	-2365	338	-533	-3328	399	-608	
	1894	-381	-1115	-381	-1115	-63	-381	-1115	334	-381	-1115	-4352	-381	-1115	-3623	-381	-1115	-3524	-381	-1115	-2289	-386	-132	-3572	-381	-5048	-2759	-381	-1115	1528	-381	-1115	-3146	-381	-1115	-2536	-381	-1115	-3176	-381	-1115	-570	-381	-1115	٠.
	50	4 5 6	-034	43	-894	÷	43	-894	-1002	43	-894	-52	43	-894	-1134	43	-894	911	43	-894	972	9	-3521	-3163	45	-44	1046	43	-894	-4013	43	-894	-685	43	-894	1183	43	-894	727	43	-894	-1664	43	-894	
1	4241	233	72CL	233	11527	1550	233	-4386	2080	233	11457	-704	233	-1133	1598	233	-847	2685	233	-1126	-432	234	-2354	-3035	232	-8518	292	233	-9503	1818	233	-9503	841	233	-9758	-1493	233	-9758	465	233	-9978	288	233	11204	
	2114 -	-500	3754	200																																									
	268	-149	٠.	-149	•			•			•			•																				•						_			_		
	382 ∓	:				384			385			386			387		•							390											,										
																	•			•	• •		•		•	•		•	•		•	•		•	•	-	-			-	-				

929	212	578	629	280	581	285	. 283	284	585	286	587	288	589	590
1959 -249	-3503 -249	-2908 -249	-681 -249	2319 -249	-2900 -249	1656 -249	-503 -249	-2822 -249	-2918 -249	578 -249	-3592 -249	2967 -249	-6754 -249	877 -249
-3543 -294	-4184 -294	-3287 -294	-3175 -294	1884 -294	-3267 -294	890 -294	870 -294	-3164 -294	-3266 -294	2168 -294	-294 -294	-2264 -294	-6951 -294	647 -294
986 -369	-3619 -369	-2284 -369	-566 -369	-314 -369	1282	505 -369	-558 -369	-1289 -369	-2226	-857 -369	-1727 -369	-1344 -369	-1415 -369	1067
-116 117	117	-758 .117	-2818	-794 117	257 117	-2851 117	653	-2821 117	2532	-2817 117	-287 117	-1418 117	4041	2168
-750 359	-1394 359	-795 359	-3496 359	-e 359	-142 359	-1749 359	-762 359	-3512 359	860 359	1072 359	359	116 359	-1285 359	19 359
-177 96	1325	-3454 96	-3952 96	-171 96	-3627 96	-4014 96	-3972 96	-3983 96	-1461 96	1338 96	1482 96	-1750 96	437	-1081 96
-2353 45	-526 45	1410 45	-750 45	-862 45	-3320 45	-3835 45	1015 45	-259 45	-3694 45	-3794 45	85 54	356	-5548 45	-712 45
-3925 394	-29 394	4253 394	4466 394	4454 394	4343 394	4507 394	-4472 394	-4477 394	4463 394	-4472 394	2750 394	-2792 394	-5195 394	394
-665 275	-2145 275	66 275	-4034 275	1587 275	-1268 275	4102 275	-4060 275	-1301 275	-3967 275	-1329 275	-524 275	540 275	-4794 275	966
-193 -720	797 -720	2476 -720	-1920 -720	924 -720	571 -720	-1929 -720	2607 -720	1741 -720	573 -720	1453 -720	-3180 -720	-1061 -720	-5871 -720	475 -720 8/32
530 466	-1778 -466	2276 -466	585 -466	417	-185 -466	1354 466	1293 -466	2348 -466	817 -466	978 -466	-1839 -466	-235 -466	-6793 -466	-2578 -466 -: Sheet 28/32
-838 210	2491 210	-3309 210	-4122 210	-4070 210	-1305 210	-4215 210	-4164 210	-4181 210	4015 210	-4168 210	-929 210	-1415 210	-6019 210	-4034 210 Table 4,
12 <i>77</i> -626	-7 -626	-1220 -626	415 626	-1143 -626	886 -626	833 -626	2104	-67 -626	-1241 -626	-705 -626	-1792 -626	-1493 -626	-6578 -626	1500 -626
-2575 106	• •	•						_	-1378 -3299 106 -1378					•
-1232 399	389 389 389	1419 399	1064 399 399	-707 -922 399	-701 -765 -399	-4458 399	.442 399 399	399	272 399	.1169 .399 .707	399	1324 399 -29	3626	.4395 399 -701
-3221 -381	-1115 -4317 -381	-1115 -2836 -381	-1115 -2673 -381	-1115 -260 -381	-1115 -2798 -381	2973	-2661 -381 -381	-1115 1419 -381	-2774 -281 -381	278 -381 -115	-4411 -381 -115	277 -381 -1115	-381	-875 -381 -1115
-864 43	6894 525 43	-894 -3531 43	-894 -4507 -43	-894 -4442 43	-894 -350 -43	-894 -4620 43	88 4 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	-894 -4585 43	4359 4359 43	43	483 43 43	-1557 -43 -894	-5491 43	-836 -4396 -836 -894
-879 233	-11426 1738 233	-11426 -4113 233	-11489 -1809 233	-11527 -5068 233	-11527 -4410 233	-11527 -5254 233	-11527 -5197 233	-5221 -5221 -533	-4966 -4966 233	-5204 -5204 -233 -11527	233	233 233 -955	-1531 233 1557	-11527 -5019 233 -11527
														-10463 -2728 -500 -10485
823 -149	-2 -2534 -149	-2 -258 -149	-2 2748 -149	-1 1007 -149	-1 2091 -149	-1 -316 -149	-1 -2877 -149	-102 -149	-1 1121 -149	-1162 -149	-197	108 -149	-1283 149	-611 -149 -1
397	398	399	400	. 401	402	- 403 -	- 404 -	405	- 40 <u>6</u> -	407	408	409	410	4

591	265	593	594	595	596	297	598	299	009	601	602	603	604	605
-4852 -249	1877	-5951 -249	4339 -249	3906 -249	-6442 -249	1627 -249	-936 -249	1810 -249	1570 -249	382 -249	-3591 -249	638 -249	393	258 -249
5170 -4 -294	3440 1 -294	6428 -5 -294 .	2816 4 -294	1026 3-294	-6941 -6	-294	-4231 -294	2033	4504 -294	2604 -294	4272 -: -294	-4177 -294	4168 -294	1977 -294
-587 - <del>{</del>	- 369	2105 -6	6169 -; -369	.4336 -369	-5576 <del>- (</del>	-3737 -369	-1215 -369	-331 -369	-3889 -369	-1236 -369	-1726 -369	3615 - -369	500 -369	.3583 -369
-483	1390	232	6976 - 117	3584 -	4212 -	1067 - 117	1030 -	2813	404	-830	2247	424	473	-314
-885 359	-46 · -	-6511 359	-6634 -	1462 359	359	.2525 359	359	359	359	-1247 359	744 359	359	-580 359	-106 359
-5002 96	174 96	-7081 96	-6768 96	-3807 96	အ နာ	-747 96	-265 96	-3927 96	-2699 96	445 96	-2341 96	-2243 96	-2233 96	533 96
-4708 45	794	-6860 45	-538 45	1972. 45	-4749 45	1591 · 45	-1821 45	2001	-2104 45	413	-579 45	-162 45	613	-558 45
3885	-1071 394	-6917 394	-7240 394	4701 394	-38 394	394	-3702 394	394	-1378 394	-4294 394	111 394	394	-566 394	475 394
-4554 275	-493 275	-6819 275	-5995 275	-46 275	4169	-2247 275	-542 275	-844 275	-2448 275	-1012 275	301	1846 275	48	1373 275
-3960	-2214 -720	268 -720	1996 -720	-4070 -720	-5927 -720	-3206 -720	1023 -720	905 -720	-3405 -720	3600	-225 -720	-3083 -720	-3073 -720	113 -720 1/32
-1705 -466	159 -466	-3594	-5320 -466	-4822 -466	-6784 -466	-4131 -466	-1825 -466	417	-1667 -466	4 99	<b>-</b> 2200 -466	-4009 -466	-4000 -466	-3977 -466 - Sheet 29/32
-1470 210	-467 210	-6962 210	-7401 210	.3410 210	-5288 210	-1860 210	210	-4078 210	-2183 210	-3495 210	-238 210	-51 210	326 210	1214 210 • Table 4,
-4375 -626	504 -626	3284 -626	-6013 -626	-4733 -626	-6677 -626	-4185 -626	-4056 -626	1638 -626	4291 -626	-1113 -626	-1155 -626	-4063 -626	-4054 -626	-4033 -626 *
-4650 106	-1378 -2866 106	-1378 -7004 106	-1378 -309 106 108	-1378 -3510 106	-1378 -4973 106	1378 1940 106 106	-2271 -2271 106	13/8 106 106	106 106 106	-3056 -3056 -3056 -3056	177	-131 106 106	153	-303 -166 106 -262
-1375 399	-701 -4097 399	-701 -7166 399	-701 -7386 -339	-701 -1214 399	3298 399	-701 -3611 399	-701 -1292 399	-1417 399	2854 399	-114 399 399	367	399	1631 399	.489 399 -2590
-4778 -381	-1115 323 -381	-1115 262 -381	-1115 2309 -381	-1115 -4183 -381	-1115 -6820 -381	-1115 -1241 -381	-115 -618 -381	-1115	-1-15 -4563 -381	384	-4406 -381	381 -381	-381	-1115 -381 -381 -1115
-5211 43	-894 -3127 43	-894 -7027 43	-894 -7856 43	-894 -3359 43	-894 -4189 -43	-894 1526 43	3238 438 43	-894 -1279 43	-96- 43-64-84-84-84-84-84-84-84-84-84-84-84-84-84	-894 -1922 43	- 89- 43- 64- 64- 64- 64- 64- 64- 64- 64- 64- 64	617 643 643	2 2 3 4 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	-834 -877 -834 -894
233	-11527 -733 233	-11527 -7370 233	-11527 -7502 233	-11527 -3604 -233	-11527 633 233	2070 2070 233	-11527 -1060 233	-1152/ -5079 233	-1152/ 618 233	-1486 -1486 -133	1128 233 233	233	233 233 233 233	-5860 870 233 -851
-3750	-10485 2352 -500	-10485 -4203 -500	-10485 -6045 -500	-10485 -4302 -500	-10485 -4606 -500	-10485 -4116 -500	-10485 -4031 -500	-10485 -2720 -500	-10483 -4290 -500	-10483 598 -500	-4087 -500 -500	-3993 -500 -500	-3984 -500 -500	-10362 -3961 -500 -10334
-463 -149	- 406 - 49 - 49	-1 -4702 -149	-1 -7127 -149	-1 -1722 -149	-1 -1586 -149	-1 -2645 -149	-1 -2625 -149	-1034 -149	-1 -2907 -149	-474 -149	238 -149	-1091 -149 -149	-376 -149	-30 127 -149 1169
412	413:	414 -	415	416	417	418	419	420	421	422	423	424	425	426

909	209	809	612	614	615	616	617	627	629	631	632	633	634	635
_	_				-			_	:					
863 -249	-2458 -249	-2204 -251	-1511 -251	-2217 -249	1948 -249	-5251 -249	-2736 -252	-1201 -250	-1909 -250	750 -249	-3284 -249	-448 -249	-712 -249	-3390 -249
-2101	-3148 -294	3918 -296	1890 -296	-2898 -294	-2990 -294	-6158 -294	-3243 -297	-1662 295	-2412 -295	-3874 -294	-3932 -294	-4023 -294	-4045 -294	-294
773 -369	-2586	-2248 -369	496 -369	972 -369	-2055	-5704 -369	-2164	-304	-1484	-3252 -369	312 -369	-3437 -369	-1038 -369	-3504 -369
-1675	1160	-1240	-1319	-1186	-552 117	-4304 117	1385	1361	-987	-2257 117	-946	-976 117	700 117	410
-256 359	452 359	358	-1790 359	1202 359	-2445 359	359	-873 358	-734 359	-970 360	-912 359	214 359	-1148 359	-213 359	683 359
-2642 96	-1217 96	967	-2009 94	651 96	-2508 96	96	-1831 93	-925 96	-1362 95	-2078 96	-2142 96	2733	540 96	909 909
-294 45	-650 45	489	-1651 44	649 45	33	-3099 45	-1234 43	-536 45	-939 45	-320 45	59 45	45	486 45	-122 45
394	689 394	-2373 394	191 392	-2315 394	1008 394	3905	-2118 394	-1864 394	-2133 395	-3404 394	-3467 394	-3481 394	-3499 394	-187 394
-2687	1862	-940 277	-2001 276	-858 275	-2452 · 275	-2764 275	3091 278	2411 277	2383	766 275	2472	-2032 275	291 275	449 275
970	-2058 -720	-1750 -722	-656 -722	930 -720	-1775 -720	-5374 -720	-2184 -723	-403 -721	3596 -721	-2762 -720	-2818 -720	-2922 -720	-2944 -720	1209 -720
-1506	-2980 -466	-2635 -468	353 -467	-2727 -466	-1281 -466	-6026	-3025 -468	-1043 -466	-2033	-705 -466	-1918 -466	-267 -466	-3856 -466	54 1. -466 - Sheet 30/32
2665	263	778 212	-1845 209	272 210	2179	-1184 210	-1441 209	-611 210	-1029 210	-345 210	-1645 210	-1638 210	786 210	280 210 •
1132	-3037 -626	-2639 -628	2094	-2778 -626	-860 -626	-6205 -626	-2894 -623	1389 -624	-1815	-915 -626	691 -626	-3861 -626	945	-3948 -626
-2061	-151- 106 106	-48 -929 -104	-77- -1564 104	8 8 8	-1003 -2211 106	-230 -3437 -106	-96 -1529 112	-35 -728 105	1175	-1945 -1977 106	106 83	-2049 106	-2067 106	-169 -2056 106 -438
1540	3333 736 399	-4938 -2279 -400	4263 -383 400	399 399 399	-997 399	-2650 -1353 399	-3963 1519 400	-5349 -1618 398	388 388 388	-434 -1542 399	399	-2303 -1288 399	303	.305 399 -1934
1776	-381 -3283 -381	-1115 -2928 -378	-1254 -1448 -382	-3030 -3030 -381	-1115 -66 -381	-1115 -6338 -381	-1115 -3143 -383	-262 -1277 -378	-2142 -377	-4987 -381 -381	-381 -381 -381	4126 -381 -381	-977	-115 -381 -1115
80	-894 1104 43	689 44 84 44	-784 -149 47	-18 907 43	-894 -2324 43	-894 -389 -43	-894 -1067 42	-2592 -725 43	43 42 42	-46 -265 -43	33 4 8 8	1040 43	1293 43 43 43 43 43 43 43 43 43 43 43 43 43	-894 -1724 43 -894
3572	2033 -2033 465 233	-2391 1871 233	-9685 1505 233	4066 176 233	-9771 3026 233	10893 168 233	-266 -1043 232	-2204 -1115 233	-2440 -1081 232	2713 2713 233	-139 -139 -139	-136 -136 -233 -136	233	-11297 -130 -3060
						•						-		1520 1520 -500 -10255
459	-1483 -1483 -149	-309 -1303 -149	-1363 -1378 -148	-3892 -1247 -149	-1003 -149	-2 -4259 -149	-2578 -767 -150	-2537 -516 -149	-2189 -842 -149	-2587 667 -149	163 -149	-2407 -149	-191 -149	458 -149 -186
11.							•				,			441

Table 4, Sheet 30/32

202		n T	637	190 090	2		1654 638	49	•	3442 639	49		227 540	49		7123 641	949		670 642	49		40 643	-249		-2951 644	44		-1787 659	49		-2595 660	49		402 661	49		2663 662	:49		-3359 663	949		853. 664	:49
	2010- 6075-			2048			4459 16			4124 -34			1707			-3725 27			4147 6				-2942		-3640 -29				-2942		-3255 -25			2/85 4			-3560 26			-4041 -33			4154	•
	CONS		4640	26	-308	į	-515	-369		-723		:	-1049	-369		-1416			\$ 5			•	-369		-3079			. 48			-2651		,	76/1-	696-	į	-2769	-369			-369	- 1	-257	995-
	202	=	600	801-	11	;	ဗ္ဗ	117		-203	117		-2401	117		835	117		-812	117		987	117		739	125		1793	117		9	117	į	င္ဆ	117		-2290	117	. [	502	117	,	-962	_
,	95	n C C	6	201	328		-3268	329		1074	329		-369	328		-520			-1403	326		-483	328		602	360		1106	329		-444	328		-1428	328		451		į	175	328		-2393	359
	119-	8	į	[	96		-3734	96		716	96		488			-2447			609			•	96		969			488			477			-3406			1402			179			170	9
	-1624	<del>5</del>	6	983	45		806- -	45		299			-1774	•		-585			1063				45		÷	42		-2483			-871			-710	,		140			2036			1711	7
	Ÿ	394		1881	394		-	394		•	394		275			-3681			744			•	394		-3027			•	394			394		4001			-1131			37			-831	
	2087			88			٠.	275		•	275		-2203			-200			1233				275		1526			-2784			994			-3463			ņ	275		4 227			7 -137	•
	2480			1222				3 -720		٠	3 -720		-2706				3 -720		.3053				3 -720		3 -2550				5 -720		8 512			7 224			7 -2394			4			8 -3057	
	434			•	466			.466		•	.466		•	3 -466		3 -505			3980				0 -466		3 -3473				0466		4 -648			1 1807			`•	0 -466		2 -244	٠.		5 -358	
	-1675		_	•	3 210	_	•	3 210			3 210		•	3 210			3 210		5 896				3 210			3 214			5 210		914				5 210	•	0 824			7 612			2 105	
	-749			•	979-			979-		•	979-9		•	3 -626			3 -626		4035			•	3 -626			5 -633			5 -626		8 -3058				979- 9		2 290			7 -277			7 -542	
	•			•			•									٠									. •			·			٠.			-			0 1022		•					
Ċ		388	1			•			•			•			•	•		•	•		•	•		٠			•	·		-							5 -1730				٠			
																																					3 1305						_	
																																					-1946					_		
																																					-2499							
																																					-3251							
	-848	-149	-5	189	-149		7.7	149	3	4 4	-149	-50	812	-149	-5	-1344	-149	?	497	-149	-117	446	-149	-618	-1976	-147	-1274	-159	-149	4	246	-149	ů.	-1069	-149	7	277	-149	-210	-950	-149	-	728	•
	442			443	· .		777	•		, 445	2	•	446	? .		447			448	?		449	? .		450	3		451			452			453	•		454			455		•	456	

Table 4, Sheet 31/32

.v.e
•
N
,
·
i,

999		999			299			899			699		į	670			671			672		
493 -249	i	-721	-249		-564	-249		-2822	-249		-3084	-249		333	-249		-2821	-249		-5419	•	
-3049 -294		4164	-294		926	-294	. !	-3165	-294		-3513	-294		-4275	-294		1583	-294		-5467	•	
805 -369	,	-3602	-369		-3603	-369		405	-369		1203	996-		-3714	-369		212	-369		-5825	•	
-2705		102	117		246	117		-2817	117		-373	117		-1440	117		403	117		-4930	•	
-107 359		497	329		926	328		-1315	329		-610	328		879	328		-646	329		-5184	•	
-3867 96		-298	96		299	96		1634	96		-3103	96		69	96		-3971	96		3918	•	
-3689 45		1327	45		-578	45		44	45		-449	45		-79	45		-3790	45		-483	•	
.4361 394		-830	394	•	459	394		-4471	394		4111	394		265	394		-4471	394		-5670	•	
-3956 275		-992	275		753	275		-4058	275		1311	275		810	275		-4058	275		-4432	•	
-1794 -720		-115	-720		-3070	-720		2808	-720	•	-2294	-720		-3181	-720		-1910	-720		∞.	•	
377		-2375	-466		-3997	-466		1812	-466		-416	-466		-518	-466		1067	-466		-5643	•	
-1564 210	•	2057	210	•	1359	210	•	4160	210	•	-2790	210	•	609-	210	•	-1193	210	٠	-2098	•	0
2992	*	-250	-626	•	4052	-626	•	-193	-626	•	1522	-626	•	-4164	-626	•	929	-626	•	-1505	٠	•
-3183	-297	-2141	. 106	-297	-2141	106	-3104	-3291	106	-1378	-2791	106	-1378	1287	106	-1378	-3291	106	-1378	2106	٠.	•
-1573	-2427	-3482	388	-2427	961	333	-178	-1787	333	-701	-1460	333	-707	692	. 339	-70	-2029	333	-701	-5764	*	•
-188 -381	-1115	-4301	-381	-1115	-4302	-381	-1115	-2662	-381	-1115	-3135	-381	-1115	-4413	-381	-1115	2589	-381	-1115	-6756	*	•
-4470	-894	-586	43	-894	-648	43	-894	-4559	43	-894	-2942	- 43	-894	-287	43	-894	-1784	43	-894	-1531	•	•
-5105	11399	870	233	11399	-2356	233	11399	-5193	233	11527	1889	233	11527	352	233	-11527	-5195	233	-11527	-6219	•	•
-2591																						
99 6	•			•			•			•			•			•			•			
. 457	: • •	458	} .		459			460			461			462			463			464		

Table 4, Sheet 32/32